

U1359 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
318	U1359	B	1	H	1	1.50	1.50	0.00	1.50	0.00	1.50	0.00	accomodates splice	
318	U1359	B	1	H	2	1.50	1.50	1.50	3.00	1.50	3.00	0.00	accomodates splice	
318	U1359	B	1	H	3	1.50	1.50	3.00	4.50	3.00	4.50	0.00	accomodates splice	
318	U1359	B	1	H	4	1.60	1.60	4.50	6.10	4.50	6.10	0.00	accomodates splice	
318	U1359	B	1	H	5	1.48	1.48	6.10	7.58	6.10	7.58	0.00	accomodates splice	
318	U1359	B	1	H	CC	0.16	0.16	7.58	7.74	7.58	7.74	0.00	accomodates splice	
318	U1359	B	2	H	1	1.50	1.50	7.70	9.20	7.70	9.20	-0.04	accomodates splice	
318	U1359	B	2	H	2	1.50	1.50	9.20	10.70	9.20	10.70	0.00	accomodates splice	
318	U1359	B	2	H	3	1.50	1.50	10.70	12.20	10.70	12.20	0.00	accomodates splice	
318	U1359	B	2	H	4	1.50	1.50	12.20	13.70	12.20	13.70	0.00	accomodates splice	
318	U1359	B	2	H	5	1.50	1.50	13.70	15.20	13.70	15.20	0.00	accomodates splice	
318	U1359	B	3	H	1	1.50	1.50	17.20	18.70	15.60	17.10	0.40	accomodates splice	
318	U1359	B	3	H	2	1.60	1.60	18.70	20.30	17.10	18.70	0.00	accomodates splice	
318	U1359	C	3	H	1	1.50	1.50	16.70	18.20	20.13	21.63	1.43	accomodates splice	
318	U1359	C	3	H	2	1.50	1.50	18.20	19.70	21.63	23.13	0.00	accomodates splice	
318	U1359	C	3	H	3	1.50	1.50	19.70	21.20	23.13	24.63	0.00	accomodates splice	
318	U1359	C	3	H	4	1.50	1.50	21.20	22.70	24.63	26.13	0.00	accomodates splice	
318	U1359	B	4	H	2	1.50	1.50	28.20	29.70	26.25	27.75	0.12	accomodates splice	
318	U1359	B	4	H	3	1.22	1.22	29.70	30.92	27.75	28.97	0.00	accomodates splice	
318	U1359	B	4	H	CC	0.21	0.21	30.92	31.13	28.97	29.18	0.00	accomodates splice	
318	U1359	C	3	H	7	0.73	0.73	25.70	26.43	29.13	29.86	-0.05	accomodates splice	
318	U1359	C	3	H	CC	0.17	0.17	26.43	26.60	29.86	30.03	0.00	accomodates splice	
318	U1359	B	5	H	1	1.50	1.50	36.20	37.70	36.82	38.32	6.79	accomodates splice	
318	U1359	B	5	H	2	1.50	1.50	37.70	39.20	38.32	39.82	0.00	accomodates splice	
318	U1359	B	5	H	3	1.50	1.50	39.20	40.70	39.82	41.32	0.00	accomodates splice	
318	U1359	B	5	H	4	0.69	0.69	40.70	41.39	41.32	42.01	0.00	accomodates splice	
318	U1359	B	5	H	CC	0.21	0.21	41.39	41.60	42.01	42.22	0.00	accomodates splice	
318	U1359	C	5	H	3	1.50	1.50	38.70	40.20	42.13	43.63	-0.09	accomodates splice	
318	U1359	B	6	H	1	1.50	1.50	45.70	47.20	43.71	45.21	0.08	accomodates splice	
318	U1359	B	6	H	2	1.50	1.50	47.20	48.70	45.21	46.71	0.00	accomodates splice	
318	U1359	C	5	H	7	0.63	0.63	44.70	45.33	48.13	48.76	1.42	accomodates splice	
318	U1359	A	7	H	1	1.50	1.50	48.10	49.60	48.55	50.05	-0.21	accomodates splice	
318	U1359	A	7	H	2	1.50	1.50	49.60	51.10	50.05	51.55	0.00	accomodates splice	
318	U1359	A	7	H	3	1.50	1.50	51.10	52.60	51.55	53.05	0.00	accomodates splice	
318	U1359	A	7	H	4	1.50	1.50	52.60	54.10	53.05	54.55	0.00	accomodates splice	
318	U1359	A	7	H	5	0.91	0.91	54.10	55.01	54.55	55.46	0.00	accomodates splice	
318	U1359	A	7	H	CC	0.36	0.36	55.01	55.37	55.46	55.82	0.00	accomodates splice	
318	U1359	B	7	H	2	1.50	1.50	56.70	58.20	55.44	56.94	-0.38	accomodates splice	
318	U1359	A	8	H	1	1.50	1.50	57.60	59.10	57.68	59.18	0.74	accomodates splice	
318	U1359	A	8	H	2	1.50	1.50	59.10	60.60	59.18	60.68	0.00	accomodates splice	
318	U1359	A	8	H	3	1.50	1.50	60.60	62.10	60.68	62.18	0.00	accomodates splice	
318	U1359	A	8	H	4	1.50	1.50	62.10	63.60	62.18	63.68	0.00	accomodates splice	
318	U1359	A	8	H	5	1.50	1.50	63.60	65.10	63.68	65.18	0.00	accomodates splice	
318	U1359	A	8	H	6	1.35	1.35	65.10	66.45	65.18	66.53	0.00	accomodates splice	
318	U1359	A	8	H	CC	0.15	0.15	66.45	66.60	66.53	66.68	0.00	accomodates splice	
318	U1359	A	9	H	1	1.50	1.50	67.10	68.60	67.16	68.66	0.48	accomodates splice	
318	U1359	A	9	H	2	1.50	1.50	68.60	70.10	68.66	70.16	0.00	accomodates splice	
318	U1359	A	9	H	3	1.50	1.50	70.10	71.60	70.16	71.66	0.00	accomodates splice	
318	U1359	A	9	H	4	1.50	1.50	71.60	73.10	71.66	73.16	0.00	accomodates splice	
318	U1359	A	9	H	5	1.50	1.50	73.10	74.60	73.16	74.66	0.00	accomodates splice	
318	U1359	A	9	H	6	1.12	1.12	74.60	75.72	74.66	75.78	0.00	accomodates splice	
318	U1359	C	8	H	CC	0.27	0.27	73.93	74.20	78.63	78.90	2.85	accomodates splice	
318	U1359	C	9	H	1	1.50	1.50	73.70	75.20	78.90	80.40	0.00	accomodates splice	
318	U1359	C	9	H	2	1.50	1.50	75.20	76.70	80.40	81.90	0.00	accomodates splice	
318	U1359	C	9	H	3	1.50	1.50	76.70	78.20	81.90	83.40	0.00	accomodates splice	
318	U1359	C	9	H	4	1.50	1.50	78.20	79.70	83.40	84.90	0.00	accomodates splice	
318	U1359	C	9	H	5	1.50	1.50	79.70	81.20	84.90	86.40	0.00	accomodates splice	
318	U1359	C	9	H	6	1.21	1.21	81.20	82.41	86.40	87.61	0.00	accomodates splice	
318	U1359	C	9	H	7	0.63	0.63	82.41	83.04	87.61	88.24	0.00	accomodates splice	
318	U1359	A	11	H	1	1.50	1.50	86.10	87.60	88.54	90.04	0.30	accomodates splice	
318	U1359	A	11	H	2	1.50	1.50	87.60	89.10	90.04	91.54	0.00	accomodates splice	
318	U1359	A	11	H	3	1.50	1.50	89.10	90.60	91.54	93.04	0.00	accomodates splice	

U1359 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
318	U1359	A	11	H	4	1.50	1.50	90.60	92.10	93.04	94.54	0.00	accomodates splice	
318	U1359	A	11	H	5	1.50	1.50	92.10	93.60	94.54	96.04	0.00	accomodates splice	
318	U1359	A	11	H	6	1.33	1.33	93.60	94.93	96.04	97.37	0.00	accomodates splice	
318	U1359	C	10	H	7	0.54	0.54	92.12	92.66	97.76	98.30	0.39	accomodates splice	
318	U1359	C	10	H	CC	0.24	0.24	92.66	92.90	98.30	98.54	0.00	accomodates splice	
318	U1359	C	11	H	1	1.50	1.50	92.70	94.20	99.87	101.37	1.33	accomodates splice	
318	U1359	C	11	H	2	1.50	1.50	94.20	95.70	101.37	102.87	0.00	accomodates splice	
318	U1359	C	11	H	3	1.50	1.50	95.70	97.20	102.87	104.37	0.00	accomodates splice	
318	U1359	C	11	H	4	1.50	1.50	97.20	98.70	104.37	105.87	0.00	accomodates splice	
318	U1359	C	11	H	5	1.50	1.50	98.70	100.20	105.87	107.37	0.00	accomodates splice	
318	U1359	A	13	H	1	1.50	1.50	105.10	106.60	107.32	108.82	-0.05	accomodates splice	
318	U1359	A	13	H	2	1.50	1.50	106.60	108.10	108.82	110.32	0.00	accomodates splice	
318	U1359	A	13	H	3	1.50	1.50	108.10	109.60	110.32	111.82	0.00	accomodates splice	
318	U1359	C	12	H	3	1.50	1.50	105.20	106.70	112.94	114.44	1.12	accomodates splice	
318	U1359	C	12	H	4	1.50	1.50	106.70	108.20	114.44	115.94	0.00	accomodates splice	
318	U1359	C	12	H	5	1.50	1.50	108.20	109.70	115.94	117.44	0.00	accomodates splice	
318	U1359	C	12	H	6	0.73	0.73	109.70	110.43	117.44	118.17	0.00	accomodates splice	
318	U1359	C	12	H	CC	0.18	0.18	110.43	110.61	118.17	118.35	0.00	accomodates splice	
318	U1359	C	13	H	1	1.50	1.50	111.70	113.20	119.02	120.52	0.67	accomodates splice	
318	U1359	A	14	H	1	1.50	1.50	114.60	116.10	120.19	121.69	-0.33	accomodates splice	
318	U1359	A	14	H	2	1.50	1.50	116.10	117.60	121.69	123.19	0.00	accomodates splice	
318	U1359	B	14	H	1	1.50	1.50	121.70	123.20	123.07	124.57	-0.12	accomodates splice	
318	U1359	B	14	H	2	1.50	1.50	123.20	124.70	124.57	126.07	0.00	accomodates splice	
318	U1359	B	14	H	3	1.50	1.50	124.70	126.20	126.07	127.57	0.00	accomodates splice	
318	U1359	B	14	H	4	1.50	1.50	126.20	127.70	127.57	129.07	0.00	accomodates splice	
318	U1359	B	14	H	5	0.72	0.72	127.70	128.42	129.07	129.79	0.00	accomodates splice	
318	U1359	B	14	H	CC	0.25	0.25	128.42	128.67	129.79	130.04	0.00	accomodates splice	
318	U1359	B	15	H	1	1.50	1.50	131.20	132.70	135.97	137.47	5.93	accomodates splice	
318	U1359	B	15	H	2	1.30	1.30	132.70	134.00	137.47	138.78	0.00	accomodates splice	
318	U1359	A	15	H	7	0.67	0.67	132.92	133.58	138.50	139.18	-0.28	accomodates splice	
318	U1359	A	15	H	CC	0.12	0.12	133.58	133.70	139.18	139.30	0.00	accomodates splice	
318	U1359	A	16	H	1	1.20	1.20	133.60	134.80	139.19	140.40	-0.11	accomodates splice	
318	U1359	A	16	H	2	0.81	0.81	134.80	135.62	140.40	141.20	0.00	accomodates splice	
318	U1359	A	16	H	CC	0.18	0.18	135.61	135.80	141.20	141.38	0.00	accomodates splice	
318	U1359	B	16	H	1	1.50	1.50	140.70	142.20	142.44	143.94	1.06	accomodates splice	
318	U1359	C	15	H	7	0.61	0.61	139.70	140.31	145.40	146.01	1.46	accomodates splice	
318	U1359	C	15	H	CC	0.30	0.30	140.31	140.61	146.01	146.31	0.00	accomodates splice	
318	U1359	B	16	H	CC	0.22	0.22	146.13	146.35	147.87	148.09	1.56	accomodates splice	
318	U1359	A	17	H	1	1.31	1.31	143.10	144.41	148.31	149.62	0.22	accomodates splice	
318	U1359	A	17	H	2	0.77	0.77	144.41	145.18	149.62	150.39	0.00	accomodates splice	
318	U1359	A	17	H	CC	0.28	0.28	145.18	145.46	150.39	150.67	0.00	accomodates splice	
318	U1359	B	17	H	1	1.50	1.50	150.20	151.70	152.96	154.46	2.29	accomodates splice	
318	U1359	A	18	X	2	1.50	1.50	146.90	148.40	154.73	156.23	0.27	accomodates splice	
318	U1359	C	17	H	1	1.50	1.50	149.70	151.20	156.43	157.93	0.20	accomodates splice	
318	U1359	C	17	H	2	1.51	1.51	151.20	152.71	157.93	159.44	0.00	accomodates splice	
318	U1359	C	17	H	3	1.00	1.00	152.71	153.71	159.44	160.44	0.00	accomodates splice	
318	U1359	C	17	H	4	1.50	1.50	153.71	155.21	160.44	161.94	0.00	accomodates splice	
318	U1359	C	17	H	5	1.01	1.01	155.21	156.22	161.94	162.96	0.00	accomodates splice	
318	U1359	C	17	H	6	0.60	0.60	156.22	156.83	162.96	163.56	0.00	accomodates splice	
318	U1359	D	2	R	4	1.50	1.50	156.70	158.20	163.55	165.05	-0.01	accomodates splice	
318	U1359	D	2	R	5	1.01	1.01	158.20	159.21	165.05	166.06	0.00	accomodates splice	
318	U1359	D	2	R	6	0.54	0.54	159.21	159.75	166.06	166.60	0.00	accomodates splice	
318	U1359	D	2	R	CC	0.20	0.20	159.75	159.95	166.60	166.80	0.00	accomodates splice	
318	U1359	C	18	H	1	1.54	1.54	159.20	160.74	168.19	169.73	1.39	accomodates splice	
318	U1359	C	18	H	2	1.50	1.50	160.74	162.24	169.73	171.23	0.00	accomodates splice	
318	U1359	C	18	H	3	1.50	1.50	162.24	163.74	171.23	172.73	0.00	accomodates splice	
318	U1359	C	18	H	4	1.50	1.50	163.74	165.24	172.73	174.23	0.00	accomodates splice	
318	U1359	C	18	H	5	1.50	1.50	165.24	166.74	174.23	175.73	0.00	accomodates splice	
318	U1359	C	18	H	6	1.50	1.50	166.74	168.24	175.73	177.23	0.00	accomodates splice	
318	U1359	C	18	H	7	0.64	0.64	168.24	168.88	177.23	177.88	0.00	accomodates splice	
318	U1359	C	18	H	CC	0.19	0.19	168.88	169.08	177.88	178.06	0.00	accomodates splice	
318	U1359	D	3	R	6	1.11	1.11	169.30	170.41	179.06	180.17	1.00	accomodates splice	

U1359 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
318	U1359	A	21	X	1	1.50	1.50	174.20	175.70	180.67	182.17	0.50	accomodates splice	
318	U1359	A	21	X	2	1.50	1.50	175.70	177.20	182.17	183.67	0.00	accomodates splice	
318	U1359	A	21	X	3	1.50	1.50	177.20	178.70	183.67	185.17	0.00	accomodates splice	
318	U1359	A	21	X	4	1.50	1.50	178.70	180.20	185.17	186.67	0.00	accomodates splice	
318	U1359	A	21	X	5	1.31	1.31	180.20	181.51	186.67	187.98	0.00	accomodates splice	
318	U1359	A	21	X	6	0.51	0.51	181.51	182.02	187.98	188.49	0.00	accomodates splice	
318	U1359	A	21	X	CC	0.14	0.14	182.02	182.16	188.49	188.63	0.00	accomodates splice	
318	U1359	B	20	H	3	1.50	1.50	181.70	183.20	188.37	189.87	-0.26	accomodates splice	
318	U1359	D	4	R	6	0.97	0.97	178.80	179.77	190.30	191.27	0.43	accomodates splice	
318	U1359	D	4	R	CC	0.23	0.23	179.77	180.00	191.27	191.50	0.00	accomodates splice	
318	U1359	A	22	X	1	1.50	1.50	183.90	185.40	192.30	193.80	0.80	accomodates splice	
318	U1359	A	22	X	2	1.50	1.50	185.40	186.90	193.80	195.30	0.00	accomodates splice	
318	U1359	A	22	X	3	1.50	1.50	186.90	188.40	195.30	196.80	0.00	accomodates splice	
318	U1359	A	22	X	4	1.48	1.48	188.40	189.89	196.80	198.28	0.00	accomodates splice	
318	U1359	A	22	X	CC	0.37	0.37	189.89	190.26	198.28	198.66	0.00	accomodates splice	
318	U1359	D	5	R	5	0.96	0.96	186.90	187.86	198.97	199.93	0.31	accomodates splice	
318	U1359	D	5	R	CC	0.21	0.21	187.86	188.07	199.93	200.14	0.00	accomodates splice	
318	U1359	D	6	R	1	1.50	1.50	190.50	192.00	202.07	203.57	1.93	accomodates splice	
318	U1359	B	21	H	7	0.68	0.68	197.23	197.91	204.68	205.36	1.11	accomodates splice	
318	U1359	B	21	H	CC	0.24	0.24	197.91	198.15	205.36	205.60	0.00	accomodates splice	
318	U1359	B	22	H	1	1.50	1.50	197.70	199.20	206.50	208.00	0.90	accomodates splice	
318	U1359	D	6	R	6	1.50	1.50	198.00	199.50	209.57	211.07	1.57	accomodates splice	
318	U1359	D	6	R	7	0.62	0.62	199.50	200.12	211.07	211.68	0.00	accomodates splice	
318	U1359	D	6	R	CC	0.20	0.20	200.12	200.32	211.68	211.88	0.00	accomodates splice	
318	U1359	B	22	H	7	0.73	0.73	206.73	207.46	215.53	216.26	3.65	accomodates splice	
318	U1359	B	22	H	CC	0.27	0.27	207.46	207.73	216.26	216.53	0.00	accomodates splice	
318	U1359	D	7	R	1	1.50	1.50	200.10	201.60	217.24	218.74	0.71	accomodates splice	
318	U1359	B	23	H	CC	0.34	0.34	208.70	209.04	217.72	218.06	-1.02	accomodates splice	
318	U1359	B	24	X	CC	0.32	0.32	210.14	210.46	220.02	220.34	1.96	accomodates splice	
318	U1359	B	25	X	1	1.50	1.50	213.70	215.20	223.39	224.89	3.05	accomodates splice	
318	U1359	B	25	X	2	1.50	1.50	215.20	216.70	224.89	226.39	0.00	accomodates splice	
318	U1359	D	7	R	CC	0.20	0.20	209.20	209.40	226.34	226.54	-0.05	accomodates splice	
318	U1359	B	25	X	3	1.50	1.50	216.70	218.20	226.39	227.89	-0.15	accomodates splice	
318	U1359	B	25	X	4	1.50	1.50	218.20	219.70	227.89	229.39	0.00	accomodates splice	
318	U1359	B	25	X	5	1.50	1.50	219.70	221.20	229.39	230.89	0.00	accomodates splice	
318	U1359	B	25	X	6	1.31	1.31	221.20	222.51	230.89	232.20	0.00	accomodates splice	
318	U1359	B	25	X	7	0.66	0.66	222.51	223.17	232.20	232.86	0.00	accomodates splice	
318	U1359	B	25	X	CC	0.19	0.19	223.17	223.36	232.86	233.05	0.00	accomodates splice	
318	U1359	D	8	R	5	0.70	0.70	215.70	216.40	232.84	233.54	-0.21	accomodates splice	
318	U1359	D	8	R	CC	0.24	0.24	216.40	216.64	233.54	233.78	0.00	accomodates splice	
318	U1359	B	26	X	1	0.41	0.41	223.30	223.71	233.11	233.52	-0.67	accomodates splice	
318	U1359	B	26	X	2	1.14	1.14	223.71	224.85	233.52	234.66	0.00	accomodates splice	
318	U1359	B	26	X	3	0.76	0.76	224.85	225.61	234.66	235.42	0.00	accomodates splice	
318	U1359	B	26	X	4	0.59	0.59	225.61	226.20	235.42	236.01	0.00	accomodates splice	
318	U1359	B	26	X	CC	0.44	0.44	226.20	226.64	236.01	236.45	0.00	accomodates splice	
318	U1359	D	9	R	1	1.50	1.50	219.30	220.80	236.44	237.94	-0.01	deepest hole, below splice	
318	U1359	D	9	R	2	1.50	1.50	220.80	222.30	237.94	239.44	0.00	deepest hole, below splice	
318	U1359	D	9	R	3	1.50	1.50	222.30	223.80	239.44	240.94	0.00	deepest hole, below splice	
318	U1359	D	9	R	4	1.50	1.50	223.80	225.30	240.94	242.44	0.00	deepest hole, below splice	
318	U1359	D	9	R	5	1.50	1.50	225.30	226.80	242.44	243.94	0.00	deepest hole, below splice	
318	U1359	D	9	R	6	0.71	0.71	226.80	227.51	243.94	244.65	0.00	deepest hole, below splice	
318	U1359	D	9	R	CC	0.22	0.22	227.51	227.73	244.65	244.87	0.00	deepest hole, below splice	
318	U1359	D	10	R	1	1.50	1.50	228.90	230.40	246.04	247.54	1.17	deepest hole, below splice	
318	U1359	D	10	R	2	1.50	1.50	230.40	231.90	247.54	249.04	0.00	deepest hole, below splice	
318	U1359	D	10	R	3	1.50	1.50	231.90	233.40	249.04	250.54	0.00	deepest hole, below splice	
318	U1359	D	10	R	4	1.50	1.50	233.40	234.90	250.54	252.04	0.00	deepest hole, below splice	
318	U1359	D	10	R	5	1.50	1.50	234.90	236.40	252.04	253.54	0.00	deepest hole, below splice	
318	U1359	D	10	R	6	1.50	1.50	236.40	237.90	253.54	255.04	0.00	deepest hole, below splice	
318	U1359	D	10	R	7	0.65	0.65	237.90	238.55	255.04	255.69	0.00	deepest hole, below splice	
318	U1359	D	10	R	CC	0.22	0.22	238.55	238.77	255.69	255.91	0.00	deepest hole, below splice	
318	U1359	D	11	R	1	1.50	1.50	238.40	239.90	255.54	257.04	-0.37	deepest hole, below splice	
318	U1359	D	11	R	2	1.50	1.50	239.90	241.40	257.04	258.54	0.00	deepest hole, below splice	

U1359 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
318	U1359	D	11	R	3	1.50	1.50	241.40	242.90	258.54	260.04	0.00	deepest hole, below splice	
318	U1359	D	11	R	4	1.50	1.50	242.90	244.40	260.04	261.54	0.00	deepest hole, below splice	
318	U1359	D	11	R	5	1.50	1.50	244.40	245.90	261.54	263.04	0.00	deepest hole, below splice	
318	U1359	D	11	R	6	1.20	1.20	245.90	247.10	263.04	264.24	0.00	deepest hole, below splice	
318	U1359	D	11	R	7	0.89	0.89	247.10	247.99	264.24	265.13	0.00	deepest hole, below splice	
318	U1359	D	11	R	CC	0.23	0.23	247.99	248.22	265.13	265.36	0.00	deepest hole, below splice	
318	U1359	D	12	R	1	1.50	1.50	248.00	249.50	265.14	266.64	-0.22	deepest hole, below splice	
318	U1359	D	12	R	2	1.50	1.50	249.50	251.00	266.64	268.14	0.00	deepest hole, below splice	
318	U1359	D	12	R	3	1.50	1.50	251.00	252.50	268.14	269.64	0.00	deepest hole, below splice	
318	U1359	D	12	R	4	0.94	0.94	252.50	253.44	269.64	270.58	0.00	deepest hole, below splice	
318	U1359	D	12	R	CC	0.22	0.22	253.44	253.66	270.58	270.80	0.00	deepest hole, below splice	
318	U1359	D	13	R	1	1.50	1.50	257.60	259.10	274.74	276.24	3.94	deepest hole, below splice	
318	U1359	D	13	R	2	1.50	1.50	259.10	260.60	276.24	277.74	0.00	deepest hole, below splice	
318	U1359	D	13	R	3	1.50	1.50	260.60	262.10	277.74	279.24	0.00	deepest hole, below splice	
318	U1359	D	13	R	4	1.00	1.00	262.10	263.10	279.24	280.24	0.00	deepest hole, below splice	
318	U1359	D	13	R	5	0.76	0.76	263.10	263.86	280.24	281.00	0.00	deepest hole, below splice	
318	U1359	D	13	R	CC	0.20	0.20	263.86	264.06	281.00	281.20	0.00	deepest hole, below splice	
318	U1359	D	14	R	1	1.50	1.50	267.20	268.70	284.34	285.84	3.14	deepest hole, below splice	
318	U1359	D	14	R	2	1.50	1.50	268.70	270.20	285.84	287.34	0.00	deepest hole, below splice	
318	U1359	D	14	R	3	1.50	1.50	270.20	271.70	287.34	288.84	0.00	deepest hole, below splice	
318	U1359	D	14	R	4	1.50	1.50	271.70	273.20	288.84	290.34	0.00	deepest hole, below splice	
318	U1359	D	14	R	5	1.50	1.50	273.20	274.70	290.34	291.84	0.00	deepest hole, below splice	
318	U1359	D	14	R	6	1.11	1.11	274.70	275.81	292.95	292.95	0.00	deepest hole, below splice	
318	U1359	D	14	R	CC	0.26	0.26	275.81	276.07	292.95	293.21	0.00	deepest hole, below splice	
318	U1359	D	15	R	1	1.50	1.50	276.80	278.30	293.94	295.44	0.73	deepest hole, below splice	
318	U1359	D	15	R	2	1.50	1.50	278.30	279.80	295.44	296.94	0.00	deepest hole, below splice	
318	U1359	D	15	R	3	1.50	1.50	279.80	281.30	296.94	298.44	0.00	deepest hole, below splice	
318	U1359	D	15	R	4	1.01	1.01	281.30	282.31	298.44	299.45	0.00	deepest hole, below splice	
318	U1359	D	15	R	5	0.93	0.93	282.31	283.24	299.45	300.38	0.00	deepest hole, below splice	
318	U1359	D	15	R	CC	0.19	0.19	283.24	283.43	300.38	300.57	0.00	deepest hole, below splice	
318	U1359	D	16	R	1	1.50	1.50	286.30	287.80	303.44	304.94	2.87	deepest hole, below splice	
318	U1359	D	16	R	2	1.50	1.50	287.80	289.30	304.94	306.44	0.00	deepest hole, below splice	
318	U1359	D	16	R	3	1.50	1.50	289.30	290.80	306.44	307.94	0.00	deepest hole, below splice	
318	U1359	D	16	R	4	1.50	1.50	290.80	292.30	307.94	309.44	0.00	deepest hole, below splice	
318	U1359	D	16	R	5	1.50	1.50	292.30	293.80	309.44	310.94	0.00	deepest hole, below splice	
318	U1359	D	16	R	6	1.25	1.25	293.80	295.05	310.94	312.19	0.00	deepest hole, below splice	
318	U1359	D	16	R	7	0.69	0.69	295.05	295.74	312.19	312.88	0.00	deepest hole, below splice	
318	U1359	D	16	R	CC	0.21	0.21	295.74	295.95	312.88	313.09	0.00	deepest hole, below splice	
318	U1359	D	17	R	1	1.50	1.50	295.90	297.40	313.04	314.54	-0.05	deepest hole, below splice	
318	U1359	D	17	R	2	1.50	1.50	297.40	298.90	314.54	316.04	0.00	deepest hole, below splice	
318	U1359	D	17	R	3	1.21	1.21	298.90	300.11	316.04	317.25	0.00	deepest hole, below splice	
318	U1359	D	17	R	4	0.72	0.72	300.11	300.83	317.25	317.97	0.00	deepest hole, below splice	
318	U1359	D	17	R	CC	0.16	0.16	300.83	300.99	317.97	318.13	0.00	deepest hole, below splice	
318	U1359	D	18	R	1	1.50	1.50	305.50	307.00	322.64	324.14	4.51	deepest hole, below splice	
318	U1359	D	18	R	2	1.50	1.50	307.00	308.50	324.14	325.64	0.00	deepest hole, below splice	
318	U1359	D	18	R	3	1.50	1.50	308.50	310.00	325.64	327.14	0.00	deepest hole, below splice	
318	U1359	D	18	R	4	1.50	1.50	310.00	311.50	327.14	328.64	0.00	deepest hole, below splice	
318	U1359	D	18	R	5	1.35	1.35	311.50	312.85	328.64	329.99	0.00	deepest hole, below splice	
318	U1359	D	18	R	CC	0.05	0.05	312.85	312.90	329.99	330.04	0.00	deepest hole, below splice	
318	U1359	D	19	R	1	1.50	1.50	315.10	316.60	332.24	333.74	2.20	deepest hole, below splice	
318	U1359	D	19	R	2	1.50	1.50	316.60	318.10	333.74	335.24	0.00	deepest hole, below splice	
318	U1359	D	19	R	3	1.50	1.50	318.10	319.60	335.24	336.74	0.00	deepest hole, below splice	
318	U1359	D	19	R	4	0.99	0.99	319.60	320.59	336.74	337.73	0.00	deepest hole, below splice	
318	U1359	D	19	R	CC	0.24	0.24	320.59	320.83	337.73	337.97	0.00	deepest hole, below splice	
318	U1359	D	20	R	1	1.50	1.50	324.70	326.20	341.84	343.34	3.87	deepest hole, below splice	
318	U1359	D	20	R	2	1.50	1.50	326.20	327.70	343.34	344.84	0.00	deepest hole, below splice	
318	U1359	D	20	R	3	1.50	1.50	327.70	329.20	344.84	346.34	0.00	deepest hole, below splice	
318	U1359	D	20	R	4	1.20	1.20	329.20	330.40	346.34	347.54	0.00	deepest hole, below splice	
318	U1359	D	20	R	5	0.76	0.76	330.40	331.16	347.54	348.30	0.00	deepest hole, below splice	
318	U1359	D	20	R	CC	0.20	0.20	331.16	331.36	348.30	348.50	0.00	deepest hole, below splice	
318	U1359	D	21	R	1	1.50	1.50	334.30	335.80	351.44	352.94	2.94	deepest hole, below splice	
318	U1359	D	21	R	2	1.50	1.50	335.80	337.30	352.94	354.44	0.00	deepest hole, below splice	

U1359 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
318	U1359	D	21	R	3	1.50	1.50	337.30	338.80	354.44	355.94	0.00	deepest hole, below splice	
318	U1359	D	21	R	4	1.50	1.50	338.80	340.30	355.94	357.44	0.00	deepest hole, below splice	
318	U1359	D	21	R	5	1.14	1.14	340.30	341.44	357.44	358.58	0.00	deepest hole, below splice	
318	U1359	D	21	R	CC	0.13	0.13	341.44	341.57	358.58	358.71	0.00	deepest hole, below splice	
318	U1359	D	22	R	1	1.50	1.50	343.90	345.40	361.04	362.54	2.33	deepest hole, below splice	
318	U1359	D	22	R	2	1.50	1.50	345.40	346.90	362.54	364.04	0.00	deepest hole, below splice	
318	U1359	D	22	R	3	1.30	1.30	346.90	348.20	364.04	365.34	0.00	deepest hole, below splice	
318	U1359	D	22	R	4	0.57	0.57	348.20	348.78	365.34	365.92	0.00	deepest hole, below splice	
318	U1359	D	22	R	CC	0.16	0.16	348.78	348.94	365.92	366.08	0.00	deepest hole, below splice	
318	U1359	D	23	R	1	1.50	1.50	353.50	355.00	370.64	372.14	4.56	deepest hole, below splice	
318	U1359	D	23	R	2	1.50	1.50	355.00	356.50	372.14	373.64	0.00	deepest hole, below splice	
318	U1359	D	23	R	3	1.49	1.49	356.50	357.99	373.64	375.13	0.00	deepest hole, below splice	
318	U1359	D	23	R	CC	0.15	0.15	357.99	358.14	375.13	375.28	0.00	deepest hole, below splice	
318	U1359	D	24	R	1	1.50	1.50	362.80	364.30	379.94	381.44	4.66	deepest hole, below splice	
318	U1359	D	24	R	2	1.50	1.50	364.30	365.80	381.44	382.94	0.00	deepest hole, below splice	
318	U1359	D	24	R	3	1.50	1.50	365.80	367.30	382.94	384.44	0.00	deepest hole, below splice	
318	U1359	D	24	R	4	1.50	1.50	367.30	368.80	384.44	385.94	0.00	deepest hole, below splice	
318	U1359	D	24	R	5	1.50	1.50	368.80	370.30	385.94	387.44	0.00	deepest hole, below splice	
318	U1359	D	24	R	6	1.36	1.36	370.30	371.66	387.44	388.80	0.00	deepest hole, below splice	
318	U1359	D	24	R	CC	0.20	0.20	371.66	371.86	388.80	389.00	0.00	deepest hole, below splice	
318	U1359	D	25	R	1	1.50	1.50	372.40	373.90	389.54	391.04	0.54	deepest hole, below splice	
318	U1359	D	25	R	CC	0.21	0.21	373.90	374.11	391.04	391.25	0.00	deepest hole, below splice	
318	U1359	D	27	R	CC	0.02	0.02	391.60	391.62	408.74	408.76	17.49	deepest hole, below splice	
318	U1359	D	29	R	1	1.21	1.21	410.80	412.01	427.94	429.15	19.18	deepest hole, below splice	
318	U1359	D	29	R	2	0.60	0.60	412.01	412.61	429.15	429.75	0.00	deepest hole, below splice	
318	U1359	D	29	R	CC	0.22	0.22	412.61	412.83	429.75	429.97	0.00	deepest hole, below splice	
318	U1359	D	30	R	1	1.50	1.50	420.40	421.90	437.54	439.04	7.57	deepest hole, below splice	
318	U1359	D	30	R	2	1.42	1.42	421.90	423.32	439.04	440.46	0.00	deepest hole, below splice	
318	U1359	D	30	R	CC	0.18	0.18	423.32	424.08	441.04	441.22	0.58	deepest hole, below splice	
318	U1359	D	31	R	1	0.83	0.83	430.00	430.83	447.14	447.97	5.92	deepest hole, below splice	
318	U1359	D	31	R	CC	0.21	0.21	430.83	431.04	447.97	448.18	0.00	deepest hole, below splice	
318	U1359	D	32	R	1	1.50	1.50	439.60	441.10	456.74	458.24	8.56	deepest hole, below splice	
318	U1359	D	32	R	2	1.50	1.50	441.10	442.60	458.24	459.74	0.00	deepest hole, below splice	
318	U1359	D	32	R	3	1.50	1.50	442.60	444.10	459.74	461.24	0.00	deepest hole, below splice	
318	U1359	D	32	R	4	1.50	1.50	444.10	445.60	461.24	462.74	0.00	deepest hole, below splice	
318	U1359	D	32	R	5	0.53	0.53	445.60	446.13	462.74	463.27	0.00	deepest hole, below splice	
318	U1359	D	32	R	CC	0.23	0.23	446.13	446.36	463.27	463.50	0.00	deepest hole, below splice	
318	U1359	D	33	R	1	1.50	1.50	449.20	450.70	466.34	467.84	2.84	deepest hole, below splice	
318	U1359	D	33	R	2	1.50	1.50	450.70	452.20	467.84	469.34	0.00	deepest hole, below splice	
318	U1359	D	33	R	3	1.50	1.50	452.20	453.70	469.34	470.84	0.00	deepest hole, below splice	
318	U1359	D	33	R	4	1.50	1.50	453.70	455.20	470.84	472.34	0.00	deepest hole, below splice	
318	U1359	D	33	R	5	1.00	1.00	455.20	456.20	472.34	473.34	0.00	deepest hole, below splice	
318	U1359	D	33	R	6	0.83	0.83	456.20	457.03	473.34	474.17	0.00	deepest hole, below splice	
318	U1359	D	33	R	CC	0.20	0.20	457.03	457.23	474.17	474.37	0.00	deepest hole, below splice	
318	U1359	D	34	R	1	1.50	1.50	458.70	460.20	475.84	477.34	1.47	deepest hole, below splice	
318	U1359	D	34	R	2	1.50	1.50	460.20	461.70	477.34	478.84	0.00	deepest hole, below splice	
318	U1359	D	34	R	3	1.50	1.50	461.70	463.20	478.84	480.34	0.00	deepest hole, below splice	
318	U1359	D	34	R	4	0.89	0.89	463.20	464.09	480.34	481.23	0.00	deepest hole, below splice	
318	U1359	D	34	R	CC	0.27	0.27	464.09	464.36	481.23	481.50	0.00	deepest hole, below splice	
318	U1359	D	35	R	1	1.50	1.50	468.20	469.70	485.34	486.84	3.84	deepest hole, below splice	
318	U1359	D	35	R	2	1.50	1.50	469.70	471.20	486.84	488.34	0.00	deepest hole, below splice	
318	U1359	D	35	R	3	1.50	1.50	471.20	472.70	488.34	489.84	0.00	deepest hole, below splice	
318	U1359	D	35	R	4	1.11	1.11	472.70	473.81	489.84	490.95	0.00	deepest hole, below splice	
318	U1359	D	35	R	5	0.82	0.82	473.81	474.63	490.95	491.77	0.00	deepest hole, below splice	
318	U1359	D	35	R	CC	0.28	0.28	474.63	474.91	491.77	492.05	0.00	deepest hole, below splice	
318	U1359	D	36	R	1	1.50	1.50	477.80	479.30	494.94	496.44	2.89	deepest hole, below splice	
318	U1359	D	36	R	2	1.01	1.01	479.30	479.31	496.44	497.45	0.00	deepest hole, below splice	
318	U1359	D	36	R	3	0.87	0.87	480.31	481.18	497.45	498.32	0.00	deepest hole, below splice	
318	U1359	D	36	R	CC	0.20	0.20	481.18	481.38	498.32	498.52	0.00	deepest hole, below splice	
318	U1359	D	37	R	1	1.50	1.50	488.90	487.40	504.54	506.04	6.02	deepest hole, below splice	
318	U1359	D	37	R	2	1.50	1.50	488.90	490.40	506.04	507.54	0.00	deepest hole, below splice	
318	U1359	D	37	R	3	1.38	1.38	490.40	491.78	507.54	508.92	0.00	deepest hole, below splice	

U1359 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
318	U1359	D	37	R	CC	0.24	0.24	491.78	492.02	508.92	509.16	0.00	deepest hole, below splice	
318	U1359	D	38	R	1	1.50	1.50	497.00	498.50	514.14	515.64	4.98	deepest hole, below splice	
318	U1359	D	38	R	2	1.34	1.34	498.50	499.84	515.64	516.98	0.00	deepest hole, below splice	
318	U1359	D	38	R	CC	0.24	0.24	499.84	500.08	516.98	517.22	0.00	deepest hole, below splice	
318	U1359	D	39	R	1	1.50	1.50	506.60	508.10	523.74	525.24	6.52	deepest hole, below splice	
318	U1359	D	39	R	2	1.50	1.50	508.10	509.60	525.24	526.74	0.00	deepest hole, below splice	
318	U1359	D	39	R	3	1.50	1.50	509.60	511.10	526.74	528.24	0.00	deepest hole, below splice	
318	U1359	D	39	R	4	1.50	1.50	511.10	512.60	528.24	529.74	0.00	deepest hole, below splice	
318	U1359	D	39	R	5	1.02	1.02	512.60	513.62	529.74	530.76	0.00	deepest hole, below splice	
318	U1359	D	39	R	6	0.68	0.68	513.62	514.30	530.76	531.44	0.00	deepest hole, below splice	
318	U1359	D	39	R	CC	0.21	0.21	514.30	514.51	531.44	531.65	0.00	deepest hole, below splice	
318	U1359	D	40	R	1	1.50	1.50	516.20	517.70	533.34	534.84	1.69	deepest hole, below splice	
318	U1359	D	40	R	2	1.50	1.50	517.70	519.20	534.84	536.34	0.00	deepest hole, below splice	
318	U1359	D	40	R	3	1.18	1.18	519.20	520.38	536.34	537.52	0.00	deepest hole, below splice	
318	U1359	D	40	R	CC	0.22	0.22	520.38	520.60	537.52	537.74	0.00	deepest hole, below splice	
318	U1359	D	41	R	1	1.50	1.50	525.80	527.30	542.94	544.44	5.20	deepest hole, below splice	
318	U1359	D	41	R	2	1.50	1.50	527.30	528.80	544.44	545.94	0.00	deepest hole, below splice	
318	U1359	D	41	R	3	1.50	1.50	528.80	530.30	545.94	547.44	0.00	deepest hole, below splice	
318	U1359	D	41	R	4	1.09	1.09	530.30	531.39	547.44	548.53	0.00	deepest hole, below splice	
318	U1359	D	41	R	CC	0.33	0.33	531.39	531.72	548.53	548.86	0.00	deepest hole, below splice	
318	U1359	D	42	R	1	1.50	1.50	535.40	536.90	552.54	554.04	3.68	deepest hole, below splice	
318	U1359	D	42	R	2	1.20	1.20	536.90	538.10	554.04	555.24	0.00	deepest hole, below splice	
318	U1359	D	42	R	3	0.81	0.81	538.10	538.91	555.24	556.05	0.00	deepest hole, below splice	
318	U1359	D	42	R	CC	0.21	0.21	538.91	539.12	556.05	556.26	0.00	deepest hole, below splice	
318	U1359	D	43	R	1	1.50	1.50	545.00	546.50	562.14	563.64	5.88	deepest hole, below splice	
318	U1359	D	43	R	2	1.50	1.50	546.50	548.00	563.64	565.14	0.00	deepest hole, below splice	
318	U1359	D	43	R	3	0.89	0.89	548.00	548.89	565.14	566.03	0.00	deepest hole, below splice	
318	U1359	D	43	R	CC	0.20	0.20	548.89	549.09	566.03	566.23	0.00	deepest hole, below splice	
318	U1359	D	44	R	1	1.50	1.50	554.60	556.10	571.74	573.24	5.51	deepest hole, below splice	
318	U1359	D	44	R	2	1.44	1.44	556.10	557.54	573.24	574.68	0.00	deepest hole, below splice	
318	U1359	D	44	R	3	0.72	0.72	557.54	558.26	574.68	575.40	0.00	deepest hole, below splice	
318	U1359	D	44	R	CC	0.16	0.16	558.26	558.42	575.40	575.56	0.00	deepest hole, below splice	
318	U1359	D	45	R	1	1.50	1.50	563.80	565.30	580.94	582.44	5.38	deepest hole, below splice	
318	U1359	D	45	R	2	1.36	1.36	565.30	566.66	582.44	583.80	0.00	deepest hole, below splice	
318	U1359	D	45	R	3	0.58	0.58	566.66	567.24	583.80	584.38	0.00	deepest hole, below splice	
318	U1359	D	45	R	CC	0.20	0.20	567.24	567.44	584.38	584.58	0.00	deepest hole, below splice	
318	U1359	D	46	R	1	1.50	1.50	573.40	574.90	590.54	592.04	5.96	deepest hole, below splice	
318	U1359	D	46	R	2	1.32	1.32	574.90	576.22	592.04	593.36	0.00	deepest hole, below splice	
318	U1359	D	46	R	CC	0.23	0.23	576.22	576.45	593.36	593.59	0.00	deepest hole, below splice	
318	U1359	D	47	R	1	1.50	1.50	583.00	584.50	600.14	601.64	6.55	deepest hole, below splice	
318	U1359	D	47	R	2	1.50	1.50	584.50	586.00	601.64	603.14	0.00	deepest hole, below splice	
318	U1359	D	47	R	3	1.50	1.50	586.00	587.50	603.14	604.64	0.00	deepest hole, below splice	
318	U1359	D	47	R	4	1.46	1.46	587.50	588.96	604.64	606.10	0.00	deepest hole, below splice	
318	U1359	D	47	R	5	0.74	0.74	588.96	589.70	606.10	606.84	0.00	deepest hole, below splice	
318	U1359	D	47	R	CC	0.26	0.26	589.70	589.96	606.84	607.10	0.00	deepest hole, below splice	
318	U1359	D	48	R	1	1.45	1.45	592.60	594.05	609.74	611.19	2.64	deepest hole, below splice	
318	U1359	D	48	R	2	1.38	1.38	594.05	595.43	611.19	612.56	0.00	deepest hole, below splice	
318	U1359	D	48	R	3	0.64	0.64	595.43	596.06	612.56	613.20	0.00	deepest hole, below splice	
318	U1359	D	48	R	CC	0.25	0.25	596.06	596.31	613.20	613.45	0.00	deepest hole, below splice	