

U1333 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
320	U1333	C	1	H	1	1.50	1.50	0.00	1.50	0.00	1.50	0.00	accommodates splice	
320	U1333	C	1	H	CC	0.15	0.15	1.50	1.65	1.50	1.65	0.00	accommodates splice	
320	U1333	C	2	H	1	1.50	1.50	1.60	3.10	3.90	5.40	2.25	accommodates splice	
320	U1333	C	2	H	2	1.50	1.50	3.10	4.60	5.40	6.90	0.00	accommodates splice	
320	U1333	C	2	H	3	1.50	1.50	4.60	6.10	6.90	8.40	0.00	accommodates splice	
320	U1333	C	2	H	4	1.50	1.50	6.10	7.60	8.40	9.90	0.00	accommodates splice	
320	U1333	C	2	H	5	1.50	1.50	7.60	9.10	9.90	11.40	0.00	accommodates splice	
320	U1333	C	2	H	6	1.50	1.50	9.10	10.60	11.40	12.90	0.00	accommodates splice	
320	U1333	C	2	H	7	0.79	0.79	10.60	11.39	12.90	13.69	0.00	accommodates splice	
320	U1333	C	2	H	CC	0.24	0.24	11.39	11.63	13.69	13.93	0.00	accommodates splice	
320	U1333	A	2	H	1	1.50	1.50	9.50	11.00	13.18	14.68	-0.75	accommodates splice	
320	U1333	A	2	H	2	1.50	1.50	11.00	12.50	14.68	16.18	0.00	accommodates splice	
320	U1333	A	2	H	3	1.50	1.50	12.50	14.00	16.18	17.68	0.00	accommodates splice	
320	U1333	A	2	H	4	1.50	1.50	14.00	15.50	17.68	19.18	0.00	accommodates splice	
320	U1333	A	2	H	5	1.50	1.50	15.50	17.00	19.18	20.68	0.00	accommodates splice	
320	U1333	A	2	H	6	1.50	1.50	17.00	18.50	20.68	22.18	0.00	accommodates splice	
320	U1333	A	2	H	7	0.86	0.86	18.50	19.36	22.18	23.04	0.00	accommodates splice	
320	U1333	A	2	H	CC	0.26	0.26	19.36	19.62	23.04	23.30	0.00	accommodates splice	
320	U1333	C	3	H	CC	0.20	0.20	20.90	21.10	23.56	23.76	0.26	accommodates splice	
320	U1333	C	4	H	1	1.50	1.50	20.60	22.10	23.88	25.38	0.12	accommodates splice	
320	U1333	A	3	H	1	1.50	1.50	19.00	20.50	25.84	27.34	0.46	accommodates splice	
320	U1333	A	3	H	2	1.50	1.50	20.50	22.00	27.34	28.84	0.00	accommodates splice	
320	U1333	A	3	H	3	1.50	1.50	22.00	23.50	28.84	30.34	0.00	accommodates splice	
320	U1333	A	3	H	4	1.50	1.50	23.50	25.00	30.34	31.84	0.00	accommodates splice	
320	U1333	A	3	H	5	1.50	1.50	25.00	26.50	31.84	33.34	0.00	accommodates splice	
320	U1333	A	3	H	6	1.50	1.50	26.50	28.00	33.34	34.84	0.00	accommodates splice	
320	U1333	A	3	H	7	0.70	0.70	28.00	28.70	34.84	35.54	0.00	accommodates splice	
320	U1333	A	3	H	CC	0.22	0.22	28.70	28.92	35.54	35.76	0.00	accommodates splice	
320	U1333	A	4	H	1	1.50	1.50	28.50	30.00	35.07	36.57	-0.69	accommodates splice	
320	U1333	A	4	H	2	1.50	1.50	30.00	31.50	36.57	38.07	0.00	accommodates splice	
320	U1333	A	4	H	3	1.50	1.50	31.50	33.00	38.07	39.57	0.00	accommodates splice	
320	U1333	A	4	H	4	1.50	1.50	33.00	34.50	39.57	41.07	0.00	accommodates splice	
320	U1333	A	4	H	5	1.50	1.50	34.50	36.00	41.07	42.57	0.00	accommodates splice	
320	U1333	A	4	H	6	1.50	1.50	36.00	37.50	42.57	44.07	0.00	accommodates splice	
320	U1333	A	4	H	7	0.87	0.87	37.50	38.37	44.07	44.94	0.00	accommodates splice	
320	U1333	A	4	H	CC	0.28	0.28	38.37	38.65	44.94	45.22	0.00	accommodates splice	
320	U1333	C	5	H	7	0.61	0.61	39.10	39.71	45.65	46.26	0.43	accommodates splice	
320	U1333	C	5	H	CC	0.18	0.18	39.71	39.89	46.26	46.44	0.00	accommodates splice	
320	U1333	A	5	H	1	1.50	1.50	38.00	39.50	47.80	49.30	1.36	accommodates splice	
320	U1333	A	5	H	2	1.50	1.50	39.50	41.00	49.30	50.80	0.00	accommodates splice	
320	U1333	A	5	H	3	1.50	1.50	41.00	42.50	50.80	52.30	0.00	accommodates splice	
320	U1333	A	5	H	4	1.50	1.50	42.50	44.00	52.30	53.80	0.00	accommodates splice	
320	U1333	A	5	H	5	1.50	1.50	44.00	45.50	53.80	55.30	0.00	accommodates splice	
320	U1333	A	5	H	6	1.50	1.50	45.50	47.00	55.30	56.80	0.00	accommodates splice	
320	U1333	A	5	H	7	0.48	0.48	47.00	47.48	56.80	57.28	0.00	accommodates splice	
320	U1333	A	5	H	CC	0.22	0.22	47.48	47.70	57.28	57.50	0.00	accommodates splice	
320	U1333	C	6	H	7	0.86	0.86	48.60	49.46	57.20	58.06	-0.30	accommodates splice	
320	U1333	C	6	H	CC	0.28	0.28	49.46	49.74	58.06	58.34	0.00	accommodates splice	
320	U1333	A	6	H	1	1.50	1.50	47.50	49.00	59.25	60.75	0.91	accommodates splice	
320	U1333	A	6	H	2	1.50	1.50	49.00	50.50	60.75	62.25	0.00	accommodates splice	
320	U1333	C	7	H	2	1.50	1.50	50.60	52.10	61.73	63.23	-0.52	accommodates splice	
320	U1333	C	7	H	3	1.50	1.50	52.10	53.60	63.23	64.73	0.00	accommodates splice	
320	U1333	C	7	H	4	1.50	1.50	53.60	55.10	64.73	66.23	0.00	accommodates splice	
320	U1333	C	7	H	5	1.50	1.50	55.10	56.60	66.23	67.73	0.00	accommodates splice	
320	U1333	A	6	H	6	1.50	1.50	55.00	56.50	66.75	68.25	-0.98	accommodates splice	
320	U1333	A	6	H	7	0.57	0.57	56.50	57.07	68.25	68.82	0.00	accommodates splice	
320	U1333	A	6	H	CC	0.25	0.25	57.07	57.32	68.82	69.07	0.00	accommodates splice	
320	U1333	A	7	H	1	1.50	1.50	57.00	58.50	70.30	71.80	1.23	accommodates splice	
320	U1333	A	7	H	2	1.50	1.50	58.50	60.00	71.80	73.30	0.00	accommodates splice	
320	U1333	A	7	H	3	1.50	1.50	60.00	61.50	73.30	74.80	0.00	accommodates splice	
320	U1333	A	7	H	4	1.50	1.50	61.50	63.00	74.80	76.30	0.00	accommodates splice	

U1333 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
320	U1333	A	7	H	5	1.50	1.50	63.00	64.50	76.30	77.80	0.00	accommodates splice	
320	U1333	A	7	H	6	1.50	1.50	64.50	66.00	77.80	79.30	0.00	accommodates splice	
320	U1333	A	7	H	7	0.45	0.45	66.00	66.45	79.30	79.75	0.00	accommodates splice	
320	U1333	A	7	H	CC	0.15	0.15	66.45	66.60	79.75	79.90	0.00	accommodates splice	
320	U1333	A	8	H	1	1.30	1.30	66.50	67.80	81.88	83.18	1.98	accommodates splice	
320	U1333	C	9	H	1	1.50	1.50	68.10	69.60	83.44	84.94	0.26	accommodates splice	
320	U1333	C	9	H	2	1.50	1.50	69.60	71.10	84.94	86.44	0.00	accommodates splice	
320	U1333	B	9	H	1	1.50	1.50	74.20	75.70	86.23	87.73	-0.21	accommodates splice	
320	U1333	A	8	H	5	1.50	1.50	72.30	73.80	87.68	89.18	-0.05	accommodates splice	
320	U1333	A	8	H	6	1.50	1.50	73.80	75.30	89.18	90.68	0.00	accommodates splice	
320	U1333	A	8	H	7	0.63	0.63	75.30	75.93	90.68	91.31	0.00	accommodates splice	
320	U1333	A	8	H	CC	0.26	0.26	75.93	76.19	91.31	91.57	0.00	accommodates splice	
320	U1333	C	9	H	6	1.50	1.50	75.60	77.10	90.94	92.44	-0.63	accommodates splice	
320	U1333	C	9	H	7	0.58	0.58	77.10	77.68	92.44	93.02	0.00	accommodates splice	
320	U1333	C	9	H	CC	0.14	0.14	77.68	77.82	93.02	93.16	0.00	accommodates splice	
320	U1333	C	10	H	1	1.50	1.50	77.60	79.10	94.41	95.91	1.25	accommodates splice	
320	U1333	C	10	H	2	1.50	1.50	79.10	80.60	95.91	97.41	0.00	accommodates splice	
320	U1333	A	9	H	4	1.50	1.50	80.50	82.00	98.23	99.73	0.82	accommodates splice	
320	U1333	A	9	H	5	1.50	1.50	82.00	83.50	99.73	101.23	0.00	accommodates splice	
320	U1333	A	9	H	6	1.50	1.50	83.50	85.00	101.23	102.73	0.00	accommodates splice	
320	U1333	A	9	H	7	0.70	0.70	85.00	85.70	102.73	103.43	0.00	accommodates splice	
320	U1333	A	9	H	CC	0.22	0.22	85.70	85.92	103.43	103.65	0.00	accommodates splice	
320	U1333	C	10	H	7	0.87	0.87	86.60	87.47	103.41	104.28	-0.24	accommodates splice	
320	U1333	C	10	H	CC	0.23	0.23	87.47	87.70	104.28	104.51	0.00	accommodates splice	
320	U1333	A	10	H	1	1.50	1.50	85.50	87.00	104.86	106.36	0.35	accommodates splice	
320	U1333	C	11	H	3	1.50	1.50	90.10	91.60	106.70	108.20	0.34	accommodates splice	
320	U1333	C	11	H	4	1.50	1.50	91.60	93.10	108.20	109.70	0.00	accommodates splice	
320	U1333	C	11	H	5	1.50	1.50	93.10	94.60	109.70	111.20	0.00	accommodates splice	
320	U1333	C	11	H	6	1.50	1.50	94.60	96.10	111.20	112.70	0.00	accommodates splice	
320	U1333	C	12	H	1	1.50	1.50	93.10	94.60	112.23	113.73	-0.47	accommodates splice	
320	U1333	C	12	H	2	1.50	1.50	94.60	96.10	113.73	115.23	0.00	accommodates splice	
320	U1333	C	12	H	3	1.50	1.50	96.10	97.60	115.23	116.73	0.00	accommodates splice	
320	U1333	C	12	H	4	1.50	1.50	97.60	99.10	116.73	118.23	0.00	accommodates splice	
320	U1333	C	12	H	5	0.51	0.51	99.10	99.61	118.23	118.74	0.00	accommodates splice	
320	U1333	C	12	H	CC	0.14	0.14	99.61	99.75	118.74	118.88	0.00	accommodates splice	
320	U1333	C	13	H	2	1.50	1.50	99.60	101.10	118.60	120.10	-0.28	accommodates splice	
320	U1333	B	11	H	CC	0.22	0.22	103.09	103.31	120.42	120.64	0.32	accommodates splice	
320	U1333	B	12	H	1	1.50	1.50	102.70	104.20	121.20	122.70	0.56	accommodates splice	
320	U1333	A	12	X	1	1.50	1.50	100.70	102.20	122.15	123.65	-0.55	accommodates splice	
320	U1333	A	12	X	2	1.50	1.50	102.20	103.70	123.65	125.15	0.00	accommodates splice	
320	U1333	A	12	X	3	1.50	1.50	103.70	105.20	125.15	126.65	0.00	accommodates splice	
320	U1333	A	12	X	4	1.50	1.50	105.20	106.70	126.65	128.15	0.00	accommodates splice	
320	U1333	A	12	X	5	1.24	1.24	106.70	107.94	128.15	129.39	0.00	accommodates splice	
320	U1333	A	12	X	CC	0.05	0.05	107.94	107.99	129.39	129.44	0.00	accommodates splice	
320	U1333	B	12	H	7	0.45	0.45	111.7	112.15	130.2	130.65	0.76	accommodates splice	
320	U1333	B	12	H	CC	0.19	0.19	112.15	112.34	130.65	130.84	0.00	accommodates splice	
320	U1333	A	13	X	1	1.50	1.50	110.30	111.80	133.65	135.15	2.81	accommodates splice	
320	U1333	A	13	X	2	1.50	1.50	111.80	113.30	135.15	136.65	0.00	accommodates splice	
320	U1333	A	13	X	3	1.50	1.50	113.30	114.80	136.65	138.15	0.00	accommodates splice	
320	U1333	C	14	H	7	0.75	0.75	116.60	117.35	138.50	139.25	0.35	accommodates splice	
320	U1333	C	14	H	CC	0.28	0.28	117.35	117.63	139.25	139.53	0.00	accommodates splice	
320	U1333	C	15	H	1	1.50	1.50	117.10	118.60	139.30	140.80	-0.23	accommodates splice	
320	U1333	B	13	H	7	0.71	0.71	121.2	121.91	140.75	141.46	-0.05	accommodates splice	
320	U1333	B	13	H	CC	0.26	0.26	121.91	122.17	141.46	141.72	0.00	accommodates splice	
320	U1333	A	13	X	7	0.36	0.36	119.30	119.66	142.65	143.01	0.93	accommodates splice	
320	U1333	A	13	X	CC	0.32	0.32	119.66	119.98	143.01	143.33	0.00	accommodates splice	
320	U1333	A	14	X	1	1.50	1.50	120.00	121.50	143.61	145.11	0.28	accommodates splice	
320	U1333	A	14	X	2	1.50	1.50	121.50	123.00	145.11	146.61	0.00	below splice	
320	U1333	A	14	X	3	1.50	1.50	123.00	124.50	146.61	148.11	0.00	below splice	
320	U1333	A	14	X	4	1.50	1.50	124.50	126.00	148.11	149.61	0.00	below splice	
320	U1333	A	14	X	5	1.50	1.50	126.00	127.50	149.61	151.11	0.00	below splice	

U1333 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
320	U1333	A	14	X	6	1.50	1.50	127.50	129.00	151.11	152.61	0.00	below splice	
320	U1333	C	16	H	2	1.50	1.50	128.10	129.60	152.46	153.96	-0.15	below splice	
320	U1333	C	16	H	3	1.50	1.50	129.60	131.10	153.96	155.46	0.00	below splice	
320	U1333	C	16	H	4	0.98	0.98	131.10	132.08	155.46	156.44	0.00	below splice	
320	U1333	A	15	X	1	1.50	1.50	129.60	131.10	156.30	157.80	-0.14	below splice	
320	U1333	A	15	X	2	1.50	1.50	131.10	132.60	157.80	159.30	0.00	below splice	
320	U1333	A	15	X	3	1.50	1.50	132.60	134.10	159.30	160.80	0.00	below splice	
320	U1333	A	15	X	4	1.50	1.50	134.10	135.60	160.80	162.30	0.00	below splice	
320	U1333	A	15	X	5	1.50	1.50	135.60	137.10	162.30	163.80	0.00	below splice	
320	U1333	A	15	X	6	1.50	1.50	137.10	138.60	163.80	165.30	0.00	below splice	
320	U1333	A	15	X	7	0.39	0.39	138.60	138.99	165.30	165.69	0.00	below splice	
320	U1333	A	15	X	CC	0.20	0.20	138.99	139.19	165.69	165.89	0.00	below splice	
320	U1333	C	17	H	7	0.72	0.72	140.10	140.82	165.80	166.52	-0.09	below splice	
320	U1333	C	17	H	CC	0.29	0.29	140.82	141.11	166.52	166.81	0.00	below splice	
320	U1333	C	18	H	1	0.32	0.32	140.60	140.92	167.10	167.42	0.29	below splice	
320	U1333	A	16	X	1	1.50	1.50	139.20	140.70	167.20	168.70	-0.22	below splice	
320	U1333	A	16	X	2	1.50	1.50	140.70	142.20	168.70	170.20	0.00	below splice	
320	U1333	A	16	X	3	1.50	1.50	142.20	143.70	170.20	171.70	0.00	below splice	
320	U1333	A	16	X	4	1.50	1.50	143.70	145.20	171.70	173.20	0.00	below splice	
320	U1333	A	16	X	5	1.50	1.50	145.20	146.70	173.20	174.70	0.00	below splice	
320	U1333	A	16	X	6	1.50	1.50	146.70	148.20	174.70	176.20	0.00	below splice	
320	U1333	A	16	X	7	0.46	0.46	148.20	148.66	176.20	176.66	0.00	below splice	
320	U1333	A	16	X	CC	0.48	0.48	148.66	149.14	176.66	177.14	0.00	below splice	
320	U1333	C	19	H	1	1.50	1.50	150.10	151.60	176.60	178.10	-0.54	below splice	
320	U1333	C	19	H	2	1.50	1.50	151.60	153.10	178.10	179.60	0.00	below splice	
320	U1333	A	17	X	1	1.50	1.50	148.80	150.30	179.00	180.50	-0.60	below splice	
320	U1333	A	17	X	2	1.50	1.50	150.30	151.80	180.50	182.00	0.00	below splice	
320	U1333	A	17	X	3	1.50	1.50	151.80	153.30	182.00	183.50	0.00	below splice	
320	U1333	A	17	X	4	1.50	1.50	153.30	154.80	183.50	185.00	0.00	below splice	
320	U1333	A	17	X	5	1.50	1.50	154.80	156.30	185.00	186.50	0.00	below splice	
320	U1333	A	17	X	6	1.50	1.50	156.30	157.80	186.50	188.00	0.00	below splice	
320	U1333	A	17	X	7	0.49	0.49	157.80	158.29	188.00	188.49	0.00	below splice	
320	U1333	A	17	X	CC	0.43	0.43	158.29	158.72	188.49	188.92	0.00	below splice	
320	U1333	A	18	X	3	1.50	1.50	160.74	162.24	187.64	189.14	-1.28	below splice	
320	U1333	A	18	X	4	1.45	1.45	162.24	163.69	189.14	190.59	0.00	below splice	
320	U1333	A	18	X	CC	0.22	0.22	163.69	163.91	190.59	190.81	0.00	below splice	
320	U1333	B	19	X	2	1.50	1.50	164.20	165.70	189.85	191.35	-0.96	below splice	
320	U1333	B	19	X	3	1.50	1.50	165.70	167.20	191.35	192.85	0.00	below splice	
320	U1333	B	19	X	4	1.50	1.50	167.20	168.70	192.85	194.35	0.00	below splice	
320	U1333	A	19	X	1	1.50	1.50	168.00	169.50	193.75	195.25	-0.60	below splice	
320	U1333	A	19	X	2	1.50	1.50	169.50	171.00	195.25	196.75	0.00	below splice	
320	U1333	A	19	X	3	1.50	1.50	171.00	172.50	196.75	198.25	0.00	below splice	
320	U1333	A	19	X	4	1.50	1.50	172.50	174.00	198.25	199.75	0.00	below splice	
320	U1333	A	19	X	5	0.48	0.48	174.00	174.48	199.75	200.23	0.00	below splice	
320	U1333	A	19	X	CC	0.27	0.27	174.48	174.75	200.23	200.50	0.00	below splice	
320	U1333	B	20	X	2	1.50	1.50	173.80	175.30	199.80	201.30	-0.70	below splice	
320	U1333	B	20	X	3	1.50	1.50	175.30	176.80	201.30	202.80	0.00	below splice	
320	U1333	B	20	X	4	1.37	1.37	176.80	178.17	202.80	204.17	0.00	below splice	
320	U1333	A	20	X	1	1.50	1.50	177.60	179.10	203.35	204.85	-0.82	below splice	
320	U1333	A	20	X	2	0.81	0.81	179.10	179.91	204.85	205.66	0.00	below splice	
320	U1333	A	20	X	CC	0.22	0.22	179.91	180.13	205.66	205.88	0.00	below splice	
320	U1333	A	21	X	CC	0.06	0.06	181.60	181.66	207.35	207.41	1.47	below splice	
320	U1333	A	22	X	CC	0.06	0.06	182.60	182.66	208.35	208.41	0.94	below splice	