

U1340 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top (mcd splice)	Bottom (mcd splice)	Overlap/Gap	Comments	Curation Comments
323	U1340	A	1	H	1	1.50	1.50	0.00	1.50	-0.06	1.44	-0.06	accommodates splice	
323	U1340	A	1	H	2	1.50	1.50	1.50	3.00	1.44	2.94	0.00	accommodates splice	
323	U1340	A	1	H	3	0.69	0.69	3.00	3.69	2.94	3.63	0.00	accommodates splice	
323	U1340	A	1	H	CC	0.21	0.21	3.69	3.90	3.63	3.84	0.00	accommodates splice	
323	U1340	A	2	H	1	1.50	1.50	3.90	5.40	4.95	6.45	1.11	accommodates splice	
323	U1340	B	2	H	1	1.50	1.50	6.40	7.90	8.14	9.64	1.69	accommodates splice	
323	U1340	B	2	H	2	1.50	1.50	7.90	9.40	9.64	11.14	0.00	accommodates splice	
323	U1340	A	2	H	5	1.50	1.50	9.90	11.40	10.95	12.45	-0.19	accommodates splice	
323	U1340	A	2	H	6	1.50	1.50	11.40	12.90	12.45	13.95	0.00	accommodates splice	
323	U1340	A	2	H	7	0.75	0.75	12.90	13.65	13.95	14.70	0.00	accommodates splice	
323	U1340	A	2	H	CC	0.27	0.27	13.65	13.92	14.70	14.97	0.00	accommodates splice	
323	U1340	B	2	H	5	1.50	1.50	12.40	13.90	14.14	15.64	-0.83	accommodates splice	
323	U1340	B	2	H	6	1.50	1.50	13.90	15.40	15.64	17.14	0.00	accommodates splice	
323	U1340	B	2	H	7	0.70	0.70	15.40	16.10	17.14	17.84	0.00	accommodates splice	
323	U1340	B	2	H	CC	0.25	0.25	16.10	16.35	17.84	18.09	0.00	accommodates splice	
323	U1340	A	3	H	4	1.50	1.50	17.85	19.35	19.15	20.65	1.06	accommodates splice	
323	U1340	A	3	H	5	1.50	1.50	19.35	20.85	20.65	22.15	0.00	accommodates splice	
323	U1340	A	3	H	6	1.50	1.50	20.85	22.35	22.15	23.65	0.00	accommodates splice	
323	U1340	A	3	H	7	0.77	0.77	22.35	23.12	23.65	24.42	0.00	accommodates splice	
323	U1340	A	3	H	CC	0.37	0.37	23.12	23.49	24.42	24.79	0.00	accommodates splice	
323	U1340	B	3	H	7	0.64	0.64	24.90	25.54	26.38	27.02	8.29	accommodates splice	
323	U1340	B	3	H	CC	0.25	0.25	25.54	25.79	27.02	27.27	0.00	accommodates splice	
323	U1340	A	4	H	7	0.66	0.66	31.90	32.56	33.51	34.17	6.24	accommodates splice	
323	U1340	A	4	H	CC	0.29	0.29	32.56	32.85	34.17	34.46	0.00	accommodates splice	
323	U1340	C	2	H	1	1.50	1.50	9.50	11.00	35.22	36.72	0.76	accommodates splice	
323	U1340	C	2	H	2	1.50	1.50	11.00	12.50	36.72	38.22	0.00	accommodates splice	
323	U1340	C	2	H	3	1.50	1.50	12.50	14.00	38.22	39.72	0.00	accommodates splice	
323	U1340	C	2	H	4	1.50	1.50	14.00	15.50	39.72	41.22	0.00	accommodates splice	
323	U1340	C	2	H	5	1.50	1.50	15.50	17.00	41.22	42.72	0.00	accommodates splice	
323	U1340	C	2	H	6	1.50	1.50	17.00	18.50	42.72	44.22	0.00	accommodates splice	
323	U1340	C	2	H	7	0.81	0.81	18.50	19.31	44.22	45.03	0.00	accommodates splice	
323	U1340	C	2	H	CC	0.00	0.26	19.31	19.57	45.03	45.29	0.00	accommodates splice	
323	U1340	B	5	H	3	1.50	1.50	37.90	39.40	44.67	46.17	-0.62	accommodates splice	
323	U1340	B	5	H	4	1.50	1.50	39.40	40.90	46.17	47.67	0.00	accommodates splice	
323	U1340	B	5	H	5	1.50	1.50	40.90	42.40	47.67	49.17	0.00	accommodates splice	
323	U1340	A	5	H	CC	0.00	0.32	42.13	42.45	49.40	49.72	0.23	accommodates splice	
323	U1340	A	6	H	1	1.50	1.50	41.90	43.40	49.21	50.71	-0.51	accommodates splice	
323	U1340	A	6	H	2	1.50	1.50	43.40	44.90	50.71	52.21	0.00	accommodates splice	
323	U1340	A	6	H	3	1.50	1.50	44.90	46.40	52.21	53.71	0.00	accommodates splice	
323	U1340	A	6	H	4	1.50	1.50	46.40	47.90	53.71	55.21	0.00	accommodates splice	
323	U1340	A	6	H	5	1.50	1.50	47.90	49.40	55.21	56.71	0.00	accommodates splice	
323	U1340	A	6	H	6	1.50	1.50	49.40	50.90	56.71	58.21	0.00	accommodates splice	
323	U1340	A	6	H	7	0.78	0.78	50.90	51.68	58.21	58.99	0.00	accommodates splice	
323	U1340	A	6	H	CC	0.00	0.34	51.68	52.02	58.99	59.33	0.00	accommodates splice	
323	U1340	A	7	H	2	1.50	1.50	52.90	54.40	60.21	61.71	0.88	single hole, below splice	
323	U1340	A	7	H	3	1.50	1.50	54.40	55.90	61.71	63.21	0.00	single hole, below splice	
323	U1340	A	7	H	4	1.50	1.50	55.90	57.40	63.21	64.71	0.00	single hole, below splice	
323	U1340	A	7	H	5	1.50	1.50	57.40	58.90	64.71	66.21	0.00	single hole, below splice	
323	U1340	A	7	H	6	1.50	1.50	58.90	60.40	66.21	67.71	0.00	single hole, below splice	
323	U1340	A	7	H	7	0.80	0.80	60.40	61.20	67.71	68.51	0.00	single hole, below splice	
323	U1340	A	7	H	CC	0.00	0.31	61.20	61.51	68.51	68.82	0.00	single hole, below splice	
323	U1340	A	8	H	1	1.50	1.50	60.90	62.40	68.21	69.71	-0.61	single hole, below splice	
323	U1340	A	8	H	2	1.50	1.50	62.40	63.90	69.71	71.21	0.00	single hole, below splice	
323	U1340	A	8	H	3	1.50	1.50	63.90	65.40	71.21	72.71	0.00	single hole, below splice	
323	U1340	A	8	H	4	1.50	1.50	65.40	66.90	72.71	74.21	0.00	single hole, below splice	
323	U1340	A	8	H	5	1.50	1.50	66.90	68.40	74.21	75.71	0.00	single hole, below splice	
323	U1340	A	8	H	6	1.50	1.50	68.40	69.90	75.71	77.21	0.00	single hole, below splice	
323	U1340	A	8	H	7	0.79	0.79	69.90	70.69	77.21	78.00	0.00	single hole, below splice	
323	U1340	A	8	H	CC	0.00	0.39	70.69	71.08	78.00	78.39	0.00	single hole, below splice	
323	U1340	A	9	H	1	1.50	1.50	70.40	71.90	77.71	79.21	-0.68	single hole, below splice	
323	U1340	A	9	H	2	1.50	1.50	71.90	73.40	79.21	80.71	0.00	single hole, below splice	
323	U1340	A	9	H	3	1.50	1.50	73.40	74.90	80.71	82.21	0.00	single hole, below splice	
323	U1340	A	9	H	4	1.50	1.50	74.90	76.40	82.21	83.71	0.00	single hole, below splice	
323	U1340	A	9	H	5	1.50	1.50	76.40	77.90	83.71	85.21	0.00	single hole, below splice	
323	U1340	A	9	H	6	1.50	1.50	77.90	79.40	85.21	86.71	0.00	single hole, below splice	
323	U1340	A	9	H	7	0.71	0.71	79.40	80.11	86.71	87.42	0.00	single hole, below splice	
323	U1340	A	9	H	CC	0.00	0.34	80.11	80.45	87.42	87.76	0.00	single hole, below splice	
323	U1340	A	10	H	1	1.50	1.50	79.90	81.40	87.21	88.71	-0.55	single hole, below splice	
323	U1340	A	10	H	2	1.50	1.50	81.40	82.90	88.71	90.21	0.00	single hole, below splice	
323	U1340	A	10	H	3	1.50	1.50	82.90	84.40	90.21	91.71	0.00	single hole, below splice	
323	U1340	A	10	H	4	1.50	1.50	84.40	85.90	91.71	93.21	0.00	single hole, below splice	
323	U1340	A	10	H	5	1.50	1.50	85.90	87.40	93.21	94.71	0.00	single hole, below splice	

U1340 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top (mcd splice)	Bottom (mcd splice)	Overlap/Gap	Comments	Curation Comments
323	U1340	A	10	H	6	1.50	1.50	87.40	88.90	94.71	96.21	0.00	single hole, below splice	
323	U1340	A	10	H	7	0.73	0.73	88.90	89.63	96.21	96.94	0.00	single hole, below splice	
323	U1340	A	10	H	CC	0.00	0.30	89.63	89.93	96.94	97.24	0.00	single hole, below splice	
323	U1340	A	11	H	1	1.50	1.50	89.40	90.90	96.71	98.21	-0.53	single hole, below splice	
323	U1340	A	11	H	2	1.50	1.50	90.90	92.40	98.21	99.71	0.00	single hole, below splice	
323	U1340	A	11	H	3	1.50	1.50	92.40	93.90	99.71	101.21	0.00	single hole, below splice	
323	U1340	A	11	H	4	1.50	1.50	93.90	95.40	101.21	102.71	0.00	single hole, below splice	
323	U1340	A	11	H	5	1.50	1.50	95.40	96.90	102.71	104.21	0.00	single hole, below splice	
323	U1340	A	11	H	6	1.50	1.50	96.90	98.40	104.21	105.71	0.00	single hole, below splice	
323	U1340	A	11	H	7	0.77	0.77	98.40	99.17	105.71	106.48	0.00	single hole, below splice	
323	U1340	A	11	H	CC	0.35	0.35	99.17	99.52	106.48	106.83	0.00	single hole, below splice	
323	U1340	A	12	H	1	1.50	1.50	98.90	100.40	106.21	107.71	-0.62	single hole, below splice	
323	U1340	A	12	H	2	1.50	1.50	100.40	101.90	107.71	109.21	0.00	single hole, below splice	
323	U1340	A	12	H	3	1.50	1.50	101.90	103.40	109.21	110.71	0.00	single hole, below splice	
323	U1340	A	12	H	4	1.50	1.50	103.40	104.90	110.71	112.21	0.00	single hole, below splice	
323	U1340	A	12	H	5	1.50	1.50	104.90	106.40	112.21	113.71	0.00	single hole, below splice	
323	U1340	A	12	H	6	1.50	1.50	106.40	107.90	113.71	115.21	0.00	single hole, below splice	
323	U1340	A	12	H	7	0.71	0.71	107.90	108.61	115.21	115.92	0.00	single hole, below splice	
323	U1340	A	12	H	CC	0.27	0.27	108.61	108.88	115.92	116.19	0.00	single hole, below splice	
323	U1340	A	13	H	1	1.50	1.50	108.40	109.90	115.71	117.21	-0.48	single hole, below splice	
323	U1340	A	13	H	2	1.50	1.50	109.90	111.40	117.21	118.71	0.00	single hole, below splice	
323	U1340	A	13	H	3	1.50	1.50	111.40	112.90	118.71	120.21	0.00	single hole, below splice	
323	U1340	A	13	H	4	1.50	1.50	112.90	114.40	120.21	121.71	0.00	single hole, below splice	
323	U1340	A	13	H	5	1.50	1.50	114.40	115.90	121.71	123.21	0.00	single hole, below splice	
323	U1340	A	13	H	6	1.50	1.50	115.90	117.40	123.21	124.71	0.00	single hole, below splice	
323	U1340	A	13	H	7	0.66	0.66	117.40	118.06	124.71	125.37	0.00	single hole, below splice	
323	U1340	A	13	H	CC	0.57	0.57	118.06	118.63	125.37	125.94	0.00	single hole, below splice	
323	U1340	A	14	H	1	1.50	1.50	117.90	119.40	125.21	126.71	-0.73	single hole, below splice	
323	U1340	A	14	H	2	1.50	1.50	119.40	120.90	126.71	128.21	0.00	single hole, below splice	
323	U1340	A	14	H	3	1.50	1.50	120.90	122.40	128.21	129.71	0.00	single hole, below splice	
323	U1340	A	14	H	4	1.50	1.50	122.40	123.90	129.71	131.21	0.00	single hole, below splice	
323	U1340	A	14	H	5	1.50	1.50	123.90	125.40	131.21	132.71	0.00	single hole, below splice	
323	U1340	A	14	H	6	1.50	1.50	125.40	126.90	132.71	134.21	0.00	single hole, below splice	
323	U1340	A	14	H	7	0.81	0.81	126.90	127.71	134.21	135.02	0.00	single hole, below splice	
323	U1340	A	14	H	CC	0.28	0.28	127.71	127.99	135.02	135.30	0.00	single hole, below splice	
323	U1340	A	15	H	1	1.50	1.50	127.40	128.90	134.71	136.21	-0.59	single hole, below splice	
323	U1340	A	15	H	2	1.50	1.50	128.90	130.40	136.21	137.71	0.00	single hole, below splice	
323	U1340	A	15	H	3	1.50	1.50	130.40	131.90	137.71	139.21	0.00	single hole, below splice	
323	U1340	A	15	H	4	1.50	1.50	131.90	133.40	139.21	140.71	0.00	single hole, below splice	
323	U1340	A	15	H	5	1.50	1.50	133.40	134.90	140.71	142.21	0.00	single hole, below splice	
323	U1340	A	15	H	6	1.50	1.50	134.90	136.40	142.21	143.71	0.00	single hole, below splice	
323	U1340	A	15	H	7	0.60	0.60	136.40	137.00	143.71	144.31	0.00	single hole, below splice	
323	U1340	A	15	H	CC	0.22	0.22	137.00	137.22	144.31	144.53	0.00	single hole, below splice	
323	U1340	A	16	H	1	1.50	1.50	136.90	138.40	144.21	145.71	-0.32	single hole, below splice	
323	U1340	A	16	H	2	1.50	1.50	138.40	139.90	145.71	147.21	0.00	single hole, below splice	
323	U1340	A	16	H	3	1.50	1.50	139.90	141.40	147.21	148.71	0.00	single hole, below splice	
323	U1340	A	16	H	4	1.50	1.50	141.40	142.90	148.71	150.21	0.00	single hole, below splice	
323	U1340	A	16	H	5	1.50	1.50	142.90	144.40	150.21	151.71	0.00	single hole, below splice	
323	U1340	A	16	H	6	1.50	1.50	144.40	145.90	151.71	153.21	0.00	single hole, below splice	
323	U1340	A	16	H	7	0.89	0.89	145.90	146.79	153.21	154.10	0.00	single hole, below splice	
323	U1340	A	16	H	CC	0.25	0.25	146.79	147.04	154.10	154.35	0.00	single hole, below splice	
323	U1340	A	17	H	1	1.50	1.50	146.40	147.90	153.71	155.21	-0.64	single hole, below splice	
323	U1340	A	17	H	2	1.50	1.50	147.90	149.40	155.21	156.71	0.00	single hole, below splice	
323	U1340	A	17	H	3	1.50	1.50	149.40	150.90	156.71	158.21	0.00	single hole, below splice	
323	U1340	A	17	H	4	1.50	1.50	150.90	152.40	158.21	159.71	0.00	single hole, below splice	
323	U1340	A	17	H	5	1.50	1.50	152.40	153.90	159.71	161.21	0.00	single hole, below splice	
323	U1340	A	17	H	6	1.50	1.50	153.90	155.40	161.21	162.71	0.00	single hole, below splice	
323	U1340	A	17	H	7	0.81	0.81	155.40	156.21	162.71	163.52	0.00	single hole, below splice	
323	U1340	A	17	H	CC	0.37	0.37	156.21	156.58	163.52	163.89	0.00	single hole, below splice	
323	U1340	A	18	H	1	1.50	1.50	155.90	157.40	163.21	164.71	-0.68	single hole, below splice	
323	U1340	A	18	H	2	1.50	1.50	157.40	158.90	164.71	166.21	0.00	single hole, below splice	
323	U1340	A	18	H	3	1.50	1.50	158.90	160.40	166.21	167.71	0.00	single hole, below splice	
323	U1340	A	18	H	4	1.50	1.50	160.40	161.90	167.71	169.21	0.00	single hole, below splice	
323	U1340	A	18	H	5	1.50	1.50	161.90	163.40	169.21	170.71	0.00	single hole, below splice	
323	U1340	A	18	H	6	1.50	1.50	163.40	164.90	170.71	172.21	0.00	single hole, below splice	
323	U1340	A	18	H	7	0.88	0.88	164.90	165.78	172.21	173.09	0.00	single hole, below splice	
323	U1340	A	18	H	CC	0.21	0.21	165.78	165.99	173.09	173.30	0.00	single hole, below splice	
323	U1340	A	19	H	1	1.50	1.50	165.40	166.90	172.71	174.21	-0.59	single hole, below splice	
323	U1340	A	19	H	2	1.50	1.50	166.90	168.40	174.21	175.71	0.00	single hole, below splice	
323	U1340	A	19	H	3	1.50	1.50	168.40	169.90	175.71	177.21	0.00	single hole, below splice	
323	U1340	A	19	H	4	1.50	1.50	169.90	171.40	177.21	178.71	0.00	single hole, below splice	
323	U1340	A	19	H	5	1.50	1.50	171.40	172.90	178.71	180.21	0.00	single hole, below splice	

U1340 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top (mcd splice)	Bottom (mcd splice)	Overlap/Gap	Comments	Curation Comments
323	U1340	A	19	H	6	1.50	1.50	172.90	174.40	180.21	181.71	0.00	single hole, below splice	
323	U1340	A	19	H	7	0.88	0.88	174.40	175.28	181.71	182.59	0.00	single hole, below splice	
323	U1340	A	19	H	CC	0.27	0.27	175.28	175.55	182.59	182.86	0.00	single hole, below splice	
323	U1340	A	20	H	1	1.50	1.50	174.90	176.40	182.21	183.71	-0.65	single hole, below splice	
323	U1340	A	20	H	2	1.50	1.50	176.40	177.90	183.71	185.21	0.00	single hole, below splice	
323	U1340	A	20	H	3	1.50	1.50	177.90	179.40	185.21	186.71	0.00	single hole, below splice	
323	U1340	A	20	H	4	1.50	1.50	179.40	180.90	186.71	188.21	0.00	single hole, below splice	
323	U1340	A	20	H	5	1.50	1.50	180.90	182.40	188.21	189.71	0.00	single hole, below splice	
323	U1340	A	20	H	6	1.50	1.50	182.40	183.90	189.71	191.21	0.00	single hole, below splice	
323	U1340	A	20	H	7	0.75	0.75	183.90	184.65	191.21	191.96	0.00	single hole, below splice	
323	U1340	A	20	H	CC	0.17	0.17	184.65	184.82	191.96	192.13	0.00	single hole, below splice	
323	U1340	A	21	H	1	1.12	1.12	184.40	185.52	191.71	192.83	-0.42	single hole, below splice	
323	U1340	A	21	H	CC	0.19	0.19	185.52	185.71	192.83	193.02	0.00	single hole, below splice	
323	U1340	A	23	H	1	1.50	1.50	186.70	188.20	194.01	195.51	0.99	single hole, below splice	
323	U1340	A	23	H	2	1.50	1.50	188.20	189.70	195.51	197.01	0.00	single hole, below splice	
323	U1340	A	23	H	3	1.50	1.50	189.70	191.20	197.01	198.51	0.00	single hole, below splice	
323	U1340	A	23	H	4	1.50	1.50	191.20	192.70	198.51	200.01	0.00	single hole, below splice	
323	U1340	A	23	H	5	1.50	1.50	192.70	194.20	200.01	201.51	0.00	single hole, below splice	
323	U1340	A	23	H	6	1.50	1.50	194.20	195.70	201.51	203.01	0.00	single hole, below splice	
323	U1340	A	23	H	7	0.55	0.55	195.70	196.25	203.01	203.56	0.00	single hole, below splice	
323	U1340	A	23	H	CC	0.19	0.19	196.25	196.44	203.56	203.75	0.00	single hole, below splice	
323	U1340	A	24	H	1	1.50	1.50	196.20	197.70	203.51	205.01	-0.24	single hole, below splice	
323	U1340	A	24	H	2	1.50	1.50	197.70	199.20	205.01	206.51	0.00	single hole, below splice	
323	U1340	A	24	H	3	1.50	1.50	199.20	200.70	206.51	208.01	0.00	single hole, below splice	
323	U1340	A	24	H	4	1.50	1.50	200.70	202.20	208.01	209.51	0.00	single hole, below splice	
323	U1340	A	24	H	5	1.50	1.50	202.20	203.70	209.51	211.01	0.00	single hole, below splice	
323	U1340	A	24	H	6	1.50	1.50	203.70	205.20	211.01	212.51	0.00	single hole, below splice	
323	U1340	A	24	H	7	0.77	0.77	205.20	205.97	212.51	213.28	0.00	single hole, below splice	
323	U1340	A	24	H	CC	0.23	0.23	205.97	206.20	213.28	213.51	0.00	single hole, below splice	
323	U1340	A	25	H	1	1.50	1.50	205.70	207.20	213.01	214.51	-0.50	single hole, below splice	
323	U1340	A	25	H	2	1.50	1.50	207.20	208.70	214.51	216.01	0.00	single hole, below splice	
323	U1340	A	25	H	3	1.50	1.50	208.70	210.20	216.01	217.51	0.00	single hole, below splice	
323	U1340	A	25	H	4	1.50	1.50	210.20	211.70	217.51	219.01	0.00	single hole, below splice	
323	U1340	A	25	H	5	1.50	1.50	211.70	213.20	219.01	220.51	0.00	single hole, below splice	
323	U1340	A	25	H	6	1.50	1.50	213.20	214.70	220.51	222.01	0.00	single hole, below splice	
323	U1340	A	25	H	7	0.83	0.83	214.70	215.53	222.01	222.84	0.00	single hole, below splice	
323	U1340	A	25	H	CC	0.17	0.17	215.53	215.70	222.84	223.01	0.00	single hole, below splice	
323	U1340	A	26	H	1	1.50	1.50	215.20	216.70	222.51	224.01	-0.50	single hole, below splice	
323	U1340	A	26	H	2	1.50	1.50	216.70	218.20	224.01	225.51	0.00	single hole, below splice	
323	U1340	A	26	H	3	1.50	1.50	218.20	219.70	225.51	227.01	0.00	single hole, below splice	
323	U1340	A	26	H	4	1.50	1.50	219.70	221.20	227.01	228.51	0.00	single hole, below splice	
323	U1340	A	26	H	5	1.50	1.50	221.20	222.70	228.51	230.01	0.00	single hole, below splice	
323	U1340	A	26	H	6	1.50	1.50	222.70	224.20	230.01	231.51	0.00	single hole, below splice	
323	U1340	A	26	H	7	0.84	0.84	224.20	225.04	231.51	232.35	0.00	single hole, below splice	
323	U1340	A	26	H	CC	0.21	0.21	225.04	225.25	232.35	232.56	0.00	single hole, below splice	
323	U1340	A	27	H	1	1.50	1.50	224.70	226.20	232.01	233.51	-0.55	single hole, below splice	
323	U1340	A	27	H	2	1.50	1.50	226.20	227.70	233.51	235.01	0.00	single hole, below splice	
323	U1340	A	27	H	3	1.50	1.50	227.70	229.20	235.01	236.51	0.00	single hole, below splice	
323	U1340	A	27	H	4	1.50	1.50	229.20	230.70	236.51	238.01	0.00	single hole, below splice	
323	U1340	A	27	H	5	1.50	1.50	230.70	232.20	238.01	239.51	0.00	single hole, below splice	
323	U1340	A	27	H	6	1.50	1.50	232.20	233.70	239.51	241.01	0.00	single hole, below splice	
323	U1340	A	27	H	7	0.82	0.82	233.70	234.52	241.01	241.83	0.00	single hole, below splice	
323	U1340	A	27	H	CC	0.20	0.20	234.52	234.72	241.83	242.03	0.00	single hole, below splice	
323	U1340	A	28	H	1	1.50	1.50	234.20	235.70	241.51	243.01	-0.52	single hole, below splice	
323	U1340	A	28	H	2	1.50	1.50	235.70	237.20	243.01	244.51	0.00	single hole, below splice	
323	U1340	A	28	H	3	1.50	1.50	237.20	238.70	244.51	246.01	0.00	single hole, below splice	
323	U1340	A	28	H	4	1.50	1.50	238.70	240.20	246.01	247.51	0.00	single hole, below splice	
323	U1340	A	28	H	5	1.50	1.50	240.20	241.70	247.51	249.01	0.00	single hole, below splice	
323	U1340	A	28	H	6	1.50	1.50	241.70	243.20	249.01	250.51	0.00	single hole, below splice	
323	U1340	A	28	H	7	0.61	0.61	243.20	243.81	250.51	251.12	0.00	single hole, below splice	
323	U1340	A	28	H	CC	0.27	0.27	243.81	244.08	251.12	251.39	0.00	single hole, below splice	
323	U1340	A	29	H	1	1.50	1.50	243.70	245.20	251.01	252.51	-0.38	single hole, below splice	
323	U1340	A	29	H	2	1.50	1.50	245.20	246.70	252.51	254.01	0.00	single hole, below splice	
323	U1340	A	29	H	3	1.50	1.50	246.70	248.20	254.01	255.51	0.00	single hole, below splice	
323	U1340	A	29	H	4	1.50	1.50	248.20	249.70	255.51	257.01	0.00	single hole, below splice	
323	U1340	A	29	H	5	1.50	1.50	249.70	251.20	257.01	258.51	0.00	single hole, below splice	
323	U1340	A	29	H	6	1.50	1.50	251.20	252.70	258.51	260.01	0.00	single hole, below splice	
323	U1340	A	29	H	7	0.73	0.73	252.70	253.43	260.01	260.74	0.00	single hole, below splice	
323	U1340	A	29	H	CC	0.18	0.18	253.43	253.61	260.74	260.92	0.00	single hole, below splice	
323	U1340	A	30	H	1	1.50	1.50	253.20	254.70	260.51	262.01	-0.41	single hole, below splice	
323	U1340	A	30	H	2	1.50	1.50	254.70	256.20	262.01	263.51	0.00	single hole, below splice	
323	U1340	A	30	H	3	1.50	1.50	256.20	257.70	263.51	265.01	0.00	single hole, below splice	

U1340 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top (mcd splice)	Bottom (mcd splice)	Overlap/Gap	Comments	Curation Comments
323	U1340	A	30	H	4	1.50	1.50	257.70	259.20	265.01	266.51	0.00	single hole, below splice	
323	U1340	A	30	H	5	1.50	1.50	259.20	260.70	266.51	268.01	0.00	single hole, below splice	
323	U1340	A	30	H	6	1.50	1.50	260.70	262.20	268.01	269.51	0.00	single hole, below splice	
323	U1340	A	30	H	7	0.76	0.76	262.20	262.96	269.51	270.27	0.00	single hole, below splice	
323	U1340	A	30	H	CC	0.20	0.20	262.96	263.16	270.27	270.47	0.00	single hole, below splice	
323	U1340	A	31	H	1	1.50	1.50	262.70	264.20	270.01	271.51	-0.46	single hole, below splice	
323	U1340	A	31	H	2	1.50	1.50	264.20	265.70	271.51	273.01	0.00	single hole, below splice	
323	U1340	A	31	H	3	1.50	1.50	265.70	267.20	273.01	274.51	0.00	single hole, below splice	
323	U1340	A	31	H	4	1.50	1.50	267.20	268.70	274.51	276.01	0.00	single hole, below splice	
323	U1340	A	31	H	5	1.50	1.50	268.70	270.20	276.01	277.51	0.00	single hole, below splice	
323	U1340	A	31	H	6	1.50	1.50	270.20	271.70	277.51	279.01	0.00	single hole, below splice	
323	U1340	A	31	H	7	0.68	0.68	271.70	272.38	279.01	279.69	0.00	single hole, below splice	
323	U1340	A	31	H	CC	0.29	0.29	272.38	272.67	279.69	279.98	0.00	single hole, below splice	
323	U1340	A	32	H	1	1.50	1.50	272.20	273.70	279.51	281.01	-0.47	single hole, below splice	
323	U1340	A	32	H	2	1.50	1.50	273.70	275.20	281.01	282.51	0.00	single hole, below splice	
323	U1340	A	32	H	3	1.50	1.50	275.20	276.70	282.51	284.01	0.00	single hole, below splice	
323	U1340	A	32	H	4	1.50	1.50	276.70	278.20	284.01	285.51	0.00	single hole, below splice	
323	U1340	A	32	H	5	1.50	1.50	278.20	279.70	285.51	287.01	0.00	single hole, below splice	
323	U1340	A	32	H	6	1.50	1.50	279.70	281.20	287.01	288.51	0.00	single hole, below splice	
323	U1340	A	32	H	7	0.76	0.76	281.20	281.96	288.51	289.27	0.00	single hole, below splice	
323	U1340	A	32	H	CC	0.00	0.21	281.96	282.17	289.27	289.48	0.00	single hole, below splice	
323	U1340	A	33	H	1	1.50	1.50	281.70	283.20	289.01	290.51	-0.47	single hole, below splice	
323	U1340	A	33	H	2	1.50	1.50	283.20	284.70	290.51	292.01	0.00	single hole, below splice	
323	U1340	A	33	H	3	1.50	1.50	284.70	286.20	292.01	293.51	0.00	single hole, below splice	
323	U1340	A	33	H	4	1.50	1.50	286.20	287.70	293.51	295.01	0.00	single hole, below splice	
323	U1340	A	33	H	5	1.50	1.50	287.70	289.20	295.01	296.51	0.00	single hole, below splice	
323	U1340	A	33	H	6	1.50	1.50	289.20	290.70	296.51	298.01	0.00	single hole, below splice	
323	U1340	A	33	H	7	0.74	0.74	290.70	291.44	298.01	298.75	0.00	single hole, below splice	
323	U1340	A	33	H	CC	0.00	0.32	291.44	291.76	298.75	299.07	0.00	single hole, below splice	
323	U1340	A	34	H	1	1.50	1.50	291.20	292.70	298.51	300.01	-0.56	single hole, below splice	
323	U1340	A	34	H	2	1.50	1.50	292.70	294.20	300.01	301.51	0.00	single hole, below splice	
323	U1340	A	34	H	3	1.50	1.50	294.20	295.70	301.51	303.01	0.00	single hole, below splice	
323	U1340	A	34	H	4	1.50	1.50	295.70	297.20	303.01	304.51	0.00	single hole, below splice	
323	U1340	A	34	H	5	1.50	1.50	297.20	298.70	304.51	306.01	0.00	single hole, below splice	
323	U1340	A	34	H	6	1.00	1.00	298.70	299.70	306.01	307.01	0.00	single hole, below splice	
323	U1340	A	34	H	7	0.66	0.66	299.70	300.36	307.01	307.67	0.00	single hole, below splice	
323	U1340	A	34	H	CC	0.24	0.24	300.36	300.60	307.67	307.91	0.00	single hole, below splice	
323	U1340	A	35	H	1	1.50	1.50	300.70	302.20	308.01	309.51	0.10	single hole, below splice	
323	U1340	A	35	H	2	1.50	1.50	302.20	303.70	309.51	311.01	0.00	single hole, below splice	
323	U1340	A	35	H	3	1.50	1.50	303.70	305.20	311.01	312.51	0.00	single hole, below splice	
323	U1340	A	35	H	4	1.50	1.50	305.20	306.70	312.51	314.01	0.00	single hole, below splice	
323	U1340	A	35	H	5	1.50	1.50	306.70	308.20	314.01	315.51	0.00	single hole, below splice	
323	U1340	A	35	H	6	1.50	1.50	308.20	309.70	315.51	317.01	0.00	single hole, below splice	
323	U1340	A	35	H	7	0.69	0.69	309.70	310.39	317.01	317.70	0.00	single hole, below splice	
323	U1340	A	35	H	CC	0.29	0.29	310.39	310.68	317.70	317.99	0.00	single hole, below splice	
323	U1340	A	36	H	1	1.50	1.50	310.20	311.70	317.51	319.01	-0.48	single hole, below splice	
323	U1340	A	36	H	2	1.50	1.50	311.70	313.20	319.01	320.51	0.00	single hole, below splice	
323	U1340	A	36	H	3	1.50	1.50	313.20	314.70	320.51	322.01	0.00	single hole, below splice	
323	U1340	A	36	H	4	1.50	1.50	314.70	316.20	322.01	323.51	0.00	single hole, below splice	
323	U1340	A	36	H	5	1.00	1.00	316.20	317.20	323.51	324.51	0.00	single hole, below splice	
323	U1340	A	36	H	6	0.89	0.89	317.20	318.09	324.51	325.40	0.00	single hole, below splice	
323	U1340	A	36	H	CC	0.00	0.21	318.09	318.30	325.40	325.61	0.00	single hole, below splice	
323	U1340	A	37	H	1	1.50	1.50	318.20	319.70	325.51	327.01	-0.10	single hole, below splice	
323	U1340	A	37	H	2	1.50	1.50	319.70	321.20	327.01	328.51	0.00	single hole, below splice	
323	U1340	A	37	H	3	1.50	1.50	321.20	322.70	328.51	330.01	0.00	single hole, below splice	
323	U1340	A	37	H	4	1.50	1.50	322.70	324.20	330.01	331.51	0.00	single hole, below splice	
323	U1340	A	37	H	5	1.50	1.50	324.20	325.70	331.51	333.01	0.00	single hole, below splice	
323	U1340	A	37	H	6	1.47	1.47	325.70	327.17	333.01	334.48	0.00	single hole, below splice	
323	U1340	A	37	H	CC	0.00	0.19	327.17	327.36	334.48	334.67	0.00	single hole, below splice	
323	U1340	A	38	H	1	1.50	1.50	327.70	329.20	335.01	336.51	0.34	single hole, below splice	
323	U1340	A	38	H	2	1.50	1.50	329.20	330.70	336.51	338.01	0.00	single hole, below splice	
323	U1340	A	38	H	3	1.50	1.50	330.70	332.20	338.01	339.51	0.00	single hole, below splice	
323	U1340	A	38	H	4	1.16	1.16	332.20	333.36	339.51	340.67	0.00	single hole, below splice	
323	U1340	A	38	H	CC	0.00	0.19	333.36	333.55	340.67	340.86	0.00	single hole, below splice	
323	U1340	A	39	H	1	1.50	1.50	333.70	335.20	341.01	342.51	0.15	single hole, below splice	
323	U1340	A	39	H	2	1.50	1.50	335.20	336.70	342.51	344.01	0.00	single hole, below splice	
323	U1340	A	39	H	3	1.50	1.50	336.70	338.20	344.01	345.51	0.00	single hole, below splice	
323	U1340	A	39	H	4	1.50	1.50	338.20	339.70	345.51	347.01	0.00	single hole, below splice	
323	U1340	A	39	H	5	1.50	1.50	339.70	341.20	347.01	348.51	0.00	single hole, below splice	
323	U1340	A	39	H	6	1.50	1.50	341.20	342.70	348.51	350.01	0.00	single hole, below splice	
323	U1340	A	39	H	7	0.69	0.69	342.70	343.39	350.01	350.70	0.00	single hole, below splice	
323	U1340	A	39	H	CC	0.26	0.26	343.39	343.65	350.70	350.96	0.00	single hole, below splice	

U1340 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top (mcd splice)	Bottom (mcd splice)	Overlap/Gap	Comments	Curation Comments
323	U1340	A	40	H	1	1.50	1.50	343.20	344.70	350.51	352.01	-0.45	single hole, below splice	
323	U1340	A	40	H	2	1.50	1.50	344.70	346.20	352.01	353.51	0.00	single hole, below splice	
323	U1340	A	40	H	3	1.50	1.50	346.20	347.70	353.51	355.01	0.00	single hole, below splice	
323	U1340	A	40	H	4	1.50	1.50	347.70	349.20	355.01	356.51	0.00	single hole, below splice	
323	U1340	A	40	H	5	1.50	1.50	349.20	350.70	356.51	358.01	0.00	single hole, below splice	
323	U1340	A	40	H	6	0.63	0.63	350.70	351.33	358.01	358.64	0.00	single hole, below splice	
323	U1340	A	40	H	CC	0.10	0.10	351.33	351.43	358.64	358.74	0.00	single hole, below splice	
323	U1340	A	41	H	1	1.50	1.50	351.70	353.20	359.01	360.51	0.27	single hole, below splice	
323	U1340	A	41	H	2	1.30	1.30	353.20	354.50	360.51	361.81	0.00	single hole, below splice	
323	U1340	A	41	H	CC	0.23	0.23	354.50	354.73	361.81	362.04	0.00	single hole, below splice	
323	U1340	A	42	H	1	1.50	1.50	354.70	356.20	362.01	363.51	-0.03	single hole, below splice	
323	U1340	A	42	H	2	1.50	1.50	356.20	357.70	363.51	365.01	0.00	single hole, below splice	
323	U1340	A	42	H	3	0.88	0.88	357.70	358.58	365.01	365.89	0.00	single hole, below splice	
323	U1340	A	42	H	CC	0.12	0.12	358.58	358.70	365.89	366.01	0.00	single hole, below splice	
323	U1340	A	43	X	CC	0.07	0.07	358.70	358.77	366.01	366.08	0.00	single hole, below splice	
323	U1340	A	44	X	CC	0.49	0.49	364.70	365.19	372.01	372.50	5.93	single hole, below splice	
323	U1340	A	45	X	1	0.34	0.34	374.30	374.64	381.61	381.95	9.11	single hole, below splice	
323	U1340	A	45	X	CC	0.11	0.11	374.64	374.75	381.95	382.06	0.00	single hole, below splice	
323	U1340	A	46	X	1	1.50	1.50	383.90	385.40	391.21	392.71	9.15	single hole, below splice	
323	U1340	A	46	X	2	1.15	1.15	385.40	386.55	392.71	393.86	0.00	single hole, below splice	
323	U1340	A	46	X	CC	0.26	0.26	386.55	386.81	393.86	394.12	0.00	single hole, below splice	
323	U1340	A	47	X	1	1.50	1.50	390.50	392.00	397.81	399.31	3.69	single hole, below splice	
323	U1340	A	47	X	2	1.50	1.50	392.00	393.50	399.31	400.81	0.00	single hole, below splice	
323	U1340	A	47	X	3	1.50	1.50	393.50	395.00	400.81	402.31	0.00	single hole, below splice	
323	U1340	A	47	X	4	1.50	1.50	395.00	396.50	402.31	403.81	0.00	single hole, below splice	
323	U1340	A	47	X	5	1.50	1.50	396.50	398.00	403.81	405.31	0.00	single hole, below splice	
323	U1340	A	47	X	6	1.05	1.05	398.00	399.05	405.31	406.36	0.00	single hole, below splice	
323	U1340	A	47	X	CC	0.46	0.46	399.05	399.51	406.36	406.82	0.00	single hole, below splice	
323	U1340	A	48	X	1	1.50	1.50	400.10	401.60	407.41	408.91	0.59	single hole, below splice	
323	U1340	A	48	X	2	1.50	1.50	401.60	403.10	408.91	410.41	0.00	single hole, below splice	
323	U1340	A	48	X	3	1.50	1.50	403.10	404.60	410.41	411.91	0.00	single hole, below splice	
323	U1340	A	48	X	4	1.50	1.50	404.60	406.10	411.91	413.41	0.00	single hole, below splice	
323	U1340	A	48	X	5	1.50	1.50	406.10	407.60	413.41	414.91	0.00	single hole, below splice	
323	U1340	A	48	X	6	1.48	1.48	407.60	409.08	414.91	416.39	0.00	single hole, below splice	
323	U1340	A	48	X	CC	0.00	0.24	409.08	409.32	416.39	416.63	0.00	single hole, below splice	
323	U1340	A	49	X	1	1.50	1.50	409.70	411.20	417.01	418.51	0.38	single hole, below splice	
323	U1340	A	49	X	2	1.50	1.50	411.20	412.70	418.51	420.01	0.00	single hole, below splice	
323	U1340	A	49	X	3	1.50	1.50	412.70	414.20	420.01	421.51	0.00	single hole, below splice	
323	U1340	A	49	X	4	1.50	1.50	414.20	415.70	421.51	423.01	0.00	single hole, below splice	
323	U1340	A	49	X	5	1.50	1.50	415.70	417.20	423.01	424.51	0.00	single hole, below splice	
323	U1340	A	49	X	6	0.57	0.57	417.20	417.77	424.51	425.08	0.00	single hole, below splice	
323	U1340	A	49	X	CC	0.00	0.29	417.77	418.06	425.08	425.37	0.00	single hole, below splice	
323	U1340	A	50	X	1	1.50	1.50	419.30	420.80	426.61	428.11	1.24	single hole, below splice	
323	U1340	A	50	X	2	1.50	1.50	420.80	422.30	428.11	429.61	0.00	single hole, below splice	
323	U1340	A	50	X	3	1.50	1.50	422.30	423.80	429.61	431.11	0.00	single hole, below splice	
323	U1340	A	50	X	4	1.05	1.05	423.80	424.85	431.11	432.16	0.00	single hole, below splice	Short core; all to CC.
323	U1340	A	50	X	CC	0.00	0.31	424.85	425.16	432.16	432.47	0.00	single hole, below splice	
323	U1340	A	51	X	1	1.50	1.50	428.90	430.40	436.21	437.71	3.74	single hole, below splice	
323	U1340	A	51	X	2	1.50	1.50	430.40	431.90	437.71	439.21	0.00	single hole, below splice	
323	U1340	A	51	X	3	1.50	1.50	431.90	433.40	439.21	440.71	0.00	single hole, below splice	
323	U1340	A	51	X	4	1.00	1.00	433.40	434.40	440.71	441.71	0.00	single hole, below splice	
323	U1340	A	51	X	5	0.92	0.92	434.40	435.32	441.71	442.63	0.00	single hole, below splice	
323	U1340	A	51	X	CC	0.00	0.29	435.32	435.61	442.63	442.92	0.00	single hole, below splice	
323	U1340	A	52	X	1	1.50	1.50	438.60	440.10	445.91	447.41	2.99	single hole, below splice	
323	U1340	A	52	X	2	1.50	1.50	440.10	441.60	447.41	448.91	0.00	single hole, below splice	
323	U1340	A	52	X	3	1.50	1.50	441.60	443.10	448.91	450.41	0.00	single hole, below splice	
323	U1340	A	52	X	4	1.50	1.50	443.10	444.60	450.41	451.91	0.00	single hole, below splice	
323	U1340	A	52	X	5	1.50	1.50	444.60	446.10	451.91	453.41	0.00	single hole, below splice	
323	U1340	A	52	X	6	1.38	1.38	446.10	447.48	453.41	454.79	0.00	single hole, below splice	
323	U1340	A	52	X	CC	0.00	0.30	447.48	447.78	454.79	455.09	0.00	single hole, below splice	
323	U1340	A	53	X	1	1.50	1.50	448.10	449.60	455.41	456.91	0.32	single hole, below splice	
323	U1340	A	53	X	2	1.50	1.50	449.60	451.10	456.91	458.41	0.00	single hole, below splice	
323	U1340	A	53	X	3	1.50	1.50	451.10	452.60	458.41	459.91	0.00	single hole, below splice	
323	U1340	A	53	X	4	1.50	1.50	452.60	454.10	459.91	461.41	0.00	single hole, below splice	
323	U1340	A	53	X	5	1.50	1.50	454.10	455.60	461.41	462.91	0.00	single hole, below splice	
323	U1340	A	53	X	6	1.00	1.00	455.60	456.60	462.91	463.91	0.00	single hole, below splice	
323	U1340	A	53	X	7	0.82	0.82	456.60	457.42	463.91	464.73	0.00	single hole, below splice	
323	U1340	A	53	X	CC	0.00	0.30	457.42	457.72	464.73	465.03	0.00	single hole, below splice	
323	U1340	A	54	X	CC	0.42	0.42	457.72	457.82	464.73	465.13	-0.32	single hole, below splice	
323	U1340	A	55	X	1	1.50	1.50	467.10	468.60	474.41	475.91	9.28	single hole, below splice	
323	U1340	A	55	X	2	1.50	1.50	468.60	470.10	475.91	477.41	0.00	single hole, below splice	
323	U1340	A	55	X	3	1.50	1.50	470.10	471.60	477.41	478.91	0.00	single hole, below splice	

U1340 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top (mcd splice)	Bottom (mcd splice)	Overlap/Gap	Comments	Curation Comments
323	U1340	A	55	X	4	1.50	1.50	471.60	473.10	478.91	480.41	0.00	single hole, below splice	
323	U1340	A	55	X	5	1.50	1.50	473.10	474.60	480.41	481.91	0.00	single hole, below splice	Very sandy; had to 'bounce' the core liner to pack it full.
323	U1340	A	55	X	6	1.43	1.43	474.60	476.03	481.91	483.34	0.00	single hole, below splice	
323	U1340	A	55	X	CC	0.30	0.30	476.03	476.33	483.34	483.64	0.00	single hole, below splice	
323	U1340	A	56	X	1	1.50	1.50	476.60	478.10	483.91	485.41	0.27	single hole, below splice	
323	U1340	A	56	X	2	1.50	1.50	478.10	479.60	485.41	486.91	0.00	single hole, below splice	
323	U1340	A	56	X	3	1.50	1.50	479.60	481.10	486.91	488.41	0.00	single hole, below splice	
323	U1340	A	56	X	4	1.50	1.50	481.10	482.60	488.41	489.91	0.00	single hole, below splice	
323	U1340	A	56	X	5	1.50	1.50	482.60	484.10	489.91	491.41	0.00	single hole, below splice	
323	U1340	A	56	X	6	1.50	1.50	484.10	485.60	491.41	492.91	0.00	single hole, below splice	
323	U1340	A	56	X	7	0.48	0.48	485.60	486.08	492.91	493.39	0.00	single hole, below splice	
323	U1340	A	56	X	CC	0.12	0.12	486.08	486.20	493.39	493.51	0.00	single hole, below splice	
323	U1340	A	57	X	1	1.50	1.50	486.20	487.70	493.51	495.01	0.00	single hole, below splice	
323	U1340	A	57	X	2	1.50	1.50	487.70	489.20	495.01	496.51	0.00	single hole, below splice	
323	U1340	A	57	X	3	1.50	1.50	489.20	490.70	496.51	498.01	0.00	single hole, below splice	
323	U1340	A	57	X	4	1.00	1.00	490.70	491.70	498.01	499.01	0.00	single hole, below splice	
323	U1340	A	57	X	5	0.86	0.86	491.70	492.56	499.01	499.87	0.00	single hole, below splice	
323	U1340	A	57	X	CC	0.36	0.36	492.56	492.92	499.87	500.23	0.00	single hole, below splice	
323	U1340	A	58	X	CC	0.02	0.02	495.90	495.92	503.21	503.23	2.98	single hole, below splice	
323	U1340	A	59	X	1	1.50	1.50	505.50	507.00	512.81	514.31	9.58	single hole, below splice	
323	U1340	A	59	X	2	1.50	1.50	507.00	508.50	514.31	515.81	0.00	single hole, below splice	
323	U1340	A	59	X	3	1.50	1.50	508.50	510.00	515.81	517.31	0.00	single hole, below splice	
323	U1340	A	59	X	4	1.50	1.50	510.00	511.50	517.31	518.81	0.00	single hole, below splice	
323	U1340	A	59	X	5	1.50	1.50	511.50	513.00	518.81	520.31	0.00	single hole, below splice	
323	U1340	A	59	X	6	1.50	1.50	513.00	514.50	520.31	521.81	0.00	single hole, below splice	
323	U1340	A	59	X	7	0.48	0.47	514.50	514.97	521.81	522.28	0.00	single hole, below splice	
323	U1340	A	59	X	CC	0.00	0.23	514.97	515.20	522.28	522.51	0.00	single hole, below splice	
323	U1340	A	63	H	1	1.50	1.50	543.90	545.40	551.21	552.71	28.70	single hole, below splice	
323	U1340	A	63	H	2	1.34	1.34	545.40	546.74	552.71	554.05	0.00	single hole, below splice	
323	U1340	A	63	H	CC	0.03	0.03	546.74	546.77	554.05	554.08	0.00	single hole, below splice	
323	U1340	A	64	H	1	1.50	1.50	547.40	548.90	554.71	556.21	0.63	single hole, below splice	
323	U1340	A	64	H	2	1.50	1.50	548.90	550.40	556.21	557.71	0.00	single hole, below splice	
323	U1340	A	64	H	3	1.00	1.00	550.40	551.40	557.71	558.71	0.00	single hole, below splice	
323	U1340	A	64	H	4	1.50	1.50	551.40	552.90	558.71	560.21	0.00	single hole, below splice	
323	U1340	A	64	H	5	1.50	1.50	552.90	554.40	560.21	561.71	0.00	single hole, below splice	
323	U1340	A	64	H	6	1.04	1.04	554.40	555.44	561.71	562.75	0.00	single hole, below splice	
323	U1340	A	64	H	CC	0.22	0.22	555.44	555.66	562.75	562.97	0.00	single hole, below splice	
323	U1340	A	65	H	1	1.50	1.50	551.50	553.00	558.81	560.31	-4.16	single hole, below splice	
323	U1340	A	65	H	2	1.50	1.50	553.00	554.50	560.31	561.81	0.00	single hole, below splice	
323	U1340	A	65	H	3	1.50	1.50	554.50	556.00	561.81	563.31	0.00	single hole, below splice	
323	U1340	A	65	H	4	1.37	1.37	556.00	557.37	563.31	564.68	0.00	single hole, below splice	
323	U1340	A	65	H	CC	0.06	0.06	557.37	557.43	564.68	564.74	0.00	single hole, below splice	
323	U1340	A	66	H	1	1.50	1.50	557.50	559.00	564.81	566.31	0.07	single hole, below splice	
323	U1340	A	66	H	2	1.50	1.50	559.00	560.50	566.31	567.81	0.00	single hole, below splice	
323	U1340	A	66	H	3	1.50	1.50	560.50	562.00	567.81	569.31	0.00	single hole, below splice	
323	U1340	A	66	H	4	0.87	0.87	562.00	562.87	569.31	570.18	0.00	single hole, below splice	
323	U1340	A	66	H	CC	0.10	0.10	562.87	562.97	570.18	570.28	0.00	single hole, below splice	
323	U1340	A	67	H	1	1.50	1.50	563.00	564.50	570.18	571.81	0.03	single hole, below splice	
323	U1340	A	67	H	2	1.30	1.30	564.50	565.80	571.81	573.11	0.00	single hole, below splice	
323	U1340	A	67	H	CC	0.10	0.10	565.80	565.90	573.11	573.21	0.00	single hole, below splice	
323	U1340	A	68	X	1	1.50	1.50	566.00	567.50	573.31	574.81	0.10	single hole, below splice	
323	U1340	A	68	X	2	1.50	1.50	567.50	569.00	574.81	576.31	0.00	single hole, below splice	
323	U1340	A	68	X	3	1.50	1.50	569.00	570.50	576.31	577.81	0.00	single hole, below splice	
323	U1340	A	68	X	4	1.50	1.50	570.50	572.00	577.81	579.31	0.00	single hole, below splice	
323	U1340	A	68	X	5	1.50	1.50	572.00	573.50	579.31	580.81	0.00	single hole, below splice	
323	U1340	A	68	X	6	1.50	1.50	573.50	575.00	580.81	582.31	0.00	single hole, below splice	
323	U1340	A	68	X	7	0.59	0.59	575.00	575.59	582.31	582.90	0.00	single hole, below splice	
323	U1340	A	68	X	CC	0.40	0.40	575.59	575.99	582.90	583.30	0.00	single hole, below splice	
323	U1340	A	69	X	1	1.50	1.50	575.70	577.20	583.01	584.51	-0.29	single hole, below splice	
323	U1340	A	69	X	2	1.50	1.50	577.20	578.70	584.51	586.01	0.00	single hole, below splice	
323	U1340	A	69	X	3	1.50	1.50	578.70	580.20	586.01	587.51	0.00	single hole, below splice	
323	U1340	A	69	X	4	1.50	1.50	580.20	581.70	587.51	589.01	0.00	single hole, below splice	
323	U1340	A	69	X	5	1.50	1.50	581.70	583.20	589.01	590.51	0.00	single hole, below splice	
323	U1340	A	69	X	6	1.00	1.00	583.20	584.20	590.51	591.51	0.00	single hole, below splice	
323	U1340	A	69	X	7	0.59	0.59	584.20	584.79	591.51	592.10	0.00	single hole, below splice	
323	U1340	A	69	X	CC	0.49	0.49	584.79	585.28	592.10	592.59	0.00	single hole, below splice	
323	U1340	A	70	X	1	1.50	1.50	585.40	586.90	592.71	594.21	0.12	single hole, below splice	
323	U1340	A	70	X	2	1.50	1.50	586.90	588.40	594.21	595.71	0.00	single hole, below splice	
323	U1340	A	70	X	3	1.50	1.50	588.40	589.90	595.71	597.21	0.00	single hole, below splice	
323	U1340	A	70	X	4	1.50	1.50	589.90	591.40	597.21	598.71	0.00	single hole, below splice	Entire core liner is shattered.
323	U1340	A	70	X	5	1.50	1.50	591.40	592.90	598.71	600.21	0.00	single hole, below splice	Entire core liner is shattered.
323	U1340	A	70	X	6	1.50	1.50	592.90	594.40	600.21	601.71	0.00	single hole, below splice	Entire core liner is shattered.

U1340 Permanent Archive List

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top (mcd splice)	Bottom (mcd splice)	Overlap/Gap	Comments	Curation Comments
323	U1340	A	70	X	7	0.52	0.52	594.40	594.92	601.71	602.23	0.00	single hole, below splice	Entire core liner is shattered.
323	U1340	A	70	X	CC	0.40	0.40	594.92	595.32	602.23	602.63	0.00	single hole, below splice	Entire core liner is shattered.
323	U1340	A	71	X	1	1.50	1.50	595.00	596.50	602.31	603.81	-0.32	single hole, below splice	
323	U1340	A	71	X	2	1.50	1.50	596.50	598.00	603.81	605.31	0.00	single hole, below splice	
323	U1340	A	71	X	3	1.50	1.50	598.00	599.50	605.31	606.81	0.00	single hole, below splice	
323	U1340	A	71	X	4	1.50	1.50	599.50	601.00	606.81	608.31	0.00	single hole, below splice	
323	U1340	A	71	X	5	1.50	1.50	601.00	602.50	608.31	609.81	0.00	single hole, below splice	
323	U1340	A	71	X	6	1.50	1.50	602.50	604.00	609.81	611.31	0.00	single hole, below splice	
323	U1340	A	71	X	7	0.51	0.51	604.00	604.51	611.31	611.82	0.00	single hole, below splice	
323	U1340	A	71	X	CC	0.10	0.10	604.51	604.61	611.82	611.92	0.00	single hole, below splice	