

U1390 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1390	A	1	H	1	1.5	1.5	0	1.5	0.18	1.68		Accommodates splice	
339	U1390	A	1	H	2	1.4	1.4	1.5	2.9	1.68	3.08	0.00	Accommodates splice	
339	U1390	A	1	H	3	0.51	0.51	2.9	3.41	3.08	3.59	0.00	Accommodates splice	
339	U1390	A	1	H	CC	0.22	0.22	3.41	3.63	3.59	3.81	0.00	Accommodates splice	
339	U1390	A	2	H	1	1.5	1.52	3.6	5.12	3.20	4.72	-0.61	Accommodates splice	
339	U1390	A	2	H	2	1.5	1.5	5.12	6.62	4.72	6.22	0.00	Accommodates splice	
339	U1390	A	2	H	3	1.5	1.5	6.62	8.12	6.22	7.72	0.00	Accommodates splice	
339	U1390	A	2	H	4	1.5	1.5	8.12	9.62	7.72	9.22	0.00	Accommodates splice	
339	U1390	A	2	H	5	1.5	1.51	9.62	11.13	9.22	10.73	0.00	Accommodates splice	
339	U1390	A	2	H	6	1.41	1.41	11.13	12.54	10.73	12.14	0.00	Accommodates splice	
339	U1390	A	2	H	7	0.68	0.67	12.54	13.21	12.14	12.81	0.00	Accommodates splice	
339	U1390	A	2	H	CC	0.24	0.24	13.21	13.45	12.81	13.05	0.00	Accommodates splice	
339	U1390	C	2	H	6	1.41	1.41	11.9	13.31	13.29	14.70	0.24	Accommodates splice	
339	U1390	C	2	H	7	0.69	0.69	13.31	14	14.70	15.39	0.00	Accommodates splice	
339	U1390	C	2	H	CC	0.36	0.36	14	14.36	15.39	15.75	0.00	Accommodates splice	
339	U1390	A	3	H	1	1.51	1.51	13.1	14.61	15.60	17.11	-0.15	Accommodates splice	
339	U1390	C	3	H	1	1.42	1.42	13.9	15.32	15.92	17.34	-1.19	Accommodates splice	
339	U1390	C	3	H	2	1.5	1.5	15.32	16.82	17.34	18.84	0.00	Accommodates splice	
339	U1390	C	3	H	3	1.37	1.37	16.82	18.19	18.84	20.21	0.00	Accommodates splice	Bottom 10 cm of Sec. 3 damaged and given to PAL
339	U1390	C	3	H	4	1.5	1.5	18.19	19.69	20.21	21.71	0.00	Accommodates splice	
339	U1390	A	3	H	5	1.5	1.5	19.11	20.61	21.61	23.11	-0.10	Accommodates splice	
339	U1390	A	3	H	6	1.31	1.31	20.61	21.92	23.11	24.42	0.00	Accommodates splice	
339	U1390	A	3	H	7	0.7	0.7	21.92	22.62	24.42	25.12	0.00	Accommodates splice	
339	U1390	A	3	H	CC	0.31	0.31	22.62	22.93	25.12	25.43	0.00	Accommodates splice	
339	U1390	A	4	H	1	1.5	1.5	22.6	24.1	24.95	26.45	-0.48	Accommodates splice	
339	U1390	A	4	H	2	1.5	1.51	24.1	25.61	26.45	27.96	0.00	Accommodates splice	
339	U1390	A	4	H	3	1.5	1.51	25.61	27.12	27.96	29.47	0.00	Accommodates splice	
339	U1390	A	4	H	4	1.5	1.51	27.12	28.63	29.47	30.98	0.00	Accommodates splice	
339	U1390	A	4	H	5	1.5	1.51	28.63	30.14	30.98	32.49	0.00	Accommodates splice	
339	U1390	A	4	H	6	1.01	1.02	30.14	31.16	32.49	33.51	0.00	Accommodates splice	
339	U1390	A	4	H	7	0.68	0.7	31.16	31.86	33.51	34.21	0.00	Accommodates splice	
339	U1390	A	4	H	CC	0.44	0.44	31.86	32.3	34.21	34.65	0.00	Accommodates splice	
339	U1390	C	4	H	5	1.5	1.5	29.4	30.9	34.23	35.73	-0.42	Accommodates splice	
339	U1390	A	5	H	1	0.83	0.83	32.1	32.93	35.20	36.03	-0.53	Accommodates splice	
339	U1390	A	5	H	2	0.4	0.4	32.93	33.33	36.03	36.43	0.00	Accommodates splice	DISTURBED Crumpled liner. Extracted from liner and place in new split liner
339	U1390	A	5	H	3	1.5	1.52	33.33	34.85	36.43	37.95	0.00	Accommodates splice	
339	U1390	A	5	H	4	1.5	1.52	34.85	36.37	37.95	39.47	0.00	Accommodates splice	
339	U1390	C	5	H	2	1.5	1.52	34.42	35.94	39.18	40.70	-0.30	Accommodates splice	
339	U1390	C	5	H	3	1.5	1.43	35.94	37.37	40.70	42.13	0.00	Accommodates splice	
339	U1390	C	5	H	4	0.79	0.8	37.37	38.17	42.13	42.93	0.00	Accommodates splice	Disturbed Crumpled liner.
339	U1390	C	5	H	5	1.5	1.51	38.17	39.68	42.93	44.44	0.00	Accommodates splice	
339	U1390	C	5	H	6	1.5	1.51	39.68	41.19	44.44	45.95	0.00	Accommodates splice	
339	U1390	A	5	H	CC	0.28	0.28	40.86	41.14	43.96	44.24	-1.98	Accommodates splice	
339	U1390	A	6	H	1	1.5	1.5	41.6	43.1	44.79	46.29	0.55	Accommodates splice	
339	U1390	A	6	H	2	1.52	1.52	43.1	44.62	46.29	47.81	0.00	Accommodates splice	
339	U1390	A	6	H	3	1.54	1.55	44.62	46.17	47.81	49.36	0.00	Accommodates splice	
339	U1390	A	6	H	4	1.52	1.53	46.17	47.7	49.36	50.89	0.00	Accommodates splice	
339	U1390	A	6	H	5	1.51	1.53	47.7	49.23	50.89	52.42	0.00	Accommodates splice	
339	U1390	A	6	H	6	1.43	1.44	49.23	50.67	52.42	53.86	0.00	Accommodates splice	
339	U1390	A	6	H	CC	0.33	0.33	50.67	51	53.86	54.19	0.00	Accommodates splice	
339	U1390	B	6	H	2	1.45	1.45	48.58	50.03	53.03	54.48	-1.17	Accommodates splice	
339	U1390	B	6	H	3	1.49	1.49	50.03	51.52	54.48	55.97	0.00	Accommodates splice	
339	U1390	B	6	H	4	1.51	1.51	51.52	53.03	55.97	57.48	0.00	Accommodates splice	
339	U1390	B	6	H	5	1.51	1.51	53.03	54.54	57.48	58.99	0.00	Accommodates splice	
339	U1390	B	6	H	6	1.48	1.5	54.54	56.04	58.99	60.49	0.00	Accommodates splice	
339	U1390	B	6	H	7	1.21	1.21	56.04	57.25	60.49	61.70	0.00	Accommodates splice	
339	U1390	C	7	H	3	1.43	1.43	54.73	56.16	61.42	62.85	-0.27	Accommodates splice	
339	U1390	C	7	H	4	1.42	1.45	56.16	57.61	62.85	64.30	0.00	Accommodates splice	
339	U1390	C	7	H	5	1.45	1.47	57.61	59.08	64.30	65.77	0.00	Accommodates splice	
339	U1390	C	7	H	6	1.47	1.48	59.08	60.56	65.77	67.25	0.00	Accommodates splice	
339	U1390	C	7	H	7	0.95	0.95	60.56	61.51	67.25	68.20	0.00	Accommodates splice	
339	U1390	C	7	H	CC	0.36	0.36	61.51	61.87	68.20	68.56	0.00	Accommodates splice	
339	U1390	C	8	H	1	1.42	1.42	61.4	62.82	69.38	70.80	0.82	Accommodates splice	
339	U1390	C	8	H	2	1.32	1.32	62.82	64.14	70.80	72.12	0.00	Accommodates splice	
339	U1390	C	8	H	3	1.43	1.43	64.14	65.57	72.12	73.55	0.00	Accommodates splice	

U1390 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1390	C	8	H	4	1.47	1.47	65.57	67.04	73.55	75.02	0.00	Accommodates splice	
339	U1390	C	8	H	5	1.47	1.47	67.04	68.51	75.02	76.49	0.00	Accommodates splice	
339	U1390	A	8	H	7	1.02	1.02	69.19	70.21	75.37	76.39	-1.12	Accommodates splice	
339	U1390	A	8	H	CC	0.32	0.32	70.21	70.53	76.39	76.71	0.00	Accommodates splice	
339	U1390	A	9	H	1	1.5	1.5	70.1	71.6	76.14	77.64	-0.57	Accommodates splice	DISTURBED! Stuck in core barrel. Liner crushed and shattered. Extracted and placed in new liner.
339	U1390	A	9	H	2	1.43	1.43	71.6	73.03	77.64	79.07	0.00	Accommodates splice	DISTURBED! Stuck in core barrel. Liner crushed and shattered. Extracted and placed in new liner.
339	U1390	A	9	H	3	1.34	1.34	73.03	74.37	79.07	80.41	0.00	Accommodates splice	DISTURBED! Stuck in core barrel. Liner crushed and shattered. Extracted and placed in new liner.
339	U1390	A	9	H	4	1.36	1.36	74.37	75.73	80.41	81.77	0.00	Accommodates splice	DISTURBED! Stuck in core barrel. Liner crushed and shattered. Extracted and placed in new liner.
339	U1390	A	9	H	CC	0.97	0.97	75.73	76.7	81.77	82.74	0.00	Accommodates splice	DISTURBED! Stuck in core barrel. Liner crushed and shattered. Extracted and placed in new liner.
339	U1390	B	8	H	CC	0.54	0.55	75.56	76.11	82.42	82.97	-0.33	Accommodates splice	
339	U1390	B	9	H	1	1.41	1.4	75.6	77	83.29	84.69	0.32	Accommodates splice	
339	U1390	A	10	X	1	1.5	1.5	76.7	78.2	84.60	86.10	-0.09	Accommodates splice	
339	U1390	A	10	X	2	1.5	1.5	78.2	79.7	86.10	87.60	0.00	Accommodates splice	
339	U1390	A	10	X	3	1.51	1.51	79.7	81.21	87.60	89.11	0.00	Accommodates splice	
339	U1390	A	10	X	4	1.5	1.5	81.21	82.71	89.11	90.61	0.00	Accommodates splice	
339	U1390	A	10	X	5	1.38	1.38	82.71	84.09	90.61	91.99	0.00	Accommodates splice	
339	U1390	A	10	X	CC	0.28	0.28	84.09	84.37	91.99	92.27	0.00	Accommodates splice	
339	U1390	A	11	X	1	1.5	1.5	83.5	85	92.53	94.03	0.26	Accommodates splice	
339	U1390	A	11	X	2	1.5	1.5	85	86.5	94.03	95.53	0.00	Accommodates splice	
339	U1390	A	11	X	3	1.5	1.5	86.5	88	95.53	97.03	0.00	Accommodates splice	
339	U1390	A	11	X	4	1.5	1.5	88	89.5	97.03	98.53	0.00	Accommodates splice	
339	U1390	A	11	X	5	1.5	1.5	89.5	91	98.53	100.03	0.00	Accommodates splice	
339	U1390	A	11	X	6	1.25	1.25	91	92.25	100.03	101.28	0.00	Accommodates splice	
339	U1390	A	11	X	CC	0.36	0.36	92.25	92.61	101.28	101.64	0.00	Accommodates splice	
339	U1390	A	12	X	1	1.5	1.5	93.1	94.6	102.80	104.30	1.16	Accommodates splice	
339	U1390	A	12	X	2	1.5	1.5	94.6	96.1	104.30	105.80	0.00	Accommodates splice	
339	U1390	A	12	X	3	1.5	1.5	96.1	97.6	105.80	107.30	0.00	Accommodates splice	
339	U1390	A	12	X	4	1.5	1.5	97.6	99.1	107.30	108.80	0.00	Accommodates splice	
339	U1390	A	12	X	5	1.04	1.04	99.1	100.14	108.80	109.84	0.00	Accommodates splice	
339	U1390	A	12	X	6	0.7	0.7	100.14	100.84	109.84	110.54	0.00	Accommodates splice	
339	U1390	A	12	X	CC	0.36	0.36	100.84	101.2	110.54	110.90	0.00	Accommodates splice	
339	U1390	A	13	X	1	1.5	1.5	102.7	104.2	112.77	114.27	1.88	Accommodates splice	
339	U1390	A	13	X	2	1.5	1.5	104.2	105.7	114.27	115.77	0.00	Accommodates splice	
339	U1390	A	13	X	3	1.5	1.5	105.7	107.2	115.77	117.27	0.00	Accommodates splice	
339	U1390	A	13	X	4	1.5	1.5	107.2	108.7	117.27	118.77	0.00	Accommodates splice	
339	U1390	A	13	X	5	1.27	1.27	108.7	109.97	118.77	120.04	0.00	Accommodates splice	
339	U1390	A	13	X	CC	0.52	0.52	109.97	110.49	120.04	120.56	0.00	Accommodates splice	
339	U1390	B	12	H	4	1	1	107.58	108.58	120.59	121.59	0.03	Accommodates splice	DISTURBED
339	U1390	B	12	H	CC	0.4	0.4	108.58	108.98	121.59	121.99	0.00	Accommodates splice	
339	U1390	B	13	H	1	0.58	0.58	108.6	109.18	121.75	122.33	-0.24	Accommodates splice	
339	U1390	C	12	H	CC	0.59	0.59	108.34	108.93	122.77	123.36	0.44	Accommodates splice	
339	U1390	C	13	H	1	0.64	0.64	108.9	109.54	124.37	125.01	1.01	Accommodates splice	
339	U1390	A	14	X	1	1.5	1.5	112.3	113.8	124.08	125.58	-0.93	Accommodates splice	
339	U1390	A	14	X	2	1.5	1.5	113.8	115.3	125.58	127.08	0.00	Accommodates splice	
339	U1390	A	14	X	3	1.5	1.35	115.3	116.65	127.08	128.43	0.00	Accommodates splice	Section was entered incorrectly as 150cm. Actual length is 135 cm
339	U1390	A	14	X	4	1.5	1.5	116.65	118.15	128.43	129.93	0.00	Accommodates splice	
339	U1390	A	14	X	5	1.5	1.5	118.15	119.65	129.93	131.43	0.00	Accommodates splice	
339	U1390	A	14	X	6	1.06	1.06	119.65	120.71	131.43	132.49	0.00	Accommodates splice	
339	U1390	A	14	X	CC	0.52	0.52	120.71	121.23	132.49	133.01	0.00	Accommodates splice	
339	U1390	A	15	X	1	1.5	1.5	121.9	123.4	133.76	135.26	0.75	Accommodates splice	

U1390 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1390	A	15	X	2	1.5	1.5	123.4	124.9	135.26	136.76	0.00	Accommodates splice	
339	U1390	A	15	X	3	1.5	1.5	124.9	126.4	136.76	138.26	0.00	Accommodates splice	
339	U1390	A	15	X	4	1.5	1.5	126.4	127.9	138.26	139.76	0.00	Accommodates splice	
339	U1390	A	15	X	5	1.27	1.27	127.9	129.17	139.76	141.03	0.00	Accommodates splice	
339	U1390	A	15	X	CC	0.26	0.26	129.17	129.43	141.03	141.29	0.00	Accommodates splice	
339	U1390	C	16	H	CC	0.49	0.49	142.04	142.53	141.29	141.78	0.00	Accommodates splice	
339	U1390	A	16	X	1	1.5	1.5	131.4	132.9	143.33	144.83	1.56	Accommodates splice	
339	U1390	A	16	X	2	1.5	1.5	132.9	134.4	144.83	146.33	0.00	Accommodates splice	
339	U1390	A	16	X	3	1.5	1.5	134.4	135.9	146.33	147.83	0.00	Accommodates splice	
339	U1390	A	16	X	4	1.5	1.5	135.9	137.4	147.83	149.33	0.00	Accommodates splice	
339	U1390	A	16	X	5	1.5	1.5	137.4	138.9	149.33	150.83	0.00	Accommodates splice	
339	U1390	A	16	X	6	0.92	0.92	138.9	139.82	150.83	151.75	0.00	Accommodates splice	
339	U1390	A	16	X	CC	0.28	0.28	139.82	140.1	151.75	152.03	0.00	Accommodates splice	
339	U1390	A	17	X	1	1.5	1.5	140.9	142.4	152.62	154.12	0.59	Accommodates splice	
339	U1390	A	17	X	2	1.5	1.5	142.4	143.9	154.12	155.62	0.00	Accommodates splice	
339	U1390	A	17	X	3	1.5	1.5	143.9	145.4	155.62	157.12	0.00	Accommodates splice	
339	U1390	A	17	X	4	1.5	1.5	145.4	146.9	157.12	158.62	0.00	Accommodates splice	
339	U1390	A	17	X	5	1.5	1.5	146.9	148.4	158.62	160.12	0.00	Accommodates splice	
339	U1390	A	17	X	6	1.06	1.06	148.4	149.46	160.12	161.18	0.00	Accommodates splice	
339	U1390	A	17	X	CC	0.51	0.51	149.46	149.97	161.18	161.69	0.00	Accommodates splice	
339	U1390	A	18	X	1	1.5	1.5	150.5	152	162.50	164.00	0.81	Accommodates splice	
339	U1390	A	18	X	2	1.5	1.5	152	153.5	164.00	165.50	0.00	Accommodates splice	
339	U1390	A	18	X	3	1.5	1.5	153.5	155	165.50	167.00	0.00	Accommodates splice	
339	U1390	A	18	X	4	1.09	1.09	155	156.09	167.00	168.09	0.00	Accommodates splice	
339	U1390	A	18	X	5	1.5	1.5	156.09	157.59	168.09	169.59	0.00	Accommodates splice	
339	U1390	A	18	X	6	0.94	0.94	157.59	158.53	169.59	170.53	0.00	Accommodates splice	
339	U1390	A	18	X	CC	0.54	0.54	158.53	159.07	170.53	171.07	0.00	Accommodates splice	
339	U1390	C	17	H	CC	0.41	0.41	154.6	155.01	171.07	171.48	0.00	Accommodates splice	
339	U1390	C	18	H	1	1.48	1.48	156.4	157.88	173.83	175.31	2.35	Accommodates splice	
339	U1390	C	18	H	2	1.5	1.5	157.88	159.38	175.31	176.81	0.00	Accommodates splice	
339	U1390	C	18	H	3	1.51	1.51	159.38	160.89	176.81	178.32	0.00	Accommodates splice	
339	U1390	C	18	H	4	1.02	1.02	160.89	161.91	178.32	179.34	0.00	Accommodates splice	
339	U1390	C	18	H	CC	0.6	0.6	161.91	162.51	179.34	179.94	0.00	Accommodates splice	
339	U1390	A	19	X	4	0.56	0.56	164.05	164.61	181.85	182.41	1.91	Accommodates splice	
339	U1390	A	19	X	CC	1.2	1.2	164.61	165.81	182.41	183.61	0.00	Accommodates splice	
339	U1390	A	20	X	1	1.5	1.5	169.6	171.1	185.13	186.63	1.52	Accommodates splice	
339	U1390	A	20	X	2	1.5	1.5	171.1	172.6	186.63	188.13	0.00	Accommodates splice	
339	U1390	A	20	X	3	1.5	1.5	172.6	174.1	188.13	189.63	0.00	Accommodates splice	
339	U1390	A	20	X	4	1.5	1.5	174.1	175.6	189.63	191.13	0.00	Accommodates splice	
339	U1390	A	20	X	5	1.5	1.5	175.6	177.1	191.13	192.63	0.00	Accommodates splice	
339	U1390	A	20	X	6	1.26	1.26	177.1	178.36	192.63	193.89	0.00	Accommodates splice	
339	U1390	A	20	X	CC	0.42	0.42	178.36	178.78	193.89	194.31	0.00	Accommodates splice	
339	U1390	A	21	X	CC	0.55	0.55	187.05	187.6	203.57	204.12	9.26	Accommodates splice	
339	U1390	A	22	X	1	1.5	1.5	188.8	190.3	205.27	206.77	1.15	Accommodates splice	
339	U1390	A	22	X	1	1.5	1.5	188.8	190.3				Single Cored	
339	U1390	A	22	X	2	1.5	1.5	190.3	191.8				Single Cored	
339	U1390	A	22	X	3	1.5	1.5	191.8	193.3				Single Cored	
339	U1390	A	22	X	4	1.5	1.5	193.3	194.8				Single Cored	
339	U1390	A	22	X	5	1.25	1.25	194.8	196.05				Single Cored	
339	U1390	A	22	X	6	0.81	0.81	196.05	196.86				Single Cored	
339	U1390	A	22	X	CC	0.22	0.22	196.86	197.08				Single Cored	
339	U1390	A	23	X	1	1.5	1.5	198.4	199.9				Single Cored	
339	U1390	A	23	X	2	1.5	1.5	199.9	201.4				Single Cored	
339	U1390	A	23	X	3	1.5	1.5	201.4	202.9				Single Cored	
339	U1390	A	23	X	4	1.5	1.5	202.9	204.4				Single Cored	
339	U1390	A	23	X	5	1.5	1.5	204.4	205.9				Single Cored	
339	U1390	A	23	X	6	0.97	0.97	205.9	206.87				Single Cored	
339	U1390	A	23	X	CC	0.16	0.16	206.87	207.03				Single Cored	
339	U1390	A	24	X	1	1.5	1.5	208	209.5				Single Cored	
339	U1390	A	24	X	2	1.5	1.5	209.5	211				Single Cored	
339	U1390	A	24	X	3	1.5	1.5	211	212.5				Single Cored	
339	U1390	A	24	X	4	1.42	1.42	212.5	213.92				Single Cored	
339	U1390	A	24	X	5	1.5	1.5	213.92	215.42				Single Cored	
339	U1390	A	24	X	6	0.91	0.91	215.42	216.33				Single Cored	
339	U1390	A	24	X	7	0.7	0.7	216.33	217.03				Single Cored	
339	U1390	A	24	X	CC	0.33	0.33	217.03	217.36				Single Cored	
339	U1390	A	25	X	1	1.5	1.5	217.5	219				Single Cored	
339	U1390	A	25	X	2	1.5	1.5	219	220.5				Single Cored	

U1390 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1390	A	25	X	3	1.5	1.5	220.5	222				Single Cored	
339	U1390	A	25	X	4	1.5	1.5	222	223.5				Single Cored	
339	U1390	A	25	X	5	0.95	0.95	223.5	224.45				Single Cored	
339	U1390	A	25	X	CC	0.21	0.21	224.45	224.66				Single Cored	
339	U1390	A	26	X	1	1.5	1.5	227	228.5				Single Cored	
339	U1390	A	26	X	2	1.5	1.5	228.5	230				Single Cored	
339	U1390	A	26	X	3	1.5	1.5	230	231.5				Single Cored	
339	U1390	A	26	X	4	1.5	1.5	231.5	233				Single Cored	
339	U1390	A	26	X	5	1.5	1.5	233	234.5				Single Cored	
339	U1390	A	26	X	6	1.38	1.38	234.5	235.88				Single Cored	
339	U1390	A	26	X	CC	0.4	0.4	235.88	236.28				Single Cored	
339	U1390	A	27	X	1	1.5	1.5	236.7	238.2				Single Cored	Upper 40 cm disturbed. Extruded from the core barrel and put into section 1.
339	U1390	A	27	X	2	1.5	1.5	238.2	239.7				Single Cored	
339	U1390	A	27	X	3	1.5	1.5	239.7	241.2				Single Cored	
339	U1390	A	27	X	4	1.5	1.5	241.2	242.7				Single Cored	
339	U1390	A	27	X	5	1.5	1.5	242.7	244.2				Single Cored	
339	U1390	A	27	X	6	1.01	1.01	244.2	245.21				Single Cored	
339	U1390	A	27	X	7	0.7	0.7	245.21	245.91				Single Cored	
339	U1390	A	27	X	CC	0.35	0.35	245.91	246.26				Single Cored	
339	U1390	A	28	X	1	1.5	1.5	246.3	247.8				Single Cored	
339	U1390	A	28	X	2	1.5	1.5	247.8	249.3				Single Cored	
339	U1390	A	28	X	3	1.5	1.5	249.3	250.8				Single Cored	
339	U1390	A	28	X	4	1.5	1.5	250.8	252.3				Single Cored	
339	U1390	A	28	X	5	1.5	1.5	252.3	253.8				Single Cored	
339	U1390	A	28	X	6	1.12	1.12	253.8	254.92				Single Cored	
339	U1390	A	28	X	7	0.69	0.69	254.92	255.61				Single Cored	
339	U1390	A	28	X	CC	0.47	0.47	255.61	256.08				Single Cored	
339	U1390	A	29	X	1	0.55	0.55	255.9	256.45				Single Cored	
339	U1390	A	29	X	2	1.5	1.5	256.45	257.95				Single Cored	
339	U1390	A	29	X	3	1.5	1.5	257.95	259.45				Single Cored	
339	U1390	A	29	X	4	1.5	1.5	259.45	260.95				Single Cored	
339	U1390	A	29	X	5	1.5	1.5	260.95	262.45				Single Cored	
339	U1390	A	29	X	6	1.5	1.5	262.45	263.95				Single Cored	
339	U1390	A	29	X	7	1.25	1.25	263.95	265.2				Single Cored	
339	U1390	A	29	X	CC	0.32	0.32	265.2	265.52				Single Cored	
339	U1390	A	30	X	1	0.32	0.32	265.5	265.82				Single Cored	DISTURBED! Extruded from core barrel into new core liner.
339	U1390	A	30	X	2	1.5	1.5	265.82	267.32				Single Cored	
339	U1390	A	30	X	3	1.5	1.5	267.32	268.82				Single Cored	
339	U1390	A	30	X	4	1.5	1.5	268.82	270.32				Single Cored	
339	U1390	A	30	X	5	1.5	1.5	270.32	271.82				Single Cored	
339	U1390	A	30	X	6	1.46	1.46	271.82	273.28				Single Cored	
339	U1390	A	30	X	7	0.99	0.99	273.28	274.27				Single Cored	
339	U1390	A	30	X	8	0.72	0.72	274.27	274.99				Single Cored	
339	U1390	A	30	X	CC	0.38	0.38	274.99	275.37				Single Cored	
339	U1390	A	31	X	1	1.5	1.5	275.1	276.6				Single Cored	Top 18 cm disturbed. Extruded from core barrel and put in Section 1.
339	U1390	A	31	X	2	1.5	1.5	276.6	278.1				Single Cored	
339	U1390	A	31	X	3	1.5	1.5	278.1	279.6				Single Cored	
339	U1390	A	31	X	4	1.5	1.5	279.6	281.1				Single Cored	
339	U1390	A	31	X	5	1.5	1.5	281.1	282.6				Single Cored	
339	U1390	A	31	X	6	0.97	0.97	282.6	283.57				Single Cored	
339	U1390	A	31	X	7	0.7	0.7	283.57	284.27				Single Cored	
339	U1390	A	31	X	CC	0.34	0.34	284.27	284.61				Single Cored	
339	U1390	A	32	X	1	1.5	1.5	284.7	286.2				Single Cored	
339	U1390	A	32	X	2	1.5	1.5	286.2	287.7				Single Cored	
339	U1390	A	32	X	3	1.5	1.5	287.7	289.2				Single Cored	
339	U1390	A	32	X	4	1.5	1.5	289.2	290.7				Single Cored	
339	U1390	A	32	X	5	1.5	1.5	290.7	292.2				Single Cored	
339	U1390	A	32	X	6	1.29	1.29	292.2	293.49				Single Cored	
339	U1390	A	32	X	CC	0.33	0.33	293.49	293.82				Single Cored	
339	U1390	A	33	X	1	1.5	1.5	294.3	295.8				Single Cored	DISTURBED 0-23CM
339	U1390	A	33	X	2	1.5	1.5	295.8	297.3				Single Cored	
339	U1390	A	33	X	3	1.5	1.5	297.3	298.8				Single Cored	

U1390 PERMANENT ARCHIVE LIST

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
339	U1390	A	33	X	4	1.5	1.5	298.8	300.3				Single Cored	
339	U1390	A	33	X	5	1.21	1.21	300.3	301.51				Single Cored	
339	U1390	A	33	X	6	0.73	0.73	301.51	302.24				Single Cored	
339	U1390	A	33	X	CC	0.41	0.41	302.24	302.65				Single Cored	
339	U1390	A	34	X	1	1.5	1.5	303.9	305.4				Single Cored	
339	U1390	A	34	X	2	1.49	1.49	305.4	306.89				Single Cored	
339	U1390	A	34	X	3	1.5	1.5	306.89	308.39				Single Cored	
339	U1390	A	34	X	4	1.5	1.5	308.39	309.89				Single Cored	
339	U1390	A	34	X	5	1.5	1.5	309.89	311.39				Single Cored	
339	U1390	A	34	X	6	1.49	1.49	311.39	312.88				Single Cored	
339	U1390	A	34	X	CC	0.28	0.28	312.88	313.16				Single Cored	
339	U1390	A	35	X	1	0.94	0.94	313.5	314.44				Single Cored	
339	U1390	A	35	X	2	1.5	1.5	314.44	315.94				Single Cored	
339	U1390	A	35	X	3	1.5	1.5	315.94	317.44				Single Cored	
339	U1390	A	35	X	4	1.51	1.51	317.44	318.95				Single Cored	
339	U1390	A	35	X	5	1.28	1.28	318.95	320.23				Single Cored	
339	U1390	A	35	X	6	1.41	1.41	320.23	321.64				Single Cored	
339	U1390	A	35	X	7	0.94	0.94	321.64	322.58				Single Cored	
339	U1390	A	35	X	CC	0.64	0.64	322.58	323.22				Single Cored	
339	U1390	A	36	X	1	1.5	1.5	323.1	324.6				Single Cored	
339	U1390	A	36	X	2	1.5	1.5	324.6	326.1				Single Cored	
339	U1390	A	36	X	3	1.41	1.41	326.1	327.51				Single Cored	
339	U1390	A	36	X	4	1.5	1.5	327.51	329.01				Single Cored	
339	U1390	A	36	X	5	1.5	1.5	329.01	330.51				Single Cored	
339	U1390	A	36	X	6	1.04	1.04	330.51	331.55				Single Cored	
339	U1390	A	36	X	7	0.86	0.86	331.55	332.41				Single Cored	
339	U1390	A	36	X	CC	0.22	0.22	332.41	332.63				Single Cored	
339	U1390	A	37	X	1	1.5	1.5	332.3	333.8				Single Cored	
339	U1390	A	37	X	2	1.25	1.25	333.8	335.05				Single Cored	
339	U1390	A	37	X	CC	0.27	0.27	335.05	335.32				Single Cored	
339	U1390	A	38	X	1	1.5	1.5	341.9	343.4				Single Cored	
339	U1390	A	38	X	2	1.5	1.5	343.4	344.9				Single Cored	
339	U1390	A	38	X	3	1.5	1.5	344.9	346.4				Single Cored	
339	U1390	A	38	X	4	1.5	1.5	346.4	347.9				Single Cored	
339	U1390	A	38	X	5	1.5	1.5	347.9	349.4				Single Cored	
339	U1390	A	38	X	6	1.49	1.49	349.4	350.89				Single Cored	
339	U1390	A	38	X	CC	0.37	0.37	350.89	351.26				Single Cored	