

Site U1425 Permanent Archive List

Exp	Site	Hole	Core	Type	Sept	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1425	E	1	H	1	1.5	1.5	0	1.5	-0.07	1.43	-0.07	Accommodates Splice	
346	U1425	E	1	H	2	1.5	1.5	1.5	3	1.43	2.93	0	Accommodates Splice	
346	U1425	E	1	H	3	1.5	1.5	3	4.5	2.93	4.43	0	Accommodates Splice	
346	U1425	E	1	H	4	1.03	1.03	4.5	5.53	4.43	5.46	0	Accommodates Splice	
346	U1425	E	1	H	CC	0.16	0.16	5.53	5.69	5.46	5.62	0	Accommodates Splice	
346	U1425	E	2	H	1	1.5	1.5	5.7	7.2	7.2	8.7	1.58	Accommodates Splice	
346	U1425	E	2	H	2	1.5	1.5	7.2	8.7	8.7	10.2	0	Accommodates Splice	
346	U1425	E	2	H	3	1.5	1.5	8.7	10.2	10.2	11.7	0	Accommodates Splice	
346	U1425	E	2	H	4	1.5	1.5	10.2	11.7	11.7	13.2	0	Accommodates Splice	
346	U1425	E	2	H	5	1.5	1.5	11.7	13.2	13.2	14.7	0	Accommodates Splice	
346	U1425	E	2	H	6	1	1	13.2	14.2	14.7	15.7	0	Accommodates Splice	
346	U1425	E	2	H	7	0.67	0.67	14.2	14.87	15.7	16.37	0	Accommodates Splice	
346	U1425	E	2	H	CC	0.19	0.19	14.87	15.06	16.37	16.56	0	Accommodates Splice	
346	U1425	E	3	H	1	1.2	1.2	15.2	16.4	18.91	18.91	1.15	Accommodates Splice	Top of core liner was crushed and perforated
346	U1425	E	3	H	2	1.5	1.5	16.4	17.9	18.91	20.41	0	Accommodates Splice	
346	U1425	E	3	H	3	1.5	1.5	17.9	19.4	20.41	21.91	0	Accommodates Splice	
346	U1425	E	3	H	4	1.28	1.28	19.4	20.68	21.91	23.19	0	Accommodates Splice	
346	U1425	E	3	H	CC	0.07	0.07	20.68	20.75	23.19	23.26	0	Accommodates Splice	
346	U1425	E	4	H	1	1.5	1.5	24.7	26.2	24.64	26.14	1.38	Accommodates Splice	
346	U1425	E	4	H	2	1.5	1.5	26.2	27.7	26.14	27.64	0	Accommodates Splice	
346	U1425	E	4	H	3	1.5	1.5	27.7	29.2	27.64	29.14	0	Accommodates Splice	
346	U1425	E	4	H	4	1	1	29.2	30.2	29.14	30.14	0	Accommodates Splice	
346	U1425	E	4	H	5	0.75	0.75	30.2	30.95	30.14	30.88	0	Accommodates Splice	
346	U1425	E	4	H	CC	0.15	0.15	30.95	31.1	30.88	31.04	0	Accommodates Splice	
346	U1425	E	5	H	1	1.5	1.5	29.2	30.7	31.91	33.41	0.87	Accommodates Splice	
346	U1425	E	5	H	2	1.5	1.5	30.7	32.2	33.41	34.91	0	Accommodates Splice	
346	U1425	E	5	H	3	1.5	1.5	32.2	33.7	34.91	36.41	0	Accommodates Splice	
346	U1425	E	5	H	4	1.5	1.5	33.7	35.2	36.41	37.91	0	Accommodates Splice	
346	U1425	E	5	H	5	1.5	1.5	35.2	36.7	37.91	39.41	0	Accommodates Splice	
346	U1425	E	5	H	6	1	1	36.7	37.7	39.41	40.41	0	Accommodates Splice	
346	U1425	E	5	H	7	0.57	0.57	37.7	38.27	40.41	40.98	0	Accommodates Splice	
346	U1425	E	5	H	CC	0.12	0.12	38.27	38.39	40.98	41.1	0	Accommodates Splice	
346	U1425	E	6	H	1	1.5	1.5	38.7	40.2	42.05	43.55	0.95	Accommodates Splice	
346	U1425	E	6	H	2	1.5	1.5	40.2	41.7	43.55	45.05	0	Accommodates Splice	
346	U1425	E	6	H	3	1.2	1.2	41.7	42.9	45.05	46.25	0	Accommodates Splice	
346	U1425	E	6	H	4	1.5	1.5	42.9	44.4	46.25	47.75	0	Accommodates Splice	
346	U1425	E	6	H	5	1.5	1.5	44.4	45.9	47.75	49.25	0	Accommodates Splice	
346	U1425	E	6	H	6	1.31	1.31	45.9	47.21	49.25	50.56	0	Accommodates Splice	
346	U1425	E	6	H	7	0.62	0.62	47.21	47.83	50.56	51.18	0	Accommodates Splice	
346	U1425	E	6	H	CC	0.23	0.23	47.83	48.06	51.18	51.41	0	Accommodates Splice	
346	U1425	E	7	H	1	1.5	1.5	48.2	49.7	51.88	53.38	0.47	Accommodates Splice	Core liner was perforated and empty on top
346	U1425	E	7	H	2	1.5	1.5	49.7	51.2	53.38	54.88	0	Accommodates Splice	
346	U1425	E	7	H	3	1.5	1.5	51.2	52.7	54.88	56.38	0	Accommodates Splice	
346	U1425	E	7	H	4	1.5	1.5	52.7	54.2	56.38	57.88	0	Accommodates Splice	
346	U1425	E	7	H	5	1.5	1.5	54.2	55.7	57.88	59.38	0	Accommodates Splice	
346	U1425	E	7	H	6	1.37	1.37	55.7	57.07	59.38	60.75	0	Accommodates Splice	
346	U1425	E	8	H	1	1.5	1.5	57.7	59.2	61.84	63.34	1.09	Accommodates Splice	
346	U1425	E	8	H	2	1.5	1.5	59.2	60.7	63.34	64.84	0	Accommodates Splice	
346	U1425	E	8	H	3	1.5	1.5	60.7	62.2	64.84	66.34	0	Accommodates Splice	
346	U1425	E	8	H	4	1.5	1.5	62.2	63.7	66.34	67.84	0	Accommodates Splice	
346	U1425	E	8	H	5	1.5	1.5	63.7	65.2	67.84	69.34	0	Accommodates Splice	
346	U1425	E	8	H	6	1.22	1.22	65.2	66.42	69.34	70.56	0	Accommodates Splice	
346	U1425	E	8	H	7	0.56	0.56	66.42	66.98	70.56	71.12	0	Accommodates Splice	
346	U1425	E	8	H	CC	0.17	0.17	66.98	67.15	71.12	71.29	0	Accommodates Splice	
346	U1425	E	9	H	1	1.5	1.5	67.2	68.7	73.01	74.51	1.72	Accommodates Splice	
346	U1425	E	9	H	2	1.5	1.5	68.7	70.2	74.51	76.01	0	Accommodates Splice	
346	U1425	E	9	H	3	1.5	1.5	70.2	71.7	76.01	77.51	0	Accommodates Splice	
346	U1425	E	9	H	4	1.5	1.5	71.7	73.2	77.51	79.01	0	Accommodates Splice	
346	U1425	E	9	H	5	1.5	1.5	73.2	74.7	79.01	80.51	0	Accommodates Splice	
346	U1425	E	9	H	6	1.31	1.31	74.7	76.01	80.51	81.82	0	Accommodates Splice	
346	U1425	E	9	H	7	0.59	0.59	76.01	76.6	81.82	82.41	0	Accommodates Splice	
346	U1425	E	10	H	1	1.5	1.5	76.7	78.2	82.7	84.2	0.29	Accommodates Splice	
346	U1425	E	10	H	2	1.49	1.49	78.2	79.69	84.2	85.69	0	Accommodates Splice	
346	U1425	E	10	H	3	1.5	1.5	79.69	81.19	85.69	87.19	0	Accommodates Splice	
346	U1425	E	10	H	4	1.5	1.5	81.19	82.69	87.19	88.69	0	Accommodates Splice	
346	U1425	E	10	H	5	1.5	1.5	82.69	84.19	88.69	90.19	0	Accommodates Splice	
346	U1425	E	10	H	6	1.21	1.21	84.19	85.4	90.19	91.4	0	Accommodates Splice	
346	U1425	E	10	H	7	0.5	0.5	85.4	85.9	91.4	91.9	0	Accommodates Splice	
346	U1425	E	10	H	CC	0.21	0.21	85.9	86.11	91.9	92.11	0	Accommodates Splice	
346	U1425	E	11	H	1	1.5	1.5	86.2	87.7	90.69	92.19	-1.42	Accommodates Splice	
346	U1425	E	11	H	2	1.5	1.5	87.7	89.2	92.19	93.69	0	Accommodates Splice	
346	U1425	E	11	H	3	1.5	1.5	89.2	90.7	93.69	95.19	0	Accommodates Splice	
346	U1425	E	11	H	4	1.5	1.5	90.7	92.2	95.19	96.69	0	Accommodates Splice	
346	U1425	E	11	H	5	1.5	1.5	92.2	93.7	96.69	98.19	0	Accommodates Splice	
346	U1425	E	11	H	6	0.68	0.68	93.7	94.38	98.19	98.87	0	Accommodates Splice	
346	U1425	E	11	H	CC	0.11	0.11	94.38	94.49	98.87	98.98	0	Accommodates Splice	
346	U1425	E	12	H	1	1.5	1.5	95.7	97.2	100.99	102.49	2.01	Accommodates Splice	
346	U1425	E	12	H	2	1.51	1.51	97.2	98.71	102.49	104	0	Accommodates Splice	

Site U1425 Permanent Archive List
--

Exp	Site	Hole	Core	Type	Sect	Recovered length (m)	Curated length (m)	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Top depth (mcd)	Bottom depth (mcd)	Overlap/Gap	Comments	Curation Comments
346	U1425	D	52	H	CC	0.32	0.32	362.8	363.12	378.2	378.52	0	Below splice, deepest hole	
346	U1425	D	53	H	CC	0.25	0.25	363.1	363.35	378.5	378.75	-0.02	Below splice, deepest hole	
346	U1425	D	54	H	1	1.5	1.5	363.4	364.9	378.8	380.3	0.05	Below splice, deepest hole	
346	U1425	D	54	H	2	0.93	0.93	364.9	365.83	380.3	381.23	0	Below splice, deepest hole	
346	U1425	D	54	H	CC	0.18	0.18	365.83	366.01	381.23	381.41	0	Below splice, deepest hole	
346	U1425	D	55	H	1	1.5	1.5	365.9	367.4	381.3	382.8	-0.11	Below splice, deepest hole	
346	U1425	D	55	H	2	1.5	1.5	367.4	368.9	382.8	384.3	0	Below splice, deepest hole	
346	U1425	D	55	H	3	0.83	0.83	368.9	369.73	384.3	385.13	0	Below splice, deepest hole	
346	U1425	D	55	H	CC	0.34	0.34	369.73	370.07	385.13	385.47	0	Below splice, deepest hole	
346	U1425	D	56	H	1	1.28	1.28	370	371.28	385.4	386.68	-0.07	Below splice, deepest hole	HIGHLY DISTURBED; MUCK PUSHED INTO SPLIT LINER
346	U1425	D	57	H	1	1.5	1.5	371.3	372.8	386.7	388.2	0.02	Below splice, deepest hole	
346	U1425	D	57	H	2	1.5	1.5	372.8	374.3	388.2	389.7	0	Below splice, deepest hole	
346	U1425	D	57	H	3	1.16	1.16	374.3	375.46	389.7	390.86	0	Below splice, deepest hole	
346	U1425	D	57	H	CC	0.15	0.15	375.46	375.61	390.86	391.01	0	Below splice, deepest hole	
346	U1425	D	58	H	1	0.18	0.18	375.6	375.78	391	391.18	-0.01	Below splice, deepest hole	
346	U1425	D	58	H	2	1.5	1.5	375.78	377.28	391.18	392.68	0	Below splice, deepest hole	
346	U1425	D	58	H	3	1.5	1.5	377.28	378.78	392.68	394.18	0	Below splice, deepest hole	
346	U1425	D	58	H	4	0.75	0.75	378.78	379.53	394.18	394.93	0	Below splice, deepest hole	
346	U1425	D	58	H	CC	0.15	0.15	379.53	379.68	394.93	395.08	0	Below splice, deepest hole	
346	U1425	D	59	H	1	1.5	1.5	379.7	381.2	395.1	396.6	0.02	Below splice, deepest hole	
346	U1425	D	59	H	2	1.3	1.3	381.2	382.5	396.6	397.9	0	Below splice, deepest hole	
346	U1425	D	59	H	3	1.3	1.3	382.5	383.8	397.9	399.2	0	Below splice, deepest hole	
346	U1425	D	59	H	4	0.57	0.57	383.8	384.37	399.2	399.77	0	Below splice, deepest hole	
346	U1425	D	59	H	CC	0.45	0.45	384.37	384.82	399.77	400.22	0	Below splice, deepest hole	
346	U1425	D	60	H	1	1.5	1.5	384.4	384.8	399.8	401.3	-0.42	Below splice, deepest hole	
346	U1425	D	60	H	2	1.5	1.5	385.9	387.4	401.3	402.8	0	Below splice, deepest hole	
346	U1425	D	60	H	3	1	1	387.4	388.4	402.8	403.8	0	Below splice, deepest hole	
346	U1425	D	60	H	4	0.61	0.61	388.4	389.01	403.8	404.41	0	Below splice, deepest hole	
346	U1425	D	60	H	CC	0.27	0.27	389.01	389.28	404.41	404.68	0	Below splice, deepest hole	
346	U1425	D	61	H	1	1.32	1.32	389.1	390.42	404.5	405.82	-0.18	Below splice, deepest hole	
346	U1425	D	61	H	CC	0.3	0.3	390.42	390.72	405.82	406.12	0	Below splice, deepest hole	
346	U1425	D	62	H	1	1.5	1.5	390.7	392.2	406.1	407.6	-0.02	Below splice, deepest hole	
346	U1425	D	62	H	2	1.07	1.07	392.2	393.27	407.6	408.67	0	Below splice, deepest hole	
346	U1425	D	62	H	CC	0.29	0.29	393.27	393.56	408.67	408.96	0	Below splice, deepest hole	
346	U1425	D	63	H	1	1.5	1.5	393.6	395.1	409	410.5	0.04	Below splice, deepest hole	
346	U1425	D	63	H	2	1.5	1.5	395.1	396.6	410.5	412	0	Below splice, deepest hole	
346	U1425	D	63	H	3	1.06	1.06	396.6	397.66	412	413.06	0	Below splice, deepest hole	
346	U1425	D	64	H	1	1.5	1.5	397.7	399.2	413.1	414.6	0.04	Below splice, deepest hole	
346	U1425	D	64	H	2	1.3	1.3	399.2	400.5	414.6	415.9	0	Below splice, deepest hole	
346	U1425	D	64	H	3	0.51	0.51	400.5	401.01	415.9	416.41	0	Below splice, deepest hole	
346	U1425	D	64	H	CC	0.32	0.32	401.01	401.33	416.41	416.73	0	Below splice, deepest hole	
346	U1425	D	65	H	1	1.05	1.05	401.3	402.35	416.7	417.75	-0.03	Below splice, deepest hole	Shattered Liner; Disturbed
346	U1425	D	65	H	2	0.78	0.78	402.35	403.13	417.75	418.53	0	Below splice, deepest hole	Shattered Liner; Disturbed
346	U1425	D	65	H	3	1.29	1.29	403.13	404.42	418.53	419.82	0	Below splice, deepest hole	Shattered Liner; Disturbed
346	U1425	D	65	H	CC	0.05	0.05	404.42	404.47	419.82	419.87	0	Below splice, deepest hole	All to PAL
346	U1425	D	66	H	1	1.5	1.5	404.5	406	419.9	421.4	0.03	Below splice, deepest hole	
346	U1425	D	66	H	2	1.47	1.47	406	407.47	421.4	422.87	0	Below splice, deepest hole	
346	U1425	D	66	H	3	0.55	0.55	407.47	408.02	422.87	423.42	0	Below splice, deepest hole	
346	U1425	D	66	H	CC	0.05	0.05	408.02	408.07	423.42	423.47	0	Below splice, deepest hole	
346	U1425	D	67	H	1	0.76	0.76	408.1	408.86	423.5	424.26	0.03	Below splice, deepest hole	
346	U1425	D	69	H	CC	0.16	0.16	414	414.16	429.4	429.56	5.14	Below splice, deepest hole	
346	U1425	D	70	H	CC	0.11	0.11	415	415.11	430.4	430.51	0.84	Below splice, deepest hole	
346	U1425	D	71	X	CC	0.34	0.34	415.2	415.54	430.6	430.94	0.09	Below splice, deepest hole	
346	U1425	D	72	H	1	0.25	0.25	430.7	430.95	446.1	446.35	15.16	Below splice, deepest hole	liquid mud and rock bits.