

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments
371	U1509	A	1	R	CC	0	0.1	
371	U1509	A	2	R	1	0.1	1.09	
371	U1509	A	2	R	CC	1.09	1.26	
371	U1509	A	3	R	1	9.8	10.3	
371	U1509	A	3	R	CC	10.3	10.59	
371	U1509	A	4	R	1	19.4	20.9	
371	U1509	A	4	R	2	20.9	22.36	
371	U1509	A	4	R	CC	22.36	22.46	All to PAL
371	U1509	A	5	R	1	29.1	30.6	
371	U1509	A	5	R	2	30.6	32.1	
371	U1509	A	5	R	3	32.1	33.3	
371	U1509	A	5	R	4	33.3	33.94	
371	U1509	A	5	R	CC	33.94	34.04	All to PAL
371	U1509	A	6	R	CC	38.7	38.8	All to PAL and HS
371	U1509	A	7	R	1	48.4	49.9	
371	U1509	A	7	R	2	49.9	51.4	
371	U1509	A	7	R	3	51.4	52.9	
371	U1509	A	7	R	4	52.9	53.43	
371	U1509	A	7	R	CC	53.43	53.53	All to PAL
371	U1509	A	8	R	1	58.1	59.56	
371	U1509	A	8	R	2	59.56	60.91	
371	U1509	A	8	R	3	60.91	61.58	
371	U1509	A	8	R	CC	61.58	61.78	
371	U1509	A	9	R	1	67.8	69.27	
371	U1509	A	9	R	2	69.27	70.7	
371	U1509	A	9	R	3	70.7	71.91	
371	U1509	A	9	R	4	71.91	72.62	
371	U1509	A	9	R	CC	72.62	72.8	
371	U1509	A	10	R	1	77.5	78.96	
371	U1509	A	10	R	2	78.96	80.46	
371	U1509	A	10	R	3	80.46	81.61	
371	U1509	A	10	R	4	81.61	82.42	
371	U1509	A	10	R	CC	82.42	82.52	All to PAL
371	U1509	A	11	R	1	87.2	88.65	
371	U1509	A	11	R	2	88.65	90.08	
371	U1509	A	11	R	CC	90.08	90.18	All to PAL
371	U1509	A	12	R	1	96.8	98.3	
371	U1509	A	12	R	2	98.3	99.8	
371	U1509	A	12	R	3	99.8	101.3	
371	U1509	A	12	R	4	101.3	102.8	
371	U1509	A	12	R	5	102.8	103.86	
371	U1509	A	12	R	6	103.86	105.01	
371	U1509	A	12	R	CC	105.01	105.11	ALL TO PAL
371	U1509	A	13	R	1	106.3	107.8	
371	U1509	A	13	R	2	107.8	109.3	
371	U1509	A	13	R	3	109.3	110.8	
371	U1509	A	13	R	4	110.8	112.3	
371	U1509	A	13	R	5	112.3	113.8	
371	U1509	A	13	R	6	113.8	114.63	
371	U1509	A	13	R	CC	114.63	114.73	ALL TO PAL

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments
371	U1509	A	1	R	CC	0	0.1	
371	U1509	A	2	R	1	0.1	1.09	
371	U1509	A	2	R	CC	1.09	1.26	
371	U1509	A	14	R	1	115.8	117.3	
371	U1509	A	14	R	2	117.3	118.8	
371	U1509	A	14	R	3	118.8	120.3	
371	U1509	A	14	R	4	120.3	121.41	
371	U1509	A	14	R	5	121.41	122.11	
371	U1509	A	14	R	CC	122.11	122.3	
371	U1509	A	15	R	1	125.4	126.9	
371	U1509	A	15	R	2	126.9	128.4	
371	U1509	A	15	R	3	128.4	129.9	
371	U1509	A	15	R	4	129.9	131.4	
371	U1509	A	15	R	5	131.4	132.9	
371	U1509	A	15	R	6	132.9	134.4	
371	U1509	A	15	R	7	134.4	135.12	
371	U1509	A	15	R	CC	135.12	135.22	ALL TO PAL
371	U1509	A	16	R	1	135	136.5	
371	U1509	A	16	R	2	136.5	138	
371	U1509	A	16	R	3	138	139.5	
371	U1509	A	16	R	4	139.5	141	
371	U1509	A	16	R	5	141	142.5	
371	U1509	A	16	R	6	142.5	143.91	
371	U1509	A	16	R	CC	143.91	144.01	ALL TO PAL
371	U1509	A	17	R	1	144.6	146.1	
371	U1509	A	17	R	2	146.1	147.6	
371	U1509	A	17	R	3	147.6	148.5	
371	U1509	A	17	R	4	148.5	149.27	
371	U1509	A	17	R	CC	149.27	149.37	ALL TO PAL
371	U1509	A	18	R	1	154.1	155.6	
371	U1509	A	18	R	2	155.6	157.1	
371	U1509	A	18	R	3	157.1	158.6	
371	U1509	A	18	R	4	158.6	160.1	
371	U1509	A	18	R	5	160.1	161.41	
371	U1509	A	18	R	6	161.41	162.24	
371	U1509	A	18	R	CC	162.24	162.34	ALL TO PAL
371	U1509	A	19	R	1	163.8	165.3	
371	U1509	A	19	R	2	165.3	166.54	
371	U1509	A	19	R	CC	166.54	166.76	
371	U1509	A	20	R	1	173.4	174.89	
371	U1509	A	20	R	2	174.89	176.14	
371	U1509	A	20	R	3	176.14	177.55	
371	U1509	A	20	R	4	177.55	178.37	
371	U1509	A	20	R	CC	178.37	178.55	
371	U1509	A	21	R	1	183	184.5	
371	U1509	A	21	R	2	184.5	185.35	
371	U1509	A	21	R	3	185.35	186.19	
371	U1509	A	21	R	CC	186.19	186.44	
371	U1509	A	22	R	1	192.6	194.11	
371	U1509	A	22	R	2	194.11	195.61	

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments
371	U1509	A	1	R	CC	0	0.1	
371	U1509	A	2	R	1	0.1	1.09	
371	U1509	A	2	R	CC	1.09	1.26	
371	U1509	A	22	R	3	195.61	196.31	
371	U1509	A	22	R	CC	196.31	196.53	
371	U1509	A	23	R	1	202.1	203.6	
371	U1509	A	23	R	2	203.6	205.11	
371	U1509	A	23	R	CC	205.11	205.21	ALL TO PAL
371	U1509	A	24	R	1	206.7	208.08	Originally entered as 150cm acutally 138cm
371	U1509	A	24	R	2	208.08	209.58	
371	U1509	A	24	R	3	209.58	210.8	
371	U1509	A	24	R	CC	210.8	210.9	
371	U1509	A	25	R	1	211.7	213.15	
371	U1509	A	25	R	2	213.15	213.91	
371	U1509	A	25	R	CC	213.91	213.98	ALL TO PAL
371	U1509	A	26	R	1	221.3	221.68	
371	U1509	A	26	R	2	221.68	223.18	
371	U1509	A	26	R	3	223.18	224.68	
371	U1509	A	26	R	4	224.68	226.18	
371	U1509	A	26	R	5	226.18	227.68	
371	U1509	A	26	R	6	227.68	229.18	
371	U1509	A	26	R	7	229.18	230.25	
371	U1509	A	26	R	8	230.25	230.78	
371	U1509	A	26	R	CC	230.78	230.88	
371	U1509	A	27	R	1	230.9	232.4	
371	U1509	A	27	R	2	232.4	233.9	
371	U1509	A	27	R	3	233.9	234.88	
371	U1509	A	27	R	CC	234.88	234.98	
371	U1509	A	28	R	1	240.5	242	
371	U1509	A	28	R	2	242	243.5	
371	U1509	A	28	R	3	243.5	244.9	
371	U1509	A	28	R	4	244.9	246.4	
371	U1509	A	28	R	5	246.4	247.9	
371	U1509	A	28	R	6	247.9	248.58	
371	U1509	A	28	R	CC	248.58	248.68	
371	U1509	A	29	R	1	250.1	251.64	
371	U1509	A	29	R	2	251.64	253.14	
371	U1509	A	29	R	3	253.14	254.64	
371	U1509	A	29	R	4	254.64	256.14	
371	U1509	A	29	R	5	256.14	257.64	
371	U1509	A	29	R	6	257.64	259.14	
371	U1509	A	29	R	7	259.14	259.81	
371	U1509	A	29	R	CC	259.81	260.03	
371	U1509	A	30	R	1	259.7	261.2	
371	U1509	A	30	R	2	261.2	262.45	
371	U1509	A	30	R	3	262.45	263.95	
371	U1509	A	30	R	4	263.95	265.45	
371	U1509	A	30	R	5	265.45	266.5	
371	U1509	A	30	R	6	266.5	267.11	
371	U1509	A	30	R	CC	267.11	267.46	

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments
371	U1509	A	1	R	CC	0	0.1	
371	U1509	A	2	R	1	0.1	1.09	
371	U1509	A	2	R	CC	1.09	1.26	
371	U1509	A	31	R	1	269.3	270.8	
371	U1509	A	31	R	2	270.8	272.18	
371	U1509	A	31	R	3	272.18	273.66	
371	U1509	A	31	R	4	273.66	275.16	
371	U1509	A	31	R	5	275.16	276.66	
371	U1509	A	31	R	6	276.66	277.99	
371	U1509	A	31	R	7	277.99	278.8	
371	U1509	A	31	R	CC	278.8	278.9	
371	U1509	A	32	R	1	278.9	280.35	
371	U1509	A	32	R	2	280.35	281.88	
371	U1509	A	32	R	3	281.88	283.38	
371	U1509	A	32	R	4	283.38	284.88	
371	U1509	A	32	R	5	284.88	286.38	
371	U1509	A	32	R	6	286.38	287.88	
371	U1509	A	32	R	7	287.88	288.61	
371	U1509	A	32	R	CC	288.61	288.81	
371	U1509	A	33	R	1	288.5	290	
371	U1509	A	33	R	2	290	291.5	
371	U1509	A	33	R	3	291.5	293	
371	U1509	A	33	R	4	293	294.5	
371	U1509	A	33	R	5	294.5	296	
371	U1509	A	33	R	6	296	297.42	
371	U1509	A	33	R	7	297.42	298.23	
371	U1509	A	33	R	CC	298.23	298.46	
371	U1509	A	34	R	1	298.1	299.42	
371	U1509	A	34	R	2	299.42	300.92	
371	U1509	A	34	R	3	300.92	302.42	
371	U1509	A	34	R	4	302.42	303.91	
371	U1509	A	34	R	5	303.91	304.89	
371	U1509	A	34	R	CC	304.89	304.99	All to PAL
371	U1509	A	35	R	1	307.7	309.2	
371	U1509	A	35	R	2	309.2	310.7	
371	U1509	A	35	R	3	310.7	312	
371	U1509	A	35	R	4	312	313.2	
371	U1509	A	35	R	5	313.2	313.78	
371	U1509	A	35	R	CC	313.78	313.97	
371	U1509	A	36	R	1	317.3	318.82	
371	U1509	A	36	R	2	318.82	320.32	
371	U1509	A	36	R	3	320.32	321.82	
371	U1509	A	36	R	4	321.82	323.32	
371	U1509	A	36	R	5	323.32	324.81	
371	U1509	A	36	R	6	324.81	326.1	
371	U1509	A	36	R	CC	326.1	326.2	All to PAL
371	U1509	A	37	R	1	326.9	328.3	
371	U1509	A	37	R	2	328.3	329.78	
371	U1509	A	37	R	3	329.78	331.29	
371	U1509	A	37	R	4	331.29	332.8	

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments
371	U1509	A	1	R	CC	0	0.1	
371	U1509	A	2	R	1	0.1	1.09	
371	U1509	A	2	R	CC	1.09	1.26	
371	U1509	A	37	R	5	332.8	334.19	
371	U1509	A	37	R	6	334.19	335.64	
371	U1509	A	37	R	7	335.64	336.6	
371	U1509	A	37	R	CC	336.6	336.7	All to PAL
371	U1509	A	38	R	1	336.5	337.99	
371	U1509	A	38	R	2	337.99	339.4	
371	U1509	A	38	R	3	339.4	340.9	
371	U1509	A	38	R	4	340.9	342.39	
371	U1509	A	38	R	5	342.39	343.57	
371	U1509	A	38	R	CC	343.57	343.67	All to PAL
371	U1509	A	39	R	1	346.1	347.61	
371	U1509	A	39	R	2	347.61	349.11	
371	U1509	A	39	R	3	349.11	350.61	
371	U1509	A	39	R	4	350.61	351.86	
371	U1509	A	39	R	5	351.86	353.36	
371	U1509	A	39	R	6	353.36	354.72	
371	U1509	A	39	R	7	354.72	355.86	
371	U1509	A	39	R	CC	355.86	356.11	
371	U1509	A	40	R	1	355.6	357.05	
371	U1509	A	40	R	2	357.05	358.52	
371	U1509	A	40	R	3	358.52	359.99	
371	U1509	A	40	R	4	359.99	360.74	
371	U1509	A	40	R	5	360.74	361.61	
371	U1509	A	40	R	CC	361.61	361.86	
371	U1509	A	41	R	1	365.2	366.63	
371	U1509	A	41	R	2	366.63	368.03	
371	U1509	A	41	R	3	368.03	369.49	
371	U1509	A	41	R	4	369.49	370.82	
371	U1509	A	41	R	CC	370.82	371.06	
371	U1509	A	42	R	1	374.7	376.15	
371	U1509	A	42	R	2	376.15	377.6	
371	U1509	A	42	R	3	377.6	379.05	
371	U1509	A	42	R	4	379.05	380.41	
371	U1509	A	42	R	5	380.41	381.41	
371	U1509	A	42	R	CC	381.41	381.63	
371	U1509	A	43	R	1	384.3	385.78	
371	U1509	A	43	R	2	385.78	387.23	
371	U1509	A	43	R	3	387.23	388.69	
371	U1509	A	43	R	4	388.69	389.94	
371	U1509	A	43	R	5	389.94	391.1	
371	U1509	A	43	R	6	391.1	392.02	
371	U1509	A	43	R	7	392.02	392.98	
371	U1509	A	43	R	CC	392.98	393.08	
371	U1509	A	44	R	1	393.9	395.36	
371	U1509	A	44	R	2	395.36	396.5	
371	U1509	A	44	R	3	396.5	397.88	
371	U1509	A	44	R	CC	397.88	398.17	

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments
371	U1509	A	1	R	CC	0	0.1	
371	U1509	A	2	R	1	0.1	1.09	
371	U1509	A	2	R	CC	1.09	1.26	
371	U1509	A	45	R	1	403.4	404.86	
371	U1509	A	45	R	2	404.86	406.21	
371	U1509	A	45	R	3	406.21	406.94	
371	U1509	A	45	R	CC	406.94	407.14	Part of PAL Returned
371	U1509	A	46	R	1	412.9	414.23	
371	U1509	A	46	R	2	414.23	415.69	
371	U1509	A	46	R	3	415.69	417.01	
371	U1509	A	46	R	4	417.01	418.38	
371	U1509	A	46	R	CC	418.38	418.58	
371	U1509	A	47	R	1	422.5	423.6	
371	U1509	A	47	R	2	423.6	424.65	
371	U1509	A	47	R	3	424.65	425.33	
371	U1509	A	47	R	CC	425.33	425.43	
371	U1509	A	48	R	1	432.1	433.6	
371	U1509	A	48	R	2	433.6	434.75	
371	U1509	A	48	R	3	434.75	436.05	
371	U1509	A	48	R	CC	436.05	436.29	
371	U1509	A	49	R	1	441.7	443.2	
371	U1509	A	49	R	2	443.2	444.7	
371	U1509	A	49	R	3	444.7	446.23	
371	U1509	A	49	R	4	446.23	447.7	
371	U1509	A	49	R	5	447.7	449.17	
371	U1509	A	49	R	6	449.17	450.49	
371	U1509	A	49	R	CC	450.49	450.7	
371	U1509	A	50	R	1	451.3	452.8	
371	U1509	A	50	R	2	452.8	454.3	
371	U1509	A	50	R	3	454.3	455.44	
371	U1509	A	50	R	4	455.44	456.64	
371	U1509	A	50	R	5	456.64	458.13	
371	U1509	A	50	R	6	458.13	459.1	
371	U1509	A	50	R	CC	459.1	459.32	
371	U1509	A	51	R	1	460.9	462.22	
371	U1509	A	51	R	2	462.22	463.31	
371	U1509	A	51	R	3	463.31	464.2	
371	U1509	A	51	R	CC	464.2	464.5	
371	U1509	A	52	R	1	470.5	471.99	
371	U1509	A	52	R	2	471.99	473.49	
371	U1509	A	52	R	3	473.49	474.99	
371	U1509	A	52	R	4	474.99	476.49	
371	U1509	A	52	R	5	476.49	477.69	
371	U1509	A	52	R	6	477.69	478.89	
371	U1509	A	52	R	7	478.89	479.41	
371	U1509	A	52	R	CC	479.41	479.65	
371	U1509	A	53	R	1	480	481.31	
371	U1509	A	53	R	2	481.31	482.44	
371	U1509	A	53	R	3	482.44	483.67	
371	U1509	A	53	R	4	483.67	485.18	

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments
371	U1509	A	1	R	CC	0	0.1	
371	U1509	A	2	R	1	0.1	1.09	
371	U1509	A	2	R	CC	1.09	1.26	
371	U1509	A	53	R	5	485.18	486.33	
371	U1509	A	53	R	CC	486.33	486.59	
371	U1509	A	54	R	1	489.6	491.06	
371	U1509	A	54	R	2	491.06	492.41	
371	U1509	A	54	R	3	492.41	493.74	
371	U1509	A	54	R	CC	493.74	493.96	
371	U1509	A	55	R	1	499.2	500.61	
371	U1509	A	55	R	2	500.61	501.79	
371	U1509	A	55	R	CC	501.79	501.89	
371	U1509	A	56	R	1	508.8	510.17	
371	U1509	A	56	R	2	510.17	511.56	
371	U1509	A	56	R	3	511.56	512.99	
371	U1509	A	56	R	4	512.99	514.34	
371	U1509	A	56	R	5	514.34	515.75	
371	U1509	A	56	R	6	515.75	517.01	
371	U1509	A	56	R	CC	517.01	517.27	
371	U1509	A	57	R	1	518.4	519.87	
371	U1509	A	57	R	2	519.87	521.35	
371	U1509	A	57	R	3	521.35	522.73	
371	U1509	A	57	R	4	522.73	524.04	
371	U1509	A	57	R	5	524.04	525.47	
371	U1509	A	57	R	6	525.47	526.41	
371	U1509	A	57	R	CC	526.41	526.6	
371	U1509	A	58	R	1	528	529.46	
371	U1509	A	58	R	2	529.46	530.75	
371	U1509	A	58	R	3	530.75	532.05	
371	U1509	A	58	R	4	532.05	533.55	
371	U1509	A	58	R	5	533.55	534.79	
371	U1509	A	58	R	6	534.79	535.73	
371	U1509	A	58	R	CC	535.73	536.06	
371	U1509	A	59	R	1	537.6	538.85	
371	U1509	A	59	R	2	538.85	540.27	
371	U1509	A	59	R	3	540.27	541.7	
371	U1509	A	59	R	4	541.7	542.75	
371	U1509	A	59	R	5	542.75	543.43	
371	U1509	A	59	R	CC	543.43	543.64	
371	U1509	A	60	R	1	547.2	548.44	
371	U1509	A	60	R	2	548.44	549.93	
371	U1509	A	60	R	3	549.93	551.41	
371	U1509	A	60	R	4	551.41	552.83	
371	U1509	A	60	R	5	552.83	554.3	
371	U1509	A	60	R	6	554.3	555.62	
371	U1509	A	60	R	CC	555.62	555.82	
371	U1509	A	61	R	1	556.8	558.23	
371	U1509	A	61	R	2	558.23	559.61	
371	U1509	A	61	R	3	559.61	560.8	
371	U1509	A	61	R	4	560.8	562.29	

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments
371	U1509	A	1	R	CC	0	0.1	
371	U1509	A	2	R	1	0.1	1.09	
371	U1509	A	2	R	CC	1.09	1.26	
371	U1509	A	61	R	5	562.29	563.58	
371	U1509	A	61	R	6	563.58	564.32	
371	U1509	A	61	R	CC	564.32	564.54	
371	U1509	A	62	R	1	566.3	567.78	
371	U1509	A	62	R	2	567.78	569.2	
371	U1509	A	62	R	3	569.2	570.57	
371	U1509	A	62	R	4	570.57	571.76	
371	U1509	A	62	R	5	571.76	572.76	
371	U1509	A	62	R	CC	572.76	572.97	
371	U1509	A	63	R	1	575.8	577.16	
371	U1509	A	63	R	2	577.16	578.58	
371	U1509	A	63	R	3	578.58	580.1	
371	U1509	A	63	R	4	580.1	581.59	
371	U1509	A	63	R	5	581.59	583.12	
371	U1509	A	63	R	6	583.12	584.22	
371	U1509	A	63	R	7	584.22	584.74	
371	U1509	A	63	R	CC	584.74	585.01	
371	U1509	A	64	R	1	585.3	586.44	
371	U1509	A	64	R	2	586.44	587.74	
371	U1509	A	64	R	3	587.74	589.24	
371	U1509	A	64	R	4	589.24	590.41	
371	U1509	A	64	R	5	590.41	591.91	
371	U1509	A	64	R	6	591.91	593.05	
371	U1509	A	64	R	7	593.05	593.78	
371	U1509	A	64	R	CC	593.78	593.88	All to PAL
371	U1509	A	65	R	1	594.9	596.4	
371	U1509	A	65	R	2	596.4	597.9	
371	U1509	A	65	R	3	597.9	599.4	
371	U1509	A	65	R	4	599.4	600.9	
371	U1509	A	65	R	5	600.9	602.41	
371	U1509	A	65	R	6	602.41	603.91	
371	U1509	A	65	R	7	603.91	604.58	
371	U1509	A	65	R	CC	604.58	604.84	
371	U1509	A	66	R	1	604.5	605.95	
371	U1509	A	66	R	2	605.95	607.39	
371	U1509	A	66	R	3	607.39	608.31	
371	U1509	A	66	R	4	608.31	608.99	
371	U1509	A	66	R	CC	608.99	609.32	
371	U1509	A	67	R	1	614.1	615.5	
371	U1509	A	67	R	2	615.5	616.55	
371	U1509	A	67	R	3	616.55	617.53	
371	U1509	A	67	R	CC	617.53	617.63	ALL TO PAL
371	U1509	A	68	R	1	623.7	625.14	
371	U1509	A	68	R	2	625.14	626.14	
371	U1509	A	68	R	CC	626.14	626.24	ALL TO PAL
371	U1509	A	69	R	1	633.4	634.51	
371	U1509	A	69	R	2	634.51	635.58	

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments
371	U1509	A	1	R	CC	0	0.1	
371	U1509	A	2	R	1	0.1	1.09	
371	U1509	A	2	R	CC	1.09	1.26	
371	U1509	A	69	R	3	635.58	636.38	
371	U1509	A	69	R	CC	636.38	636.59	
371	U1509	A	70	R	1	643	644.4	
371	U1509	A	70	R	2	644.4	645.73	
371	U1509	A	70	R	3	645.73	647.18	
371	U1509	A	70	R	4	647.18	648.65	
371	U1509	A	70	R	5	648.65	650.12	
371	U1509	A	70	R	6	650.12	651.34	
371	U1509	A	70	R	7	651.34	652.5	
371	U1509	A	70	R	CC	652.5	653.06	
371	U1509	A	71	R	1	652.5	653.94	
371	U1509	A	71	R	2	653.94	655.4	
371	U1509	A	71	R	3	655.4	656.87	
371	U1509	A	71	R	4	656.87	658.14	
371	U1509	A	71	R	5	658.14	659.4	
371	U1509	A	71	R	6	659.4	660.31	
371	U1509	A	71	R	CC	660.31	660.41	
371	U1509	A	72	R	1	662.1	663.47	
371	U1509	A	72	R	2	663.47	664.96	
371	U1509	A	72	R	3	664.96	666.19	
371	U1509	A	72	R	4	666.19	667.66	
371	U1509	A	72	R	5	667.66	669.03	
371	U1509	A	72	R	6	669.03	670.24	
371	U1509	A	72	R	7	670.24	671.34	
371	U1509	A	72	R	CC	671.34	671.44	
371	U1509	A	73	R	1	671.7	673.02	
371	U1509	A	73	R	2	673.02	674.5	
371	U1509	A	73	R	3	674.5	676.03	
371	U1509	A	73	R	4	676.03	677.39	
371	U1509	A	73	R	5	677.39	678.87	
371	U1509	A	73	R	6	678.87	679.88	
371	U1509	A	73	R	7	679.88	680.57	
371	U1509	A	73	R	CC	680.57	680.83	
371	U1509	A	74	R	1	681.2	682.57	
371	U1509	A	74	R	2	682.57	683.81	
371	U1509	A	74	R	3	683.81	685.29	
371	U1509	A	74	R	4	685.29	686.75	
371	U1509	A	74	R	5	686.75	688.22	
371	U1509	A	74	R	6	688.22	689.57	
371	U1509	A	74	R	CC	689.57	689.67	All to PAL

Totals: