

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments
371	U1511	A	1	R	1	0	1.5	
371	U1511	A	1	R	2	1.5	2.79	
371	U1511	A	1	R	3	2.79	4.29	
371	U1511	A	1	R	4	4.29	5.79	
371	U1511	A	1	R	5	5.79	6.89	
371	U1511	A	1	R	6	6.89	7.4	
371	U1511	A	1	R	CC	7.4	7.61	
371	U1511	A	2	R	CC	7.5	7.55	
371	U1511	A	3	R	CC	17.1	17.3	
371	U1511	B	2	R	1	19.8	21.11	
371	U1511	B	2	R	2	21.11	22.31	
371	U1511	B	2	R	3	22.31	22.85	
371	U1511	B	2	R	CC	22.85	23.01	
371	U1511	B	3	R	1	29.4	30.48	
371	U1511	B	3	R	CC	30.48	30.58	All to PAL
371	U1511	B	4	R	1	39	40.43	
371	U1511	B	4	R	2	40.43	41.93	
371	U1511	B	4	R	3	41.93	43.43	
371	U1511	B	4	R	4	43.43	44.93	
371	U1511	B	4	R	5	44.93	46.44	
371	U1511	B	4	R	6	46.44	47.42	
371	U1511	B	4	R	CC	47.42	47.6	
371	U1511	B	6	R	1	58	59.5	
371	U1511	B	6	R	2	59.5	61	
371	U1511	B	6	R	3	61	62.5	
371	U1511	B	6	R	4	62.5	64	
371	U1511	B	6	R	5	64	65	
371	U1511	B	6	R	6	65	65.6	
371	U1511	B	6	R	CC	65.6	65.7	ALL TO PAL
371	U1511	B	7	R	1	67.6	69.1	
371	U1511	B	7	R	2	69.1	70.6	
371	U1511	B	7	R	3	70.6	72.1	
371	U1511	B	7	R	4	72.1	73.6	
371	U1511	B	7	R	5	73.6	75.1	
371	U1511	B	7	R	6	75.1	76.55	
371	U1511	B	7	R	7	76.55	77.2	

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments
371	U1511	A	1	R	1	0	1.5	
371	U1511	A	1	R	2	1.5	2.79	
371	U1511	A	1	R	3	2.79	4.29	
371	U1511	B	7	R	CC	77.2	77.3	ALL TO PAL
371	U1511	B	9	R	CC	192.2	192.28	
371	U1511	B	10	R	1	201.9	203.4	
371	U1511	B	10	R	2	203.4	204.9	
371	U1511	B	10	R	3	204.9	206.4	
371	U1511	B	10	R	4	206.4	207.9	
371	U1511	B	10	R	5	207.9	208.97	
371	U1511	B	10	R	CC	208.97	209.07	
371	U1511	B	11	R	CC	211.5	211.6	All to PAL
371	U1511	B	12	R	1	221.1	222.6	
371	U1511	B	12	R	2	222.6	224.1	
371	U1511	B	12	R	3	224.1	225.6	
371	U1511	B	12	R	4	225.6	227.1	
371	U1511	B	12	R	5	227.1	227.81	
371	U1511	B	12	R	6	227.81	229.31	
371	U1511	B	12	R	7	229.31	230.81	
371	U1511	B	12	R	CC	230.81	230.91	
371	U1511	B	13	R	1	230.7	232.2	
371	U1511	B	13	R	2	232.2	233.7	
371	U1511	B	13	R	3	233.7	235.2	
371	U1511	B	13	R	4	235.2	236.7	
371	U1511	B	13	R	5	236.7	238.2	
371	U1511	B	13	R	6	238.2	239.7	
371	U1511	B	13	R	7	239.7	240.38	
371	U1511	B	13	R	CC	240.38	240.48	
371	U1511	B	14	R	1	240.3	241.8	
371	U1511	B	14	R	2	241.8	243.3	
371	U1511	B	14	R	3	243.3	244.8	
371	U1511	B	14	R	4	244.8	246.3	
371	U1511	B	14	R	5	246.3	247.8	
371	U1511	B	14	R	6	247.8	249.3	
371	U1511	B	14	R	7	249.3	250.01	
371	U1511	B	14	R	CC	250.01	250.2	

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments
371	U1511	A	1	R	1	0	1.5	
371	U1511	A	1	R	2	1.5	2.79	
371	U1511	A	1	R	3	2.79	4.29	
371	U1511	B	15	R	1	249.9	251.4	
371	U1511	B	15	R	2	251.4	252.9	
371	U1511	B	15	R	3	252.9	254.4	
371	U1511	B	15	R	4	254.4	255.9	
371	U1511	B	15	R	5	255.9	257.4	
371	U1511	B	15	R	6	257.4	258.9	
371	U1511	B	15	R	7	258.9	259.51	
371	U1511	B	15	R	CC	259.51	259.61	All to PAL
371	U1511	B	16	R	1	259.5	261	
371	U1511	B	16	R	2	261	262.5	
371	U1511	B	16	R	3	262.5	264	
371	U1511	B	16	R	4	264	265.5	
371	U1511	B	16	R	5	265.5	266.72	
371	U1511	B	16	R	6	266.72	267.86	
371	U1511	B	16	R	7	267.86	268.57	
371	U1511	B	16	R	CC	268.57	268.74	
371	U1511	B	17	R	1	269.1	270.6	
371	U1511	B	17	R	2	270.6	272.1	
371	U1511	B	17	R	3	272.1	273.6	
371	U1511	B	17	R	4	273.6	275.1	
371	U1511	B	17	R	5	275.1	276.6	
371	U1511	B	17	R	6	276.6	278.05	
371	U1511	B	17	R	7	278.05	278.74	
371	U1511	B	17	R	CC	278.74	278.84	All to PAL
371	U1511	B	18	R	1	278.7	279.95	
371	U1511	B	18	R	2	279.95	281.43	
371	U1511	B	18	R	3	281.43	282.93	
371	U1511	B	18	R	4	282.93	284.1	
371	U1511	B	18	R	5	284.1	285.1	
371	U1511	B	18	R	CC	285.1	285.32	
371	U1511	B	19	R	1	288.3	289.64	
371	U1511	B	19	R	2	289.64	291.14	
371	U1511	B	19	R	3	291.14	292.46	

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments
371	U1511	A	1	R	1	0	1.5	
371	U1511	A	1	R	2	1.5	2.79	
371	U1511	A	1	R	3	2.79	4.29	
371	U1511	B	19	R	4	292.46	293.96	
371	U1511	B	19	R	5	293.96	295.27	
371	U1511	B	19	R	CC	295.27	295.47	
371	U1511	B	20	R	1	297.9	299.4	
371	U1511	B	20	R	2	299.4	300.9	
371	U1511	B	20	R	3	300.9	302.4	
371	U1511	B	20	R	4	302.4	303.73	
371	U1511	B	20	R	5	303.73	304.93	
371	U1511	B	20	R	CC	304.93	305.14	
371	U1511	B	21	R	1	307.5	309	
371	U1511	B	21	R	2	309	310.5	
371	U1511	B	21	R	3	310.5	311.77	
371	U1511	B	21	R	4	311.77	312.57	
371	U1511	B	21	R	CC	312.57	312.77	
371	U1511	B	22	R	1	317.1	318.6	
371	U1511	B	22	R	2	318.6	320.01	
371	U1511	B	22	R	3	320.01	321.02	
371	U1511	B	22	R	4	321.02	321.83	
371	U1511	B	22	R	CC	321.83	322.06	
371	U1511	B	23	R	1	326.7	328.2	
371	U1511	B	23	R	2	328.2	329.7	
371	U1511	B	23	R	3	329.7	331.2	
371	U1511	B	23	R	4	331.2	332.7	
371	U1511	B	23	R	5	332.7	334.18	
371	U1511	B	23	R	6	334.18	335.44	
371	U1511	B	23	R	CC	335.44	335.54	ALL TO PAL
371	U1511	B	24	R	1	336.3	337.8	
371	U1511	B	24	R	2	337.8	339.3	
371	U1511	B	24	R	3	339.3	340.8	
371	U1511	B	24	R	4	340.8	342.3	
371	U1511	B	24	R	5	342.3	343.11	
371	U1511	B	24	R	6	343.11	343.87	
371	U1511	B	24	R	CC	343.87	344.1	

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments
371	U1511	A	1	R	1	0	1.5	
371	U1511	A	1	R	2	1.5	2.79	
371	U1511	A	1	R	3	2.79	4.29	
371	U1511	B	25	R	1	345.9	347.4	
371	U1511	B	25	R	2	347.4	348.9	
371	U1511	B	25	R	3	348.9	350.4	
371	U1511	B	25	R	4	350.4	351.9	
371	U1511	B	25	R	5	351.9	353.4	
371	U1511	B	25	R	6	353.4	354.3	
371	U1511	B	25	R	7	354.3	355.49	
371	U1511	B	25	R	CC	355.49	355.74	
371	U1511	B	26	R	1	355.5	357	
371	U1511	B	26	R	2	357	358.5	
371	U1511	B	26	R	3	358.5	360	
371	U1511	B	26	R	4	360	361.5	
371	U1511	B	26	R	5	361.5	363	
371	U1511	B	26	R	6	363	364.51	
371	U1511	B	26	R	7	364.51	365.14	
371	U1511	B	26	R	CC	365.14	365.24	ALL TO PAL
371	U1511	B	27	R	1	365.1	366.6	
371	U1511	B	27	R	2	366.6	368.1	
371	U1511	B	27	R	3	368.1	369.6	
371	U1511	B	27	R	4	369.6	371.1	
371	U1511	B	27	R	5	371.1	372.6	
371	U1511	B	27	R	6	372.6	373.78	
371	U1511	B	27	R	7	373.78	374.81	
371	U1511	B	27	R	CC	374.81	374.99	
371	U1511	B	28	R	1	374.7	376.2	
371	U1511	B	28	R	2	376.2	377.7	
371	U1511	B	28	R	3	377.7	379.2	
371	U1511	B	28	R	4	379.2	380.7	
371	U1511	B	28	R	5	380.7	382.2	
371	U1511	B	28	R	6	382.2	383.31	
371	U1511	B	28	R	7	383.31	384.15	
371	U1511	B	28	R	CC	384.15	384.35	
371	U1511	B	29	R	1	384.3	385.8	

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments
371	U1511	A	1	R	1	0	1.5	
371	U1511	A	1	R	2	1.5	2.79	
371	U1511	A	1	R	3	2.79	4.29	
371	U1511	B	29	R	2	385.8	387.3	
371	U1511	B	29	R	3	387.3	388.8	
371	U1511	B	29	R	4	388.8	390.3	
371	U1511	B	29	R	5	390.3	391.8	
371	U1511	B	29	R	6	391.8	393.15	
371	U1511	B	29	R	7	393.15	393.99	
371	U1511	B	29	R	CC	393.99	394.19	
371	U1511	B	30	R	1	393.8	395.3	
371	U1511	B	30	R	2	395.3	396.8	
371	U1511	B	30	R	3	396.8	398.3	
371	U1511	B	30	R	4	398.3	399.8	
371	U1511	B	30	R	5	399.8	400.74	
371	U1511	B	30	R	CC	400.74	400.92	
371	U1511	B	31	R	1	403.4	404.31	
371	U1511	B	31	R	2	404.31	404.99	
371	U1511	B	31	R	CC	404.99	405.09	
371	U1511	B	32	R	1	413	414.5	
371	U1511	B	32	R	2	414.5	416	
371	U1511	B	32	R	3	416	417.5	
371	U1511	B	32	R	4	417.5	419	
371	U1511	B	32	R	5	419	420.5	
371	U1511	B	32	R	6	420.5	421.55	
371	U1511	B	32	R	7	421.55	422.73	
371	U1511	B	32	R	CC	422.73	422.91	
371	U1511	B	33	R	1	422.6	424.13	
371	U1511	B	33	R	2	424.13	425.63	
371	U1511	B	33	R	3	425.63	427.13	
371	U1511	B	33	R	4	427.13	428.63	
371	U1511	B	33	R	5	428.63	430.13	
371	U1511	B	33	R	6	430.13	431.57	
371	U1511	B	33	R	7	431.57	432.35	
371	U1511	B	33	R	CC	432.35	432.43	
371	U1511	B	34	R	1	432.2	433.7	

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments
371	U1511	A	1	R	1	0	1.5	
371	U1511	A	1	R	2	1.5	2.79	
371	U1511	A	1	R	3	2.79	4.29	
371	U1511	B	34	R	2	433.7	435.2	
371	U1511	B	34	R	3	435.2	436.7	
371	U1511	B	34	R	4	436.7	437.3	
371	U1511	B	34	R	CC	437.3	437.4	All to PAL
371	U1511	B	35	R	1	441.7	443.2	
371	U1511	B	35	R	2	443.2	444.7	
371	U1511	B	35	R	3	444.7	446.2	
371	U1511	B	35	R	4	446.2	447.7	
371	U1511	B	35	R	5	447.7	449.2	
371	U1511	B	35	R	6	449.2	450.48	
371	U1511	B	35	R	CC	450.48	450.58	All to PAL
371	U1511	B	36	R	1	451.3	452.8	
371	U1511	B	36	R	2	452.8	454.3	
371	U1511	B	36	R	3	454.3	455.8	
371	U1511	B	36	R	4	455.8	457.3	
371	U1511	B	36	R	5	457.3	458.8	
371	U1511	B	36	R	6	458.8	460.3	
371	U1511	B	36	R	7	460.3	461.03	
371	U1511	B	36	R	CC	461.03	461.13	All to PAL
371	U1511	B	37	R	1	460.9	462.4	
371	U1511	B	37	R	2	462.4	463.9	
371	U1511	B	37	R	3	463.9	465.4	
371	U1511	B	37	R	4	465.4	466.78	
371	U1511	B	37	R	CC	466.78	466.88	ALL TO PAL
371	U1511	B	38	R	1	470.5	472	
371	U1511	B	38	R	2	472	473.5	
371	U1511	B	38	R	3	473.5	475	
371	U1511	B	38	R	4	475	476.5	
371	U1511	B	38	R	5	476.5	478	
371	U1511	B	38	R	6	478	479.5	
371	U1511	B	38	R	7	479.5	480.17	
371	U1511	B	38	R	CC	480.17	480.44	
371	U1511	B	39	R	1	480.1	481.6	

Exp	Site	Hole	Core	Type	Sect	Top depth CSF-A (m)	Bottom depth CSF-A (m)	Comments
371	U1511	A	1	R	1	0	1.5	
371	U1511	A	1	R	2	1.5	2.79	
371	U1511	A	1	R	3	2.79	4.29	
371	U1511	B	39	R	2	481.6	482.43	
371	U1511	B	39	R	CC	482.43	482.53	ALL TO PAL
371	U1511	B	40	R	1	489.7	490.19	
371	U1511	B	40	R	2	490.19	490.58	
371	U1511	B	40	R	3	490.58	490.99	
371	U1511	B	40	R	CC	490.99	491.09	
371	U1511	B	41	R	1	499.3	500.19	
371	U1511	B	41	R	2	500.19	501.14	
371	U1511	B	41	R	CC	501.14	501.24	
371	U1511	B	42	R	1	508.8	509.91	
371	U1511	B	42	R	2	509.91	510.57	
371	U1511	B	42	R	CC	510.57	510.67	
371	U1511	B	44	R	CC	527.9	528.16	
371	U1511	B	45	R	1	537.5	538.6	
371	U1511	B	45	R	2	538.6	539.21	
371	U1511	B	45	R	CC	539.21	539.42	
371	U1511	B	46	R	1	547.1	548.6	
371	U1511	B	46	R	2	548.6	550.02	
371	U1511	B	46	R	3	550.02	551.25	
371	U1511	B	46	R	CC	551.25	551.35	All to PAL
371	U1511	B	47	R	1	556.7	557.97	
371	U1511	B	47	R	2	557.97	559.42	
371	U1511	B	47	R	3	559.42	560.69	
371	U1511	B	47	R	CC	560.69	560.79	All to PAL